

# Technical Data Sheet

## Eastman™ SAIB-90EA (Sucrose Acetate Isobutyrate)

### Chemical Synonym

Sucrose Acetate Isobutyrate (and) Ethyl Acetate

### Applications

- Dyes / pigments / paints
- Paints & coatings
- Personal care ingredients

### Product Description

Eastman™ SAIB is a stable liquid that is soluble in most alcohols, vegetable oils, flavoring oils, animal fats, and vegetable-based waxes. It has light color and good thermal stability. It also has good color stability to heat and UV light. Hydrolytic stability is also excellent. Although SAIB is a very viscous liquid, it has the unique characteristic of changing viscosity abruptly upon the addition of solvent or an increase in temperature. Eastman™ SAIB-90EA is a low-viscosity solution of 90% by weight SAIB and 10% ethyl acetate. In addition to its applications in coatings, Eastman™ SAIB-90EA is used in nail polish lacquers.

### Typical Properties

Property	Typical Value, Units
<b>General</b>	
Form	90% SAIB in ethyl acetate
Wt/Vol	1.11 kg/L (9.24 lb/gal)
Color	
Pt-Co	200 max.
Specific Gravity	
@ 25°C/25°C	1.11
Acid Number (mg KOH/g)	0.2
Viscosity	
@ 25°C	935 cP
Flash Point	
Cleveland Open Cup	91 °C (195 °F)
Acid Number	0.20

### Comments

Properties reported here are typical of average lots. Eastman makes no representation that the material in any particular shipment will conform exactly to the values given.

*Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.*

2/28/2018 11:35:39 AM

