

# SAFETY DATA SHEET

Revision date 30-Mar-2015

Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Code** 

IF1255

**Product Name** 

SLATE URETHANE

# Other means of identification

No information available

# Recommended use of the chemical and restrictions on use

Paint, Coatings

# Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar Corporation PO Box 1461

Minneapolis, MN 55440

E-mail address msds@valspar.com

# Emergency telephone number

United States of America 1-888-345-5732

American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands 1-800-255-3924

# **Section 2: HAZARDS IDENTIFICATION**

# Classification

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A

#### Label elements



#### Signal word

#### **DANGER**

#### **Hazard Statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause cancer

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace.

#### Response

IF exposed or concerned: Get medical advice/attention.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

# Storage

Store locked up.

# **Disposal**

Dispose of contents/containers in accordance with local regulations.

#### Hazards not otherwise classified (HNOC)

Not applicable. May form combustible dust concentrations in air.

#### Other hazards

Not applicable.

# Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Carbon black	1333-86-4	1 - 3
Trimellitic anhydride	552-30-7	0.3 - 1
Quartz	14808-60-7	0.1 - 0.3

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# **Section 4: FIRST AID MEASURES**

# **First Aid Measures**

#### **General advice**

IF exposed or concerned: Get medical advice/attention.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### **Skin Contact**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

# Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

# **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Alcohol resistant foam.

Not to be used for safety reasons: Inert gas under high pressure (e.g. CO2), water jet

#### Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation. May cause sensitization by skin contact.

# Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

# Section 6: ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

# **Personal precautions**

Remove all sources of ignition. Do not breathe dust. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

#### For emergency responders

Use personal protection recommended in Section 8.

# Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so.

# Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

# Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Do not use a dry brush as dust clouds or static can be created. Take up mechanically, placing in appropriate containers for disposal. Pick up and transfer to properly labeled containers. Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

# Section 7: HANDLING AND STORAGE

## Precautions for safe handling

#### General advice

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be exposed to any process in which this product is used. Examination of lung function should be carried out on a regular basis on persons spraying this product.

#### Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Do not breathe dust/fume/gas/mist/vapors/spray.

#### **General Hygiene Considerations**

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

# Conditions for safe storage, including any incompatibilities

# **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Incompatible materials

Acids.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

# **Exposure Limits**

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon black 1333-86-4	TWA: 3 mg/m³ inhalable fraction	TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Trimellitic anhydride 552-30-7	STEL: 0.002 mg/m³ inhalable fraction and vapor TWA: 0.0005 mg/m³ inhalable fraction and vapor S*		TWA: 0.005 ppm should be handled in the workplace as extremely toxic TWA: 0.04 mg/m³ should be handled in the workplace as extremely toxic
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	TWA: (30)/(%SiO2 + 2) mg/m³ TWA total dust TWA: (250)/(%SiO2 + 5) mppcf TWA respirable fraction TWA: (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust

# **Appropriate engineering controls**

# **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe dust.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Wear suitable protective clothing. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

#### **Hand Protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

# Respiratory protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### **Thermal Protection**

No information available

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state powder

Appearance No information available

Odorless Color Odorless

Odor ThresholdNo information availablepH valueNo information availableMelting point/freezing pointNo information available

Boiling point / boiling range No information available °C / °F

flash point510 °C / 950 °Fevaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor Pressure
vapor density

No information available
No information available
No information available

Density (lbs per US gallon) 12.94 specific gravity 1.55

Solubility(ies)

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available

Other information

# **Section 10: STABILITY AND REACTIVITY**

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous polymerization**None under normal processing.

Product Code IF1255
Page 5/8
AGHS - USA OSHA SDS

Conditions to avoid Heat, flames and sparks.

Incompatible materials Acids.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

# Section 11: TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Eye contact Not applicable Skin Contact

May cause an allergic skin reaction

Ingestion Not applicable Inhalation Not applicable

# Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon black 1333-86-4	-	-	-
Trimellitic anhydride 552-30-7	= 2030 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 2.33 mg/L (Rat)4 h
Quartz 14808-60-7	= 500 mg/kg(Rat)	-	-

# Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

# **Carcinogenicity**

According to IARC, Volume 93, no significant exposure to primary particles of carbon black is thought to occur from use in paints

since the pigment is bound to other materials.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black 1333-86-4	A3	Group 2B		X
Quartz 14808-60-7	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen. A3 - Animal Carcinogen.

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans. Group 2B - Possibly Carcinogenic to Humans.

NTP (National Toxicology Program)

Known - Known Carcinogen.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present.

**Skin corrosion/irritation Serious eye damage/eye irritation**Not applicable
Not applicable

**Skin sensitization** May cause an allergic skin reaction

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled

Germ cell mutagenicity
Carcinogenicity
Reproductive Toxicity
Specific target organ toxicity (single Not applicable

exposure)

Specific target organ toxicity

Not applicable

(repeated exposure)

Product Code IF1255
Page 6/8
AGHS - USA OSHA SDS

Aspiration hazard Not applicable

# **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental precautions Prevent product from entering drains.

Persistence and degradability

No information available

**Bioaccumulation** 

No information available

Mobility

No information available

Other adverse effects No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal. Empty

containers must be scrapped or reconditioned.

# **Section 14: TRANSPORT INFORMATION**

DOT IMDG IATA

**14.1 UN/ID no** Not regulated Not regulated Not regulated

14.2 Proper shipping name

14.3 Hazard Class

14.4 Packing Group

14.5 Environmental hazard Not applicable

**DSL** - Canadian Domestic Substances List

14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# **Section 15: REGULATORY INFORMATION**

**International Inventories** 

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

All components are listed or exempt

from listing

All components are listed or exempt

from listing

**US Federal Regulations** 

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

**US State Regulations** 

#### Rule 66 status of product

Not photochemically reactive.

# **California Proposition 65**

WARNING! This product contains a chemical known in the State of California to cause cancer.

#### U.S. EPA Label information

EPA Pesticide registration number Not applicable

#### U.S. State Right-to-Know Regulations

Chemical Name
Limestone
1317-65-3
Proprietary Non-Hazardous Ingredient - Proprietary CAS
Proprietary Non-Hazardous Ingredient - Proprietary CAS
Carbon black
1333-86-4
Quartz
14808-60-7

# **Section 16: OTHER INFORMATION**

#### **HMIS**

Health hazards

\* = Chronic Health Hazard

Flammability

Physical hazards

Personal Protection

2\*

0

X

# **Supplier Address**

Valspar Coatings
10300 Claude Freeman Dr.
Charlotte, NC 28262
704-548-2820

Valspar Powder Coatings
13129 Harland Dr. NE
Covington, GA 30014
770-784-4140

Prepared By Product Stewardship

Revision date 30-Mar-2015

Revision Note No information available

**Disclaimer** 

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**