FMC Lithium USA Corp.

A Livent Company

Page 1 of 7 SDS Ref. No: 099 Date Approved: 15 April, 2019 Revision No: 3

SAFETY DATA SHEET

LITHIUM CHLORIDE SOLUTION

1. Identification of the Substance/Mixture and of the Company/Undertaking:

1.1 <u>Product Identifier:</u> Lithium chloride solution

1.1.1 Substances Not applicable

1.1.2 <u>Mixture name:</u> Lithium chloride solution

Alternate names and trade name ADVAGuard® Inhibited Lithium Chloride Solution, Limit® 201, Limit® 301

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Component in closed systems for air conditioning applications. Formulation and chemical synthesis in industrial manufacturing

operations.

Additive for preparations and articles for industrial and consumer use.

Do not use for private purposes (household).

1.3 <u>Details of the Supplier of the Safety Data Sheet</u>

 North America
 Europe

 FMC Corporation
 FMC Chemicals

 2801 Yorkmont Road, Suite 300
 Commercial Road

 Charlotte, NC 28208
 Bromborough, Merseyside

 Phone: +1.704.426.5300
 CH62 3NL, England

 Fax: +1.704.426.5370
 Phone: +44.151. 334.8085

 1.888.lithium
 Fax: +44.151.482.7361

Fax: +44.151.482.7361

European Union Contact:
FMC Lithium Foreign HoldCo B.V
Prins Bernhardplein 200
Amsterdam 1097JB The Netherlands
Phone: +31 20 521 4681

Asia Pacific

FMC Asia Innovation Center No 3 Building No. 4560 Jinke Road Shanghai, China 201203 T: +86.21.2067.5888

email: sds.info@livent.com
Web: www.livent.com

1.4 <u>Emergency Telephone Number:</u>

North America Europe Asia Pacific

CHEMTREC: +1.800.424.9300 **24 hr Specialist advice** Phone: +86.21.2067.5888

+1.703.527.3887 number: CHEMTREC: +44 870

Plant: +1.704.629.5361 8200418 Medical: +1.303.595.9048

Emergency response UK: Call NHS Direct Tel. 111 (https://111.nhs.uk/)

Emergency response EIRE: Call National Poison Centre 01 8092566, npicdublin@beaumont.ie; www.poisons.ie

2. Hazards Identification

2.1 Classification of the Substance or mixture:

2.1.1 GHS Classification [EC Regulation No 1272/2008 and US OSHA regulations]

Acute Toxicity, Category 4 Eye Irritant, Category 2 Skin irritant, Category 2

2.2 Label Elements:

2.2.3 Hazard Pictograms(s):



2.2.4 Signal Word: Warning

Hazard Statement(s):Harmful if swallowedH302Causes serious eye irritationH319Causes skin irritationH315

Precautionary Statement(s):

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF IN EYES: Rinse cautiously w/ water for several minutes. Remove P305 + P351 +

Page 2 of 7 **SDS Ref. No:** 099

Date Approved: 15 April, 2019

P501

Revision No: 3

contact lenses, if present and easy to do. Continue rinsing. P338 If eve irritation persists: Get medical advice/attention. P337 + P313 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you P301 + P312 IF ON SKIN: Wash with plenty of soap and water. P302 + P352 If skin irritation occurs: Get medical advice/attention. P332 + P313 **Additional Precautionary Statements:** Wash hands thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Take off contaminated clothing and wash before reuse. P362

2.3 Other Hazards

None.

3. Composition / Information on Ingredients

3.1 Substances Not applicable.

3.2 Mixtures

3.1.1 GHS Classification [EC: Regulation No 1272/2008; US: OSHA regulations]

Dispose of contents/ container to an approved waste disposal plant

Chemical Name	CAS#	EC No	EC Index No	REACH Reg No		Classification, Hazard Statement Codes	
Lithium chloride	7447-41-8	231-212-3	not avail.	01-2119560574- 35-0000	33-42	Acute Tox. 4 Eye Irrit. 2 Skin Irrit. 2	H302 H319 H315
Water	7732-18-5	None	None	None	58-62	None	

(See Section 16 for full H-Statement text)

4. First Aid Measures

4.1 <u>Description of First Aid Measures</u>

EYES: Flush with water for at least 15 minutes. If irritation occurs and persists, contact a medical

doctor.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If

any discomfort persists, obtain medical attention.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a

medical doctor.

4.2 Most Important Symptoms and effects, both acute and delayed

Skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed.

Notes to medical doctor:

This product has low oral, dermal and inhalation toxicity, and is a mild irritant. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

5. Fire-Fighting Measures

5.1 Extinguishing media Dry chemical, CO₂, water spray or regular foam.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products None

General Hazard No known physical hazard, non-combustible.

Properties contributing to

<u>Flammability</u> None

<u>Flashpoint</u> Not applicable

Flammable limits in air Upper: Not available Lower: Not available.

Auto ignition temperatureNot applicableSensitivity to static dischargeNot applicableSensitivity to static impactNot applicable

5.3 Advice for fire-fighters

Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for fire fighting. This is necessary to protect against the hazards of heat, products of combustion and

Page 3 of 7 SDS Ref. No: 099 Date Approved: 15 April, 2019 Revision No: 3

oxygen deficiency. Do not breathe smoke, gases or vapors generated.

COMMENTS:

(See Section 10, Stability and Reactivity)

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection.

6.2 Environmental precautions

Contain spill. Do not wash into drains. Dispose of at qualified waste disposal facility.

6.3 Methods and material for containment and cleaning up

Contain spill with absorbant. Sweep up and place in approved transport container. Dispose of waste according to local and Federal laws and regulations.

6.4 Reference to other sections

Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection.

6.5 Additional information

Not specified.

7. Handling and Storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin or clothing. Use with adequate ventilation. Wear safety glasses or goggles and rubber gloves. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from strong acids. Keep container closed.

7.3 Specific end use(s)

Defined in Exposure scenarios. Industrial and professional use only

8. Exposure Controls / Personal Protection

8.1 Control parameters

Lithium Chloride

DNEL

Long-term exposure, systemic, inhalation 10 mg/m³
Long-term exposure, systemic, dermal 73.2 mg/kg/day

PNEC

PNEC aqua (freshwater) 10.4 mg/l PNEC STP 140 mg/l

EXPOSURE LIMITS

Chemical Name	EU		EH40 (UK WEL)		USA (ACGIH)		USA (OSHA)	
	TWA	STEL	TWA	STEL	TWA	STEL/Ceiling	PEL	STEL/Ceiling
Lithium chloride	none*		none*		none*		none*	

^{*} No occupational exposure limit value

8.2 Exposure controls

Engineering controls:

Use local exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eyes and Face: Safety glasses or goggles

Respiratory: When engineering controls are not adequate, wear a respirator approved for

protection against aqueous sprays. US: NIOSH or MSHA approved Europe: CEN Class P type

Protective Clothing: Gloves: Nitrile/Neoprene/PVC/Natural Rubber (permeation breakthrough not

detected during 6 hr test)

These glove recommendations should not be used as the absolute basis for glove selection. Actual in-use conditions may vary glove performance from the

Page 4 of 7 **SDS Ref. No: 099** Date Approved: 15 April, 2019 **Revision No: 3**

controlled conditions of laboratory tests. Factors such as concentration and temperature, glove thickness and glove reuse, may affect performance. Other glove requirements, such as length, dexterity, cut, abrasion, puncture and snag resistance, or glove grip need to be considered in making your final selection. Other: Not specified.

Work Hygienic Practices:

Quick-drench eyewash and safety shower.

9. Physical and Chemical Properties

Information on basic physical and chemical properties 9.1

Water-white liquid Appearance:

Odor: Odorless Odor threshold: None

pH: 6 to 8 (10 vol% LiCl solution in water)

Melting point: < 0°C Aqueous mixture

Boiling point: 130°C (266°F) Not applicable Flash point: Evaporation rate(butyl acetate = 1): Not applicable Not applicable Flammability: Flammable limits: Not applicable Vapor pressure: As for water Vapor density (air = 1): Not applicable

Specific gravity: 1.2-1.3 g/cc @ 25°C (77°F) Miscible in any proportion Solubility in water:

Partition coefficient n-octanol/ water: Not available Autoignition temperature: Not applicable **Decomposition temperature:** Not available Viscosity: Not applicable **Explosive properties:** Not explosive Not an oxidizer Oxidizing properties:

9.2 **Other information**

Self-reactive properties Does not meet classification criteria. Does not meet classification criteria. Pyrophoric properties Self-heating properties Does not meet classification criteria. Water reactive properties Does not meet classification criteria. Corrosive to metals Does not meet classification criteria.

Molecular weight: 42.4 (LiCI)

10. Stability and Reactivity

10.1 Reactivity Reacts with acids to form hydrogen chloride

10.2 **Chemical stability** Stable

Possibility of hazardous reaction 10.3 Hazardous polymerization will not occur.

10.4 Conditions to avoid Contact with acids

10.5 Incompatible materials Acids **Hazardous decomposition products** 10.6 None

11. Toxicological Information

11.1 Information on toxicological effects

(b) skin corrosion/irritation

(c) serious eye damage/irritation

Lithium chloride acute oral toxicity > 526 mg/kg (rat) (a) acute toxicity

Lithium chloride acute inhalation toxicity LC₅₀: > 5.57 mg/L

(male/female)

Lithium chloride acute dermal toxicity LD50: >2000 mg/kg (rat), Classified as an irritant to skin on the basis of lithium chloride. Classified as irritant to eyes on the basis of lithium chloride. Classed as not sensitizing to skin on the basis of lithium chloride.

(d) respiratory/skin sensitisation

(e) germ cell mutagenicity Classified as not mutagenic based on lithium chloride.

Page 5 of 7 SDS Ref. No: 099 Date Approved: 15 April, 2019 Revision No: 3

(f) carcinogenicity
(g) reproductive toxicity
(h) STOT-single exposure
(i) STOT-repeated exposure

Classified as not carcinogenic based on lithium chloride.
Classified as not causing organ damage based on lithium chloride.
Classified as not causing organ damage on repeat exposure based on

lithium chloride.

(j) aspiration hazard Lithium chloride, a solid, does not present an aspiration hazard.

Lithium chloride has been extensively tested for REACH registration

Acute Effects From Overexposure:

No data available for the formulation.

No envisaged effects other than acute effects from local irritation

Chronic Effects From Overexposure:

No data available for product.

<u>Carcinogenicity Listings</u> <u>EH40:</u> Not listed.

IARC: Not listed. NTP: Not listed.

OSHA: Not considered a carcinogen under OSHA.

ACGIH: Not listed.

12. Ecological Information

12.1 Toxicity: No classification

Lithium chloride Rainbow trout: 96 hr. LC₅₀ = 158 mg/L

Daphnia magna: 48 hr. $EC_{50} = 249 \text{ mg/L}$ Daphnia reproduction 21 day, NOEC 10.4 mg/l

12.2 Persistence and degradability

Inorganic salt.

12.3 Bioaccumulative potential

Inorganic. Lithium salts are not bioaccumulative

12.4 Mobility in soil

Not expected to be mobile.

12.5 Results of PBT and vPvB assessment

Inorganic

12.6 Other adverse effects

None

13. Disposal Considerations

13.1 Waste treatment methods

Use a qualified industrial waste disposal facility. Dispose of waste according to local and Federal laws and regulations.

14. Transport Information

14.1 UN Number None None **14.2** UN proper shipping name (IMDG, ICAO, ADR, DOT) None

14.3 Transport hazard class(es) (IMDG, ICAO, ADR. Based on available data, the classification

DOT) criteria are not met.

14.4 Packing group (IMDG, ICAO, ADR, DOT) None

14.5 Environmental hazards Based on available data, the classification

criteria are not met.

14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None

15. Regulatory Information

Page 6 of 7 SDS Ref. No: 099 Date Approved: 15 April, 2019 Revision No: 3

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EUROPEAN UNION:

German Wassergefährdungsklasse (water hazard class)

Lithium chloride 1

UNITED STATES:

Section 311 Hazard Category (40 CFR Immediate (acute) health hazard,

<u>370):</u>

Section 313 Reportable Ingredients (40 This product does not contain a toxic chemical subject to the

CFR 372):

reporting requirements of Section 313 of Emergency Planning and

Community Right-To-Know Act of 1986.

Section 302 Extremely Hazardous Not listed

Substances (40 CFR 355):

CERCLA Hazardous Substance (40 CFR Not listed

<u>302.4):</u>

TSCA Sec 12b Export Notification: This product is not subject to TSCA 12 (b) Export Notification

Requirements.

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0 Special: None

INTERNATIONAL INVENTORY STATUS:

Inventory/Country Product Status

EINECS (EU)

TSCA (US)

ECL (Korea)

DSL (Canada)

Listed

Listed

15.2 <u>Chemical Safety Assessment</u>

A Chemical Safety Assessment has been completed for lithium chloride solid

16. Other Information

European Union:

H Statements from Section 3:

H302 Harmful if swallowed

H319 Causes serious eye irritation

H315 Causes skin irritation

List of Abbreviations used in this SDS:

PBT Persistent, Bioaccumulative and Toxic vPvB very Persistent, very Bioaccumulative PEC Predicted environmental concentration PNEC Predicted no effect concentration

DNEL Derived no effect level

Specific uses identified for Exposure Scenarios

ES1 Industrial, chemical synthesis and processing

ES2 Formulation, industrial
ES3 Industrial, use of products
ES4 Professional, use of products
ES5 Consumer, use of products

REVISION SUMMARY: Revision # 3. Sections 1, 2, 3, and 16 revised. Regular review completed. No significant changes.

Page 7 of 7 SDS Ref. No: 099 Date Approved: 15 April, 2019 Revision No: 3

type 1a Copyright 2019, FMC Lithium USA Corp. All Rights Reserved. ADVAGuard, and Limit are trademarks of FMC Lithium USA Corp.