

_

Version Revision Date: 5.4 02/21/2020			S Number: 65323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017				
SEC	TION 1.							
	Product name		:	Krytox™ L-100 G				
	SDS-Id	entcode	:	13000031542				
	Manufa	cturer or supplier's c	leta	ils				
	Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC			
	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)				
	Telepho	one	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
	Recom	mended use of the cl	chemical and restriction		ons on use			
	Recommended use		:	Lubricant				
	Restrict	ions on use	:	tions involving imp internal body fluid written agreement	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES



Version 5.4	Revision Date: 02/21/2020		Number: 323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017				
lf in	If inhaled		: If inhaled, remove to fresh air. Get medical attention if symptoms occur.					
In c	ase of skin contact	 Wash with water and soap as a precaution. Get medical attention if symptoms occur. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. 						
In c	ase of eye contact							
If sv	If swallowed Most important symptoms and effects, both acute and delayed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
and			Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness					
Pro	tection of first-aiders	: N	lo special precau	utions are necessary for first aid responders.				
Not	es to physician	: T	reat symptomati	cally and supportively.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Fluorine compounds Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if

SAFETY DATA SHEET

Krytox™ L-100 G



Version 5.4	Revision Date: 02/21/2020		0S Number: 65323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017			
for fire-fighters			necessary. Use personal protective equipment.				
SECTIO	N 6. ACCIDENTAL RELE	AS	E MEASURES				
Personal precautions, protec- tive equipment and emer- gency procedures		• :	Follow safe handling advice and personal protective equipment recommendations.				
Environmental precautions			Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.				
	thods and materials for ntainment and cleaning up	:	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containent to keep material from spreading. If diked material or pumped, store recovered material in appropriate containent Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and sal of this material, as well as those materials and items ployed in the cleanup of releases. You will need to deter which regulations are applicable. Sections 13 and 15 of this SDS provide information regardered for the spin spin spin spin spin spin spin spin				

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2019
5.4	02/21/2020	1765323-00009	Date of first issue: 06/23/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

2

1

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Version 5.4	Revision Date: 02/21/2020		S Number: 5323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017				
			unknown, appropriate respiratory protection should be worn Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provide by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplie respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.					
Hand	I protection							
R	emarks	:	Wash hands befo	re breaks and at the end of workday.				
Еуе р	protection	:	Wear the followin Safety glasses	g personal protective equipment:				
Skin	and body protection	:	Skin should be wa	ashed after contact.				
Hygie	ene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper	:	No data available



Versio 5.4				S Number: 5323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017
fla	flammability limit				
		plosion limit / Lower ility limit	:	No data available	
Va	apor pr	essure	:	Not applicable	
Re	elative	vapor density	:	Not applicable	
Re	elative	density	:	1.9	
So	olubility Wate	r(ies) r solubility	:	insoluble	
	artition ctanol/v	coefficient: n- vater	:	Not applicable	
Au	utoignit	ion temperature	:	No data available)
De	ecompo	osition temperature	:	572 °F / 300 °C	
Vi	iscosity Visco	sity, kinematic	:	Not applicable	
E	xplosive	e properties	:	Not explosive	
O	vxidizing	g properties	:	The substance o	r mixture is not classified as oxidizing.
Pa	article s	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products Thermal decomposition Hvd

hermal decomposition	:	Hydrofluoric acid
-		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide

SAFETY DATA SHEET

Revision Date:



Date of last issue: 09/26/2019

Krytox™ L-100 G

Version

1	02/21/2020	1765323-00009	Date of first issue: 06/23/2017
	11. TOXICOLOGICA	L INFORMATION	
Inform	nation on likely rou	tes of exposure	
Skin co Ingesti Eye co	ion		
Acute	toxicity		
Not cla	assified based on av	ailable information.	
Skin c	orrosion/irritation		
Not cla	assified based on av	ailable information.	
Seriou	ıs eye damage/eye	irritation	
Not cla	assified based on av	ailable information.	
Respi	ratory or skin sens	itization	
Skin s	ensitization		
Not cla	assified based on av	ailable information.	
Respi	ratory sensitizatior	1	
Not cla	assified based on av	ailable information.	
Germ	cell mutagenicity		
Not cla	assified based on av	ailable information.	
Carcir	nogenicity		
Not cla IARC		ent of this product prese	ent at levels greater than or equal to 0.1% i confirmed human carcinogen by IARC.
OSHA		nent of this product pres s list of regulated carcin	sent at levels greater than or equal to 0.1% ogens.
	No ingredi	ent of this product prese	ent at levels greater than or equal to 0.1% i ed carcinogen by NTP.

SDS Number:

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available



Version 5.4	Revision Date: 02/21/2020		DS Number: 765323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017
Persi	istence and degradab	oility		
No da	ata available			
	ccumulative potential ata available			
	lity in soil ata available			
	r adverse effects ata available			
SECTION	13. DISPOSAL CONS		RATIONS	
Disp	osal methods			
Wast	e from residues	:	Dispose of in a	ccordance with local regulations.
Conta	taminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.			r recycling or disposal.
SECTION	14. TRANSPORT INF	ORM	IATION	
Inter	national Regulations			
UNR Not re	TDG egulated as a dangerou	us go	od	
	-DGR egulated as a dangerou	us go	od	
-	-Code egulated as a dangerou	us go	od	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Version 5.4	Revision Date: 02/21/2020	SDS Number: 1765323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017		
SARA	313	known CAS num	es not contain any chemical components with bers that exceed the threshold (De Minimis) stablished by SARA Title III, Section 313.		
US State Regulations					
Penns	ylvania Right To Kno	w			
	Linear Fluid		Trade secret		
Fluoropolymer			Trade secret		
	PFPE fluid		Trade secret		
California Prop. 65					
WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.					

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of ot	her abbreviations
-----------------	-------------------

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-



Version 5.4	Revision Date: 02/21/2020	SDS Number: 1765323-00009	Date of last issue: 09/26/2019 Date of first issue: 06/23/2017			
		its for Air Con	taminants			
OSHA Z-2		: USA. Occupa	: USA. Occupational Exposure Limits (OSHA) - Table Z-2			
ACGIH / TWA		: 8-hour, time-v	: 8-hour, time-weighted average			
ACGIH / STEL		: Short-term exposure limit				
ACGIH / C		: Ceiling limit				
NIOSH REL / TWA			 Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 			
NIOSH REL / ST			STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday			
NIOSH REL / C			Ceiling value not be exceeded at any time.			
OSHA	A Z-1 / TWA	: 8-hour time w	eighted average			
OSHA	A Z-2 / TWA	: 8-hour time w	eighted average			

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
--	---	--

Revision Date

: 02/21/2020



Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2019
5.4	02/21/2020	1765323-00009	Date of first issue: 06/23/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8