

Krytox[™] EG 3000

Versio 5.3	on	Revision Date: 02/20/2020		DS Number: 65957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017				
SECTION 1. IDENTIFICATION									
Р	Product	name	:	Krytox™ EG 3000)				
S	SDS-Id	entcode	:	130000031482					
N	lanufa	cturer or supplier's	deta	ails					
C	Compa	ny name of supplier	:	The Chemours C	ompany FC, LLC				
Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)						
Т	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)						
R	Recom	mended use of the c	hen	nical and restriction	ons on use				
R	Recom	mended use	:	Lubricant					
R	Restrict	ions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET



Krytox™ EG 3000

Version 5.3	Revision Date: 02/20/2020	SDS Num 1765957-0		Date of last issue: 10/25/2019 Date of first issue: 06/23/2017				
If inhaled			If inhaled, remove to fresh air. Get medical attention if symptoms occur.					
In ca	ase of skin contact		Wash with water and soap as a precaution. Get medical attention if symptoms occur.					
In ca	ase of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.					
lf sw	If swallowed		If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
Most important symptoms and effects, both acute and delayed		Irritatio Lung e Eye co Blurreo Discon Lachry Skin co Irritatio	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness					
Prot	ection of first-aiders	: No spe	ecial precauti	ons are necessary for first aid responders.				
Note	es to physician	: Treat s	symptomatica	Ily and supportively.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 5.3	Revision Date: 02/20/2020)S Number: 65957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017				
Use personal protective equipment.								
SECTION 6	6. ACCIDENTAL RELE	AS	E MEASURES					
Personal precautions, protec- tive equipment and emer- gency procedures		:	Follow safe handling advice and personal protective equipment recommendations.					
Environmental precautions			Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.					
	ds and materials for ment and cleaning up	:	For large spills, p ment to keep mat pumped, store red Clean up remaining bent. Local or national sal of this material ployed in the clean which regulations Sections 13 and	t absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dispo- il, as well as those materials and items em- nup of releases. You will need to determine are applicable. Is of this SDS provide information regarding ational requirements.				

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.



Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2019
5.3	02/20/2020	1765957-00008	Date of first issue: 06/23/2017

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		C	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

:

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied



Version 5.3	Revision Date: 02/20/2020		DS Number: 765957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017		
		respirator if there is any potential for uncontrolled releat exposure levels are unknown, or any other circumstand where air purifying respirators may not provide adequat protection.				
Hand	protection					
Remarks		:	Wash hands before breaks and at the end of workday.			
Eye protection		:	Wear the following personal protective equipment: Safety glasses			
Skin a	and body protection	:	Skin should be w	ashed after contact.		
Hygie	ne measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. and clothing before re-use.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Versi 5.3	ion	Revision Date: 02/20/2020		S Number: 5957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
:	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	9
	Decomposition temperature		:	572 °F / 300 °C	
	Viscosi [.] Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle	size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.				
Chemical stability	:	Stable under normal conditions.				
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.				
Conditions to avoid	:	None known.				
Incompatible materials	:	None.				
Hazardous decomposition products						

Thermal decomposition	:	Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide
		Carbon monoxido

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

SAFETY DATA SHEET



Krytox™ EG 3000

sion	Revision Date: 02/20/2020	SDS Number: 1765957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017			
	e toxicity assified based on ava	ailable information.				
	corrosion/irritation					
	assified based on av	ailable information.				
Serio	us eye damage/eye	irritation				
Not cl	assified based on ava	ailable information.				
Resp	ratory or skin sensi	itization				
Skin s	sensitization					
Not cl	assified based on av	ailable information.				
Respi	ratory sensitization					
Not cl	assified based on ava	ailable information.				
Germ	cell mutagenicity					
Not cl	assified based on ava	ailable information.				
Carci	nogenicity					
Not cl IARC	No ingredie	d based on available information. No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.				
OSH/		No component of this product present at levels greater than or equal to 0.1% on OSHA's list of regulated carcinogens.				
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.				
Repro	oductive toxicity					
Not cl	assified based on ava	ailable information.				
	-single exposure					
Not cl	assified based on ava	ailable information.				
	-repeated exposure assified based on ava					
Aspir	ation toxicity					
-	assified based on av	ailable information.				

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available

SAFETY DATA SHEET



Krytox[™] EG 3000

Version 5.3	Revision Date: 02/20/2020	•-	DS Number: 765957-00008	Date of last issue: 10/25/2019 Date of first issue: 06/23/2017	
••	Other adverse effects No data available				
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS				
Dispo	osal methods				
Waste	e from residues	:	Dispose of in acc	ordance with local regulations.	
Conta	minated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.		

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

:

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know



Trade secret

Trade secret

Krytox[™] EG 3000


Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2019
5.3	02/20/2020	1765957-00008	Date of first issue: 06/23/2017

PFPE fluid Fluoropolymer

California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours ${}^{\rm M}$ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.



Krytox[™] EG 3000

OSHA Z-2 / TWA

Version	Revision Date: 02/20/2020	SDS Number:	Date of last issue: 10/25/2019
5.3		1765957-00008	Date of first issue: 06/23/2017
OSHA	A Z-1 / TWA	: 8-hour time we	ighted average

:

8-hour time weighted average

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date

: 02/20/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8