

SDSUS / EN / TUS01 Version: 2.3 Revision date: 10/31/2014 Initiator: 0001 / PRD

150000001069

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Eastman(TM) SAIB-90EA (Sucrose Acetate Isobutyrate)

Product No.: EAN 972331, P1589701

Synonyms, Trade Names: 15897-00

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Ink., Cosmetic. Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard classification:

Physical hazards

Flammable liquids Category 2

OSHA Specified Hazards: not applicable

Warning label items including precautionary statement:

Pictogram:



Signal words: DANGER!

Hazard Statement(s): H225: Highly flammable liquid and vapor.



SDSUS / EN / TUS01 Version: 2.3 Revision date: 10/31/2014 Initiator: 0001 / PRD

150000001069

Precautionary statement:

Prevention: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P370 + 378: In case of fire: Use water spray, carbon dioxide, dry chemical

or foam for extinction.

P303+P361+P353: IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

Storage: P403+P235: Store in a well-ventilated place. Keep cool.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
sucrose acetate isobutyrate	>90%	CAS-No.: 126-13-6, 27216-37-1, or 137204-24-1 (REACH Registration No.: 01-2119980728-20-0000)	
ethyl acetate	<10%	CAS-No.: 141-78-6	#

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. This substance has workplace exposure limit(s).

SECTION 4: First aid measures

Description of first aid measures

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms

persist.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. In case of irritation from airborne exposure, move to fresh air. Get medical attention if symptoms

persist.

Skin contact: Wash with soap and water. Get medical attention if symptoms occur.

Ingestion: Seek medical advice.



Initiator: 0001 / PRD 150000001069

Most important symptoms and

effects, both acute and

Narcotic effect.

delayed:

Indication of any immediate medical attention and special treatment needed

Hazards: Vapors have a narcotic effect and may cause headache, fatique, dizziness

and nausea.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards: Flammable liquid and vapor.

Extinguishing media

Suitable extinguishing

media:

Water spray. Dry chemical. Carbon Dioxide. Foam.

Unsuitable extinguishing

media:

None known.

Special hazards arising from

the substance or mixture:

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent

buildup of vapors or gases to explosive concentrations.

Advice for firefighters

Special fire fighting

procedures:

Water may be ineffective in fighting the fire. Use water spray to keep fire-

exposed containers cool.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

Wear appropriate personal protective equipment.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning

up:

Eliminate sources of ignition. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Large Spillages: Flush spill area with water spray. Prevent runoff from entering drains,

sewers, or streams. Dike for later disposal.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling: Avoid breathing high vapor concentrations. Avoid prolonged or repeated

contact with skin. Use only with adequate ventilation. Wash thoroughly after

handling.



Initiator: 0001 / PRD 150000001069

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed and in a well-ventilated place.

Specific end use(s): Ink. Cosmetic.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Chemical name	Туре	Exposure Limit values	Source
ethyl acetate	TWA	400 ppm	US. ACGIH Threshold Limit Values (01 2010)
	PEL	400 ppm 1,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Exposure controls

Appropriate engineering

controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Eye bath. Washing facilities. Safety shower.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection: It is a good industrial hygiene practice to minimize skin contact. For

operations where prolonged or repeated skin contact may occur, chemicalresistant gloves should be worn. Contact health and safety professional or

manufacturer for specific information.

Other: No data available.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and

safety professional or manufacturer for specific information.

Hygiene measures: Observe good industrial hygiene practices.

Environmental Controls: No data available.



Initiator: 0001 / PRD 150000001069

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical State: Liquid
Form: Liquid
Color: Yellow
Odor: ester
Odor Threshold: 3.9 ppm

pH: No data available.

Melting Point -83 °C Boiling Point: 78 °C

Flash Point: 21.5 °C (Tag closed cup)

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Vapor density (air=1):

Not determined.

No data available.

No data available.

No data available.

Specific Gravity: 1.11

Solubility(ies)

Solubility in Water:Slightly SolubleSolubility (other):No data available.Partition coefficient (n-octanol/water):No data available.Autoignition Temperature:No data available.

Decomposition Temperature: Thermal stability not tested. Low stability hazard

expected at normal operating temperatures.

Dynamic Viscosity:No data available.Kinematic viscosity:Not determined.Explosive properties:No data available.Oxidizing properties:No data available.

SECTION 10: Stability and reactivity

Reactivity: None known. Materials containing similar structural groups are normally

stable.

Chemical stability: Not fully evaluated.

Possibility of hazardous

reactions:

None known.

Conditions to avoid: Heat, sparks, flames.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition Carbon Dioxide. Carbon Monoxide.

products:



Initiator: 0001 / PRD 150000001069

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: High vapor concentrations may cause drowsiness.

Ingestion: None known.

Skin contact: Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact: None known.

Information on toxicological effects

Acute Toxicity

Oral

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

Oral LD-50: (Rat): > 25,600 mg/kg

Oral LD-50: (Mouse): > 25,600 mg/kg

ethyl acetate Oral LD-50: (Rat): 5,600 mg/kg

Dermal

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate Dermal LD-50: (Rat): > 22,000 mg/kg

Dermal LD-50: (Guinea Pig): > 22,000 mg/kg

ethyl acetate Dermal LD-50: (Rabbit): > 20,000 mg/kg

(highest dose tested)

Inhalation

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate No data available.

ethyl acetate LC50 (Rat, 6 h): > 6000 ppm

Repeated dose toxicity

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Skin corrosion/irritation:

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate (Guinea Pig, 24 h): none ethyl acetate (Rabbit, 24 h): none

Serious eye damage/eye

irritation:

Product: No data available.



Initiator: 0001 / PRD 150000001069

Specified substance(s)

sucrose acetate isobutyrate (Rabbit): Slight ethyl acetate (Rabbit): slight

Respiratory or skin sensitization:

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate Skin Sensitization:, (Guinea Pig) - none

ethyl acetate Skin Sensitization:, (Guinea Pig) - Not a skin sensitizer.

Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

In vivo

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Carcinogenicity

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate
ethyl acetate

No data available.
No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate No data available. ethyl acetate No data available.

Specific target organ toxicity - single exposure

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate No data available. ethyl acetate No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate No data available. ethyl acetate No data available.

Aspiration hazard

Product: No data available.



Initiator: 0001 / PRD 150000001069

Specified substance(s)

sucrose acetate isobutyrate ethyl acetate

No data available. No data available.

Other adverse effects: No data available.

SECTION 12: Ecological information

Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate LC-50 (Fathead Minnow, 96 h): > 1.82 mg/l (limit of solubility in fresh water)

NOEC: (Fathead Minnow, 96 h): 1.82 mg/l (limit of solubility in fresh water)

ethyl acetate LC-50 (golden orfe, 48 h): 270 mg/l

LC-50 (golden orfe, 48 h): 333 mg/l

Aquatic invertebrates

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate EC-50 (daphnid, 48 h): > 1.11 mg/l (limit of solubility in fresh water)

NOEC: (daphnid, 48 h): 1.11 mg/l (limit of solubility in fresh water)

ethyl acetate LC-50 (daphnid, 24 h): 2,500 mg/l EC-50 (daphnid, 24 h): 3,090 mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate
ethyl acetate

No data available.
No data available.

Aquatic invertebrates

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate
ethyl acetate

No data available.
No data available.

Persistence and degradability

Biodegradation

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate No data available.



SDSUS / EN / TUS01 Version: 2.3 Revision date: 10/31/2014 Initiator: 0001 / PRD

150000001069

ethyl acetate No data available.

Biological Oxygen Demand:

Product No data available.

Specified substance(s)

sucrose acetate isobutyrate 560 - 1,400 mg/g

1,200 - 2,000 mg/g

ethyl acetate BOD-5: 1,240 mg/g BOD-20: 1,240 mg/g

BOD-20: 1,430 mg/g

Chemical Oxygen Demand:

Product No data available.

Specified substance(s)

sucrose acetate isobutyrate 1,630 mg/g ethyl acetate 1,540 mg/g

BOD/COD ratio

Product No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Bioaccumulative potential

Product: No data available.

Specified substance(s)

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

sucrose acetate isobutyrate

ethyl acetate

No data available.

No data available.

Results of PBT and vPvB

assessment:

No data available.

sucrose acetate isobutyrate

ethyl acetate

No data available. No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority

requirements. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on

ignition; do not cut, drill, grind, or weld on or near this container.



Initiator: 0001 / PRD 150000001069

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Reportable Quantity: 22,700 kg (ethyl acetate)

Possible Shipping Description(s):

UN 1173 Ethyl acetate solution 3 II

IMDG - International Maritime Dangerous Goods Code

Possible Shipping Description(s):

UN 1173 ETHYL ACETATE SOLUTION 3 II

IATA

Possible Shipping Description(s):

UN 1173 Ethyl acetate solution 3 II

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: B/2

SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard

fire hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous



Initiator: 0001 / PRD 150000001069

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed on AICS or otherwise comply with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All components of this product are listed on the Korean inventory or otherwise comply with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS): All components of this product are listed on the Philippine inventory or otherwise comply with PICCS.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® **Hazard Ratings:** Health - 1, Flammability - 3, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: Not relevant.

Key literature references and

No data available.

sources for data:

Training information: No data available.

Issue date: 10/31/2014

SDS No.:

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.