

Page: 1/10

# SAFETY DATA SHEET

### FOR INDUSTRIAL USE ONLY

### SILPLUS 70 MP

### Section 1. Product and company identification

Product name Chemical name		<ul><li>SILPLUS 70 MP</li><li>Silicone Elastomer</li></ul>
Manufacturer/Importer/ Distributor Information	:	Momentive - Performance Materials GmbH Chempark Leverkusen Leverkusen 05 51368
Contact person	:	4information@momentive.com
Telephone	:	General information +1-800-295-2392
Emergency telephone number Supplier	:	CHEMTREC 1-800-424-9300

### Section 2. Hazards identification

Classification of the substance or mixture <u>GHS label elements</u>	:	Not classified.
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Other hazards which do not result in classification	:	None known.

### Section 3. Composition/information on ingredients

:

:

Substance/mixture Chemical name Mixture Not available There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first aid personnel	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical, CO2, alcohol-resistant foam or water spray (fog). water jet
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.Firefighters must wear

NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for containme	nt aı	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

### Section 7. Handling and storage

### **Precautions for safe handling**

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

#### **Occupational exposure limits**

None.		
Appropriate engineering controls Environmental exposure controls	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respiratory may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134). Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.

# Section 9. Physical and chemical properties

:

:

### **Appearance**

Physical state Color Solid colorless.

Odor	: Odorless/Odourless
Odor threshold	Not available
рН	: Not applicable.
-	
Melting point	: Not applicable.
	NT-4
Boiling point	: Not applicable.
Flash point	: >94 °C (201.20 °F) (Estimated.) Product does not flash below 93.3C (200F) during test; no actual flash point >93.3 C was determined.
Burning time	: Not available
Burning rate	Not available
Evaporation rate	Not available
Flammability (solid, gas)	: Not available
Lower and upper explosive	: Lower: Not applicable.
(flammable) limits	Upper: Not applicable.
Vapor pressure	: Not available
Vapor density	Not available
Relative density	: 1.1
Density	: 1.1 g/cm3
Solubility	: Insoluble
Solubility in water	: Insoluble
Partition coefficient: n- octanol/water	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	Not available
SADT	: Not available
Viscosity	: Dynamic: Not available
-	Kinematic: Not available
Other information	

Other information No additional information.

# Section 10. Stability and reactivity

Reactivity	:	Stable under normal conditions.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Conclusion/Summary	:	Not determined
Irritation/Corrosion		
Conclusion/Summary Skin eyes Respiratory <u>Sensitization</u>	:	Not determined Not determined Not determined
Conclusion/Summary Skin Respiratory <u>Mutagenicity</u>	:	Not determined Not determined
Conclusion/Summary	:	Not determined
<u>Carcinogenicity</u>		
Conclusion/Summary	:	Not determined
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Not determined
<b>Teratogenicity</b>		
Conclusion/Summary	:	Not determined
Specific target organ toxicity (single Not available	exp	<u>osure)</u>
Specific target organ toxicity (repeation of the second se	ited o	exposure)
Aspiration hazard Not available		
Information on the likely routes of exposure	:	Not available
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	ical and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Potential chronic health effects		
Conclusion/Summary	:	Not determined
General Carcinogenicity Mutagenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

### Acute toxicity estimates

Not available

# Section 12. Ecological information

### **Ecotoxicity**

Conclusion/Summary	:	Not available
Persistence/degradability		
Conclusion/Summary	:	Not available
<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

Version: 1.1

pos sho pro aut pro be the pao be con lin ma sev	e generation of waste should be avoided or minimized wherever ssible. Disposal of this product, solutions and any by-products build at all times comply with the requirements of environmental otection and waste disposal legislation and any regional local hority requirements. Dispose of surplus and non-recyclable oducts via a licensed waste disposal contractor. Waste should not disposed of untreated to the sewer unless fully compliant with requirements of all authorities with jurisdiction. Waste exaging should be recycled. Incineration or landfill should only considered when recycling is not feasible. This material and its ntainer must be disposed of in a safe way. Empty containers or ers may retain some product residues. Avoid dispersal of spilled terial and runoff and contact with soil, waterways, drains and vers. See Section 8 for information on appropriate personal otective equipment.
--	---

### Section 14. Transport information

Special precautions for user	:	This product is not regarded as dangerous goods according to the
		national and international regulations on the transport of dangerous
		goods.

## **15.Regulatory information**

### **United States**

U.S. Federal regulations	:	<b>United States - TSCA 12(b) - Chemical export notification:</b> None required.
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed

#### SARA 311/312

Classification	:	Not applicable
----------------	---	----------------

<u>California Prop. 65:</u> : None required.

<u>Canada</u>

WHMIS (Canada)

: Not controlled under WHMIS (Canada).

### **International regulations**

:	Japan inventory: All components are listed or exempted.
	China inventory (IECSC): All components are listed or exempted.
	Korea inventory: All components are listed or exempted.
	Canada inventory: All components are listed or exempted.
	New Zealand Inventory (NZIoC): All components are listed or exempted.
	Philippines inventory (PICCS): All components are listed or exempted.
	United States inventory (TSCA 8b): All components are listed or exempted.
	:

Taiwan inventory (CSNN): All components are listed or exempted.

### Section 16. Other information

#### Hazardous Material Information System III (U.S.A.) :

Health	0
Flammability	1
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H statements	:	Not applicable.
<u>History</u>		
Date of printing Date of issue/Date of revision Date of previous issue Version Prepared by Key to abbreviations	:::::::::::::::::::::::::::::::::::::::	07/21/2015 06/22/2015 04/16/2015 1.1 Product Safety Stewardship ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations
References	:	Not available

#### Notice to reader

Unless otherwise specified in section 1, Momentive Products are intended for industrial application only. They arenot intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives Keep out of the reach of children.

#### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.

Version: 1.1

SILPLUS 70 MP