

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Product code : 01873-00, P0187358, P0187361, P0187368, P0187365, P0187353, P0187363, P0187364, P0187300, P0187301, P0187332, P01873AB, E0187301, P0187334, P0187369, P01873FC, P0187371, P0187320, P0187338, P0187379

EC-No. : 618-381-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Polymer

Recommended restrictions : None known.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Eastman Chemical Company  
200 South Wilcox Drive  
37660-5280 Kingsport

Telephone : +14232292000

E-mail address of person  
responsible for the SDS : Visit our website at [www.EASTMAN.com](http://www.EASTMAN.com) or email  
[emnmsds@eastman.com](mailto:emnmsds@eastman.com)

#### 1.4 Emergency telephone

NCEC +44 (0)1235 239 670

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labeling (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

# SAFETY DATA SHEET

**EASTMAN**

according to Regulation (EC) No. 1907/2006

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
cellulose acetate butyrate	9004-36-8		100

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

- If inhaled : Move to fresh air.  
Treat symptomatically.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Burns must be treated by a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses, if present and easy to do. Continue rinsing.
- If swallowed : Seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : The molten product can cause serious burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

# SAFETY DATA SHEET

**EASTMAN**

according to Regulation (EC) No. 1907/2006

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : Minimize dust generation and accumulation.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear appropriate personal protective equipment.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Mixing cellulose esters in a nonpolar hydrocarbon, such as

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

toluene or xylene, may result in the buildup of static electricity, which can cause a flash fire or an explosion. When adding cellulose ester to any flammable liquid, an inert gas atmosphere should be maintained within the vessel.

Advice on protection against fire and explosion : Minimize dust generation and accumulation.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Dust explosion class : St1

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed.

### 7.3 Specific end use(s)

Specific use(s) : Polymer

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Engineering measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protective equipment

Eye protection : Safety glasses  
Wear a face shield when working with molten material.

Hand protection

Remarks : Wear suitable gloves. When handling hot material, use heat resistant gloves.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	powder
Color	:	white
Odor	:	slight, characteristic
Odor Threshold	:	not determined
pH	:	not determined
Melting point/range	:	127 - 240 °C
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	not determined
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	not determined
Relative vapor density	:	No data available not determined
Relative density	:	> 1 (estimated)
Solubility(ies) Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	not determined
Decomposition temperature	:	Thermal stability not tested. Low stability hazard expected at

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

normal operating temperatures.

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : not determined  
Explosive properties : No data available  
Oxidizing properties : No data available

### 9.2 Other information

Dust explosion class : St1

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

Conditions to avoid : Minimize dust generation and accumulation.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### 10.6 Hazardous decomposition products

Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Remarks: No data available  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Product:**

Remarks : No data available

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Remarks : No data available

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Product:**

Remarks : No data available

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

#### **Product:**

Effects on fertility : Remarks: No data available

### **STOT-single exposure**

Not classified based on available information.

#### **Product:**

Remarks : No data available

### **STOT-repeated exposure**

Not classified based on available information.

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

### Repeated dose toxicity

**Product:**

Remarks : No data available

### Aspiration toxicity

Not classified based on available information.

**Product:**

No data available

### Information on likely routes of exposure

**Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: Molten material will produce thermal burns.

Eye contact : Remarks: Molten material will produce thermal burns.

Ingestion : Remarks: None known.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

### 15.2 Chemical Safety Assessment

None.

## SECTION 16: Other information

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Cellulose Acetate Butyrate (CAB-381-0.5)

Version	Revision Date:	SDS Number:	Date of last issue: 25.04.2018
2.7	05.08.2020	150000001227	Date of first issue: 15.03.2011
PRD		SDSEU / EN / 0001	

---

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZW / EN