

ROL®

Material Safety Data Sheet Anderol BDC Series

Specialty Lubricants

Ξ

D

1. Product and company identification

Common name	: Anderol BDC Series	
Trade name	: Anderol BDC 32, 46, 68, 100	
MSDS#	: EH1010	Supplier/Manufacturer
Material use	: Lubricant.	Anderol Inc.
In case of emergency	: CHEMTREC: 800-424-9300 (United States) CANUTEC (613) 996-6666 (Canada)	215 Merry Lane East Hanover, NJ 07936 Tel: (973) 887-7410
MSDS authored by:	: Kemika XXI Inc. + 1-450-435-7475	Fax: (973) 887-8422
Date of issue	: 02/28/2006	

2. Hazards identification

Physical state	: Liquid.
Odor	: Mild.
Color	: Amber (Light.)
Hazard status	: This material is classified as not hazardous under OSHA regulations in the United States the WHMIS in Canada, the NOM-018-STPS-2000 in Mexico and Brazil NBR 14725:2001
Emergency overview	: No specific hazard.
	USE WITH CARE.
	Follow good industrial hygiene practice.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effect	cts
Eyes	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Potential chronic health effects	: Carcinogenic effects: Not applicable. Mutagenic effects: Not applicable. Teratogenic effects: Not applicable.

See toxicological information (section 11)

3. Composition/information on ingredients

No hazardous ingredient.

See Sections 8, 11 and 14 for details.

4. First aid measures

Eye contact	: Check for and remove any contact lenses. In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Get medical attention if irritation occurs.
Skin contact	: Wash with soap and water. Get medical attention if irritation occurs.
Inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
Ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
Notes to physician	: Not available.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

Date of issue	: 02/28/2006	Page: 1/5



DE Specialty Lubricants

Fire-fighting measures

Flammability of the product	lay be combustible at high temperature.	
Products of combustion	he final products of combustion are carbon oxides and water. Nitrogen, sulfur and xides may also be produced in some cases.	metal
Extinguishing media		
Suitable	Ise an extinguishing agent suitable for the surrounding fire.	
Not suitable	lone known.	
Special exposure hazards	lo specific hazard.	
Special protective equipment for fire-fighters	ire-fighters should wear appropriate protective equipment and self-contained breat pparatus (SCBA) with a full face-piece operated in positive pressure mode.	hing

Accidental release measures **6**.

Personal precautions	: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	: If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Handling and storage 7.

Handling

: Wash thoroughly after handling.

Storage

- : Keep container tightly closed. Keep container in a cool, well-ventilated area.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

- **Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- **Personal protection** Eye protection Skin protection/Body **Respiratory protection**
- Hand protection.
- : Safety glasses with side shields.
- : Not applicable.

: B

- : Not applicable.
- : Natural rubber (latex)



HMIS Code/Personal protective equipment

of a large spill

Personal protection in case : Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSHapproved self-contained breathing apparatus or equivalent and full protective gear. Wash hands, forearms and face thoroughly after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Follow good industrial hygiene practice.



Specialty Lubricants

NDER

9. Physical and chemical properties

Physical state	: Liquid.
Color	: Amber (Light.)
Odor	: Mild.
Specific gravity	: >0.97 (Water = 1)
Flash point	: Open cup: >245°C (473°F)(Cleveland.).

10. Stability and reactivity

Stability and reactivity	:	The product is stable.
Conditions of instability	:	None known.
Incompatibility with various substances	:	Reactive with oxidizing materials.
Hazardous polymerization	:	Will not occur.
Conditions of reactivity	:	None known.

11. Toxicological information

Acute Effects	
Eyes	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Ingestion Potential chronic health effects	 No known significant effects or critical hazards. Carcinogenic effects: Not applicable. Mutagenic effects: Not applicable. Teratogenic effects: Not applicable.

12. Ecological information

Environmental precautions	: Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
Products of degradation	: The final products of biodegradation are carbon oxides and water. Nitrogen and sulfur oxides and metal salts may also be produced in some cases.
Toxicity of the products of biodegradation	: The product itself and its products of degradation are not toxic.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. Transport information

NAERG : Not applicable.

Regulatory information

UN/ IMDG/IATA DOT/TDG : Not regulated by any transport mode.



Specialty Lubricants

15. Regulatory information

United States	
HCS Classification	Not regulated.
U.S. Federal regulations	: TSCA 8(b) inventory: All components listed.
	SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
	Clean Water Act (CWA) 307: No products were found.
	Clean Water Act (CWA) 311: No products were found.
	Clean Air Act (CAA) 112 accidental release prevention: No products were found.
	Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
	Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
State regulations	 Pennsylvania RTK: Triphenyl phosphate: (generic environmental hazard); N,N-bis (2-Ethylhexyl)-ar-methyl-1H-Benzotriazole-1-methanamine; Di(2-Ethyhexyl) Amine: (generic environmental hazard) Massachusetts RTK: Triphenyl phosphate; Di(2-Ethyhexyl) Amine New Jersey: Triphenyl phosphate; N,N-bis(2-Ethylhexyl)-ar-methyl-1H-Benzotriazole- 1-methanamine; Di(2-Ethyhexyl) Amine
	California prop. 65: No products were found.
Canada	Not controlled under W/HMIS (Conode)
WHMIS (Canada)	: Not controlled under WHMIS (Canada). CEPA DSL: All components listed.
	OLI A DOL. All components listed.

This product has been classified in accordance with the hazard criteria of the Canadian CPR, the United States OSHA, the Mexican NOM -018-STPS-2000 and the Brazilian NBR 14725:2001. This MSDS contains all the information required by the CPR, OSHA, the American National Standard Institute (ANSI) Z400.1, NOM -018-STPS-2000 and NBR 14725:2001.



HAZARD RATINGS


- 4- Extreme
- 3- Serious
- 2- Moderate 1- Slight
- 0- Minimal

International lists

: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16. Other information

Hazardous Material :	HMIS RATING		HAZARD RATINGS
Information System (U.S.A.)	Health	0	4- Extreme 3- Serious
	Fire hazard	1	2- Moderate 1- Slight
	Physical Hazard	0	0- Minimal
	Personal protection	В	See section 8 for more detailed information on personal protection.



: ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. -29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005. - Official Mexican Standards NOM-018-STPS-2000 and NOM-004-SCT2-1994. Brazil NBR 14725:2001. **Responsible name** Mr. Max Naggar • : 02/28/2006

Date of	issue
Date of	previous issue
Version	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

02/28/2005

2 : 4

Authored by **KEMIKA**

Powered by