

HATCOL ® 3165

Version:	1.2
Revision Date:	04/07/2009
Print Date:	06/14/2009

The recipient of this Safety Data Sheet is urged to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet,(2) furnish a copy to each of your customers for the product, and (3) request your customers to inform their employees and customers as well.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	HATCOL ® 3165
Product Use Description:	Lubricant basestock
Company:	Manufacturer Hatco Corporation 1020 King George Post Road Fords, NJ United States of America 08863
Emergency telephone:	CHEMTREC (US Transportation) : (800) 424-9300 (703) 527-3887 Emergency Phone Number (732) 738-1000
	For additional emergency telephone numbers see section 16 of the Safety Data Sheet.
Prepared by:	<u>Product Safety Department</u> (US) +1 866-430-2775 (EU) +44 (0) 1753.603.000 Email: MSDSRequest@chemtura.com

Emergency Overview

Energeney everyten			
CAUTION!		Form:	liquid
<u></u>	Colour:	clear	
		Odour:	slight
May cause eye irritation. May cause skin irritation.		CRITERIA OF TH	IS NOT HAZARDOUS UNDER THE HE FEDERAL OSHA HAZARD ON STANDARD 29CFR 1910.1200.
Potential Health Effects			
Primary Routes of Entry	: Skin contact		
MSDS Number: 000004000192			1 of 8

		ATCOL ® 3165	Version: Revision Date:	1.2 04/07/2009
			Print Date:	06/14/2009
		Eye contact		
Aggravated Medical Condition	:	Dermatitis		
Inhalation	:	Mist may cause irritation of the re	spiratory tract.	
Skin	:	Prolonged or repeated contact wi	th skin may cause s	kin irritation.
Eyes	:	May cause eye irritation.		
Ingestion	:	May cause: Diarrhoea Aspiration hazard if swallowed - c	an enter lungs and	cause damage.

SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

<u>Note</u>: This material is non-hazardous as defined by the American OSHA Hazard Communication Standard.

SECTION 4. FIRST AID MEASURES

SDS Number: 000004000192		2 of 8
ash point :	53	36 °F (280 °C)
Flammable properties		
CTION 5. FIRE-FIGHTING MEA	SUR	<u>ES</u>
-		Consult a physician if necessary.
Ingestion	:	If swallowed, DO NOT induce vomiting.
Eye contact	:	In case of eye contact Flush with plenty of water. If eye irritation persists, consult a specialist.
_		Get medical attention if irritation develops and persists.
		Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.
Skin contact	:	In case of skin contact Wash off with soap and water.
		Get medical attention.
		In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as quickly as possible.
		If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
		Move to fresh air.
Inhalation	:	If inhaled

Hatao			Version:	1.2
	HA	TCOL ® 3165	Revision Date:	04/07/2009
or scottal, increased,			Print Date:	06/14/2009
<u>.</u>	Me	ethod: open cup		
Lower explosion limit	: Re	marks: no data available		
Upper explosion limit	: Re	marks: no data available		
Protective equipment and	precau	tions for firefighters		
Suitable extinguishing media	Dr <u>i</u> Fo Alc	rbon dioxide (CO2) y powder am cohol-resistant foam ater mist		
Unsuitable extinguishing	: Wa	ater		
media Hazardous combustion products	: Ca	rbon oxides		
Further information	: In	the event of fire, cool tanks	with water spray.	
Special protective equipment for fire-fighters		the event of fire, wear self-c e personal protective equipr		iratus.
Further information				
NFPA Classification	Fir	ealth Hazard: 1 e Hazard: 1 eactivity Hazard: 0		
SECTION 6. ACCIDENTAL REL	EASE	MEASURES	· · · · · · · · · · · · · · · · · · ·	
Personal precautions	:	Use personal protective ec	juipment.	
Environmental precautions	:	Do not contaminate water. Do not flush into surface w Discharge into the environ		ystem.
Methods for containment / Methods for cleaning up	:		, vermiculite) and transfe	sorbent material, (e.g. sand er to a container for disposa on 13).
Additional advice	:	Remove all sources of igni		
		Clean contaminated surface	e thoroughly.	

Haten		Version:	1.2
A Epenancia DADADA A Epenancia DADADA A Epenancia DADADA A Epenancia DADADA	HATCOL ® 3165	Revision Date:	04/07/2009
		Print Date:	06/14/2009
ECTION 7. HANDLING AND S	Material can create slipper	y contantoria.	
Handling			
Advice on safe handling	: Keep container closed whe	en not in use	
	Do not use pressure to em Ensure all equipment is ele operations.	pty drums.	re beginning transfer
Storage			
Requirements for storage areas and containers	: Keep container tightly clos	ed in a dry and well-ven	tilated place.
Engineering measures Engineering measures	: Use with adequate ventilation Local ventilation is needed in Ensure that eyewash stations location.	the presence of airborr	ne mists. e close to the workstation
Personal protective equip	ment		
Eye protection	: Safety glasses with side-shie Tightly fitting safety goggles	lds	
Hand protection	: Neoprene gloves		
Skin and body protection	: impervious clothing		
Respiratory protection	 Not required under normal us Wear a NIOSH/MSHA appro applications if misting or vap to exceed established thresh 	ved organic cartridge re or occurs, or there is po	spirator in high temperature tential for airborne exposures
Hygiene measures	: Avoid contact with skin, eyes Provide adequate ventilation Do not breathe dust or spray		
ECTION 9. PHYSICAL AND C	HEMICAL PROPERTIES		

MSDS Number: 000004000192

Ilat			Version:	1.2
	HA	TCOL ® 3165	Revision Date:	04/07/2009
H GOBAL TIONNO.6645			Print Date:	06/14/2009
Form	:	liquid	ł	
Colour	:	clear		
Odour	:	slight		
Safety data				
Flash point	:	536 °F (280 °C) Method: open cup		
Ignition temperature	:	Remarks: Not Available		
Lower explosion limit	:	no data available		
Upper explosion limit	:	no data available		
рН	:	not applicable		
Vapour pressure	:	no data available		
Relative density	:	0.961 at 68 °F(20 °C)		
Water solubility	:	<1 g/l slightly soluble		
TION 10. STABILITY AND F	REACTI	VITY		
Conditions to avoid	:	Heat. High temperatures.		
Materials to avoid	:	Strong acids and strong ba	ases	
Hazardous decomposition products	:	Type: Hazardous combu	stion products	
		Carbon oxides		
Hazardous reactions	:	Hazardous polymerisation Stable under normal cond		

SECTION 11. TOXICOLOGICAL INFORMATION

lotoo		Version:	1.2
	HATCOL ® 3165	Revision Date:	04/07/2009
		Print Date:	06/14/2009
<u>Further information</u> (Product)	: No data is available on the product its	elf.	
TION 12. ECOLOGICAL INF	ORMATION		
Additional ecological information	: There is no data available for this proc	duct.	
Additional ecological information	·	Juct.	
	·		federal, state, and local
TION 13. DISPOSAL CONSI	DERATIONS : Dispose of waste material	in compliance with all	

SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous	goods
-----	---------------	-------

- **<u>TDG</u>** Not dangerous goods
- IATA Not dangerous goods
- **IMDG** Not dangerous goods



Version:	1.2	
Revision Date:	04/07/2009	_
Print Date:	06/14/2009	

SECTION 15. REGULATORY INFORMATION

National regulatory information


OSHA Hazards	:	This material is not hazardous under the criteria of the Federal OSHA	
		Hazard Communication Standard 29CFR 1910.1200.	

SARA Hazard category : No SARA Hazards

The components of this product are reported in the following inventories:

TSCA	y (positive listing)	On or in compliance with the inventory
ENCS	y (positive listing)	On or in compliance with the inventory
PICCS	y (positive listing)	On or in compliance with the inventory
IECSC	y (positive listing)	On or in compliance with the inventory
ELINCS	y (positive listing)	Notified according to EU Regulations.

SECTION 16. OTHER INFORMATION





HATCOL ® 3165

Version:	1.2	
Revision Date:	04/07/2009	
Print Date:	06/14/2009	

Reactivity: 0

Other Emergency Phone Number

Latin America:	Brazil	+52 113 711 91 44
	All other countries	+44 (0)208 762 8322
Mexico:		+52 555 004 87 63

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of the seller, it is the user's obligation to determine the conditions of safe use of the products.

MSDS Number: 000004000192