

HM 6390 Revision Number 2 Revision Date 09-Feb-2018 Supersedes Date: 23-Sep-2014

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name HM 6390

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives.
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Solid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Revision Date 09-Feb-2018
Revision Number 2
Supersedes Date: 23-Sep-2014

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Not applicable

Hazards Not Otherwise Classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Ingestion Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Revision Number 2 Revision Date 09-Feb-2018
Supersedes Date: 23-Sep-2014

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

5.3. Advice for firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Environmental Precautions Keep out of drains, sewers, ditches and waterways. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Molten . Cover with dry sand/earth.

Methods for cleaning up

Use personal protection equipment. Solid: . Take up mechanically, placing in appropriate

containers for disposal. Avoid creating dust. Molten . Where possible allow molten material

to solidify naturally. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use adequate ventilation and/or engineering

controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when

handling and avoid all possible sources of ignition (spark or flame).

7.2. Conditions for safe storage, including any incompatibilities

HM 6390 Revision Date 09-Feb-2018
Revision Number 2 Supersedes Date: 23-Sep-2014

Storage Conditions Store away from incompatible materials.

Incompatible Materials Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific end use(s)

Other Information Since empty containers retain product residue, follow label warnings even after container is

emptied. Keep product and empty container away from heat and sources of ignition. Do not

reuse container.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Paraffin waxes and	TWA: 2 mg/m³ fume	TWA: 2 mg/m ³ fume	-	TWA: 2 mg/m ³
Hydrocarbon waxes				STEL: 6 mg/m ³
8002-74-2				

Chemical Name	Argentina	Brazil	Chile	Venezuela
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m ³	-	TWA: 1.6 mg/m ³	TWA: 2 mg/m ³
8002-74-2				

8.2. Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/Face ProtectionMolten . Wear protective eye glasses for protection against liquid splashes.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Facilities for quickly drenching the body should be provided within the immediate work area

for emergency use where there is a possibility of exposure.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid Color Yellow

Odor No information available No information available

Revision Number 2 Supersedes Date: 23-Sep-2014

Remarks • Method

Property Values

No information available pН No information available Melting point / freezing point Boiling point / boiling range No information available Flash Point > 204.4 °C / > 400 °F **Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

HM 6390

Upper flammability limit: No information available Lower flammability limit: **Vapor Pressure** No information available **Vapor Density Relative Density**

No information available

No information available No information available

Water Solubility Solubility in Other

Solvents

Partition Coefficient Autoignition

Spindle 27 @ 10 rpm @ 350 °F

Temperature Decomposition **Temperature**

No information available

Revision Date 09-Feb-2018

No information available No information available

No information available

No information available **Kinematic Viscosity**

Dynamic Viscosity 12350

No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other information

@ 190 °F **Softening Point**

No information available **Molecular Weight** Solvent content (%) No information available

Solid content (%) 100 **Density** .960 g/cm3

VOC No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

10.5. Incompatible materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

HM 6390 Revision Date 09-Feb-2018
Revision Number 2 Supersedes Date: 23-Sep-2014

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin ContactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Symptoms

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
waxes			
8002-74-2			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

No information available. Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. Irritation Corrosivity No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity** No information available. **Developmental Toxicity** No information available. **Teratogenicity** No information available. No information available. **STOT - Single Exposure** STOT - Repeated Exposure No information available. No information available. **Chronic Toxicity Target Organ Effects** No information available. **Aspiration hazard** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

HM 6390 Revision Date 09-Feb-2018
Revision Number 2 Supersedes Date: 23-Sep-2014

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Leaend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden release of pressure hazardNo

Revision Date 09-Feb-2018
Revision Number 2
Supersedes Date: 23-Sep-2014

Reactive Hazard No

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 09-Feb-2018

Revision Note SDS sections updated, 1, 2, 5, 6, 7, 8, 9, 11, 15, 16.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet