**Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : LUBRAJEL DV FREE

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetics

Details of the supplier of the safety data sheet
Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
1-614-790-3333
EHSProductSafety@ashland.com

Emergency telephone number
1-800-ASHLAND (1-800-274-5263)
Regulatory information
1-614-790-3333 (customer service)

Product Information
1-614-790-3333

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
GLYCERIN	56-81-5	This material is not	>=40.00 - < 50.00
		considered hazardous	

P Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

	under the OSHA Hazard Communication Standard (HazCom 2012).	
--	---	--

The concentration of one or more component(s) is being withheld under business confidentiality.

2-PHENOXYETHANOL	122-99-6	Acute Tox. 4; H302	1.21
		Eye Irrit. 2A; H319	

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways) pain in the abdomen and lower back

acute kidney failure (sudden slowing or stopping of urine

production)

Notes to physician : No hazards which require special first aid measures.

Ashland always solving ™	Page: 3
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Specific hazards during

firefighting

: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide Nitrogen oxides (NOx)

Aldehydes

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

**Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

GLYCERIN	56-81-5	TWA	5 mg/m3 mist, respirable fraction	OSHA Z-1
		TWA	15 mg/m3 mist, total dust	OSHA Z-1
		PEL	10 mg/m3 Mist - total fraction	CAL PEL
		PEL	5 mg/m3 Mist - respirable fraction	CAL PEL
		TWA	10 mg/m3 Mist - total dust	OSHA P0
		TWA	5 mg/m3 Mist - respirable fraction	OSHA P0

The concentration of one or more component(s) is being withheld under business confidentiality.

Hazardous components without workplace control parameters

Components	CAS-No.
2-PHENOXYETHANOL	122-99-6

Engineering measures

: General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are

unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

liquid

Physical state : liquid

Colour : colourless

Odour : slight, sweet

Odour Threshold : No data available

pH : 5 - 5.5

P Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

Melting point/freezing point : <32 °F / 0 °C

Boiling point/boiling range : > 212 °F / 100 °C

Flash point : > 93.3 °C

Evaporation rate : not determined

Flammability (liquids) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined

Vapour pressure : Not applicable

not determined

Relative vapour density : not determined

Relative density : 1.15

Density : ca. 1.15 g/cm3

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : 900,000 - 1,200,000 cps

Viscosity, kinematic : not determined

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

P Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources. excessive heat

Do not allow evaporation to dryness.

Incompatible materials : reactive metals such as aluminum and magnesium

Strong acids Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Carbon monoxide Carbon dioxide (CO2)

carbon dioxide and carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Skin contact Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Components: GLYCERIN:

Acute oral toxicity : LD50 (Rat): 12,600 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 570 mg/m3

Exposure time: 1 h
Test atmosphere: vapour

Assessment: Not classified as acutely toxic by inhalation

under GHS.

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Components:

2-PHENOXYETHANOL:

Acute oral toxicity : LD50 (Rat, female): 1,840 mg/kg

Method: OECD Test Guideline 401

P Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

Acute inhalation toxicity : Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rat): 14,391 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components: GLYCERIN:

Result: No skin irritation

Components:

2-PHENOXYETHANOL:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

GLYCERIN:

Result: Slight, transient irritation

Components:

2-PHENOXYETHANOL:

Species: Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

2-PHENOXYETHANOL: Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

2-PHENOXYETHANOL:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Ashland always solving ™	Page: 9
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2-PHENOXYETHANOL:

Effects on foetal : Test Type: Pre-natal

development Species: Rat

Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

ca. 300 mg/kg bw/day Method: OPPTS 870.3700

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-PHENOXYETHANOL:

Species: Rat, male and female

NOAEL: 369 mg/kg Application Route: Oral

Method: OECD Test Guideline 408

Species: Rabbit, male and female

NOAEL: 500 mg/kg Application Route: Dermal

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

P Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Components:

GLYCERIN:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: LC50 (Daphnia magna (Water flea)): 1,995 mg/l

Exposure time: 48 h

2-PHENOXYETHANOL:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 337 - 352

mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): > 500 mg/l

End point: Growth inhibition

Exposure time: 72 h
Test Type: static test

Toxicity to fish (Chronic

toxicity)

NOEC (Pimephales promelas (fathead minnow)): 23 mg/l

Exposure time: 34 d

Test Type: flow-through test

Method: OECD Test Guideline 210

Toxicity to daphnia and other

aquatic invertebrates

(Chronic toxicity)

NOEC (Daphnia (water flea)): 9.43 mg/l

Exposure time: 21 d

End point: Reproduction Test Test Type: semi-static test Method: OECD Test Guideline 211

P Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Remarks: Expert judgement

Components: GLYCERIN:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 %

2-PHENOXYETHANOL:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301F

No data available

Bioaccumulative potential

Components: GLYCERIN:

Partition coefficient: n-

octanol/water

: log Pow: -1.76

2-PHENOXYETHANOL:

Partition coefficient: n-

octanol/water

: log Pow: 1.16

No data available
Mobility in soil
Components:
No data available
Other adverse effects

Product:

Additional ecological : No data available

information

Components:

2-PHENOXYETHANOL:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

: This substance is not considered to be very persistent and

very bioaccumulating (vPvB).

P Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR RAIL C

<u> </u>		
	Not dangerous goods	

U.S. DOT - INLAND WATERWAYS

Not dangerous goods	

TDG_ROAD_C

Not dangerous goods	

TDG_RAIL_C

	Not dangerous goods

TDG_INWT_C

Not dangerous goods	

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerou	us goods

P Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 The following components are subject to reporting levels

established by SARA Title III, Section 313:

2-PHENOXYETHANOL 122-99-6 1.21 %

P Ashland always solving	Page: 14
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : For Cosmetic Use Only

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


- On or in compliance with the active portion of the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information

P Ashland always solving	Page: 15
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	1	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

H302 Harmful if swallowed.H319 Causes serious eye irritation.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -

**Ashland always solving	Page: 16
SAFETY DATA SHEET	Revision Date: 08/24/2020
	Print Date: 12/8/2021
	SDS Number: R0711688
LUBRAJEL DV FREE	Version: 1.1
829542	

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing

the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply

with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

Revision Date : 08/24/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN