P Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

EMULSYNT GDL Trade name

Glycerides, C12-18 di- and tri-Substance name

Substance No.

EC-No. 294-590-9

CAS-No. 27638-00-2

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetics

Personal care

Details of the supplier of the safety data **Emergency telephone number**

sheet

Ashland

P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

1-614-790-3333

1-800-ASHLAND (1-800-274-5263)

Regulatory information

1-614-790-3333 (customer service)

Product Information

1-614-790-3333

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ashland always solving ™	Page: 2
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

Substance / Mixture : Substance

Chemical nature : organic

Hazardous components No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Material can create slippery conditions.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.

Ensure all equipment is electrically grounded and bonded

before beginning transfer operations.

The material can accumulate static charge and can therefore

cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in

order to avoid any potential for dust explosion hazards.

S Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage

: Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

: Provide appropriate exhaust ventilation at places where dust

is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection

In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

**Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Physical state : solid

Colour : white, off-white

Odour : mild

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : 97 °F / 36 °C

Boiling point/boiling range : 669 °F / 354 °C

Flash point : 238 °C

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : 1 g/cm3 (20 °C)

Solubility(ies)

Vapour pressure

Water solubility : not determined

Ashland always solving ™	Page:	6
SAFETY DATA SHEET	Revision Date: 04/28/202	20
	Print Date: 9/15/202	21
	SDS Number: R071785	51
EMULSYNT GDL	Version: 1	.5
945112		

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic Not applicable

: Not applicable Oxidizing properties

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Hazardous decomposition

products No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Skin contact Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin

Ashland always solving ™	Page:
SAFETY DATA SHEET	Revision Date: 04/28/202
	Print Date: 9/15/202
	SDS Number: R071785
EMULSYNT GDL	Version: 1
945112	

and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic

hazard

: Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

Persistence and degradability

Product:

**Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

Biodegradability : Result: Readily biodegradable. Remarks: Expert judgement

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life

with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR RAIL C

CI IV_IVAIL_C	
	Not dangerous goods

	Page: 9
Ashland	
always solving	
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	
2.1	
J.S. DOT - INLAND WATERWAYS	
Not dangerous goods	
The damage rate group	
TOC BOAD C	
TDG_ROAD_C Not dangerous goods	
riot dangerode geode	
TDG_RAIL_C Not dangerous goods	
Not dangerous goods	
-	
TDG_INWT_C	
Not dangerous goods	
NTERNATIONAL MARITIME DANGEROUS GOO	DS
Not dangerous goods	
NTERNATIONAL AIR TRANSPORT ASSOCIATION	ON - CARGO
Not dangerous goods	
NTERNATIONAL AIR TRANSPORT ASSOCIATION	ON - PASSENGER
Not dangerous goods	
/IX DG	
Not dangerous goods	

Marina mallutant	
Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Dodecanoic acid, diester with 1, 2, 3- 27638-00-2

propanetriol

New Jersey Right To Know

Dodecanoic acid, diester with 1, 2, 3- 27638-00-2

propanetriol

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : For Cosmetic Use Only

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA) - On or in compliance with the active portion of the TSCA inventory

Ashland always solving ™	Page: 11
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 04/28/2020



NFPA Flammable and Combustible Liquids ClassificationNot applicable

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response,

**Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 04/28/2020
	Print Date: 9/15/2021
	SDS Number: R0717851
EMULSYNT GDL	Version: 1.5
945112	

Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative