

METHOCEL J75MS

Cellulose Ether

General Description

METHOCEL* J75MS is a cold water dispersible high viscosity cellulose ether.

Industrial Applications

METHOCEL J75MS is designed to help manufacturers formulate latex paints or other ready-mix dispersion systems which will meet their customers' varying needs. The product has delayed solubility, is easily dispersible in aqueous systems and develops viscosity upon increase of the pH. It has a special molecular structure to resist bacterial degradation thus increasing shelf life of the paint.

Typical Properties

| Viscosity Ubbelohde [mPa·s] 2% in water @ 20°C | 75000 |
|--|-------|
| Moisture Content [%] | < 7.0 |
| Sodium Chloride [%] | < 5.0 |
| Particle Size [%] < 70 U.S. Standard Sieve, 212 µm | > 95 |

Safety and Handling

For specific safe use and handling information, or to obtain a Materials Safety Data Sheet, contact your local Dow representative.

Contact us:

North America: 1-800-447-4369 Europe: +800 3 694 6367 +32 3 450 2240

www.methocel.com

NOTICE: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALLIMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.