P Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
858539	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : PVP/VA™ W-735 DRUM M

pvp/va copolymer

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet
Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
+1-614-790-3333

EHSProductSafety@ashland.com

Emergency telephone number
1-800-ASHLAND (1-800-274-5263)

Regulatory Information Number
1-800-325-3751

Product Information
+1-614-790-3333

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

No hazardous ingredients

P Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Nitrogen oxides (NOx)

Specific extinguishing

methods

.

Product is compatible with standard fire-fighting agents.

PAshland always solving Solving	Page: 3
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered in various countries	
858539	

Further information : Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : General room ventilation should be adequate for normal

> conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection In the case of vapour formation use a respirator with an

approved filter within the capabilities of the respirator/filter

combination.

P Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

No personal respiratory protective equipment normally required.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Physical state : liquid

Colour : clear

Odour : No data available

Odour Threshold : No data available

pH : 5-7

Melting point/freezing point : No data available

Boiling point/boiling range : ca. 212 °F / 100 °C

P Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
858539	

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 1.11 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Incompatible materials : Strong bases

P Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4

Strong oxidizing agents

Hazardous decomposition

products No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Eye Contact

Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

P Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available **Mobility in soil**

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

o p	Ashland always solving					Page: 8
SAFFTY DA	ATA SHEET				Revision	Date: 05/24/2018
<u> </u>					Pr	int Date: 3/7/2019
					SDS N	umber: R0718324
	5 DRUM M pvp/va copolymer shland or its subsidiaries, registe ies	ered				Version: 1.4
International tr	RANSPORT INFORMATION ransport regulations					
ID NUMBER	PROPER SHIPPING NAME	*HAZA	DD	SUBSIDIARY	PACKING	MARINE
ID NOMBER	THOLER SHILL HAVE	CLASS		HAZARDS	GROUP	POLLUTANT / LTD. QTY.
U.S. DOT - ROA	AD					
	Not dangerous goods					
CFR_RAIL_C						
	Not dangerous goods					
J.S. DOT - INLAN	ND WATERWAYS Not dangerous goods					
TDG_ROAD_C	Not dangerous goods					
TDG_RAIL_C	Not dangerous goods					-
TDG_INWT_C	Not dongorous assista					
	Not dangerous goods					

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
858539	

Not dangerous good	S

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	
		(lbs)	(lbs)
VINYL ACETATE MONOMER	108-05-4	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
VINYL ACETATE MONOMER	108-05-4	5000	*
VINYL ACETATE MONOMER	108-05-4		*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

Polymer 254504001-

6114

The identity and concentration of one or more component(s) is

being withheld under business confidentiality.

WATER 7732-18-5

New Jersey Right To Know

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
858539	

Polymer 254504001-

6114

The identity and concentration of one or more component(s) is

being withheld under business confidentiality.

WATER 7732-18-5

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer. ACETALDEHYDE 75-07-0

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/24/2018

NFPA:	HMIS III:	

SP Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4



NFPA Flammable and Combustible Liquids Classification Not applicable

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 05/24/2018
	Print Date: 3/7/2019
	SDS Number: R0718324
PVP/VA™ W-735 DRUM M pvp/va copolymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 858539	Version: 1.4

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative