

# Safety Data Sheet

Medi Gel® 1100

Revision date : 2015/08/11 Version: 4.1 Page: 1/9 (50355773/SDS\_GEN\_US/EN)

# 1. Identification

Product identifier used on the label

# Medi Gel® 1100

#### **Recommended use of the chemical and restriction on use** Recommended use\*: Absorbent Suitable for use in industrial sector: chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

### Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: polyacrylic acid, sodium salt, crosslinked

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### **Classification of the product**

Combustible Dust Combustible Dust (1) Combustible Dust

#### Label elements

Signal Word: Warning

Hazard Statement:

Revision date : 2015/08/11 Version: 4.1

May form combustible dust concentration in air.

#### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### **Emergency overview**

CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES.

### 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Trade Secret 7732-18-5 <u>Weight %</u> >= 95.0% <= 5.0% <u>Chemical name</u> Proprietary acrylic polymer Water

### 4. First-Aid Measures

#### Description of first aid measures

#### **General advice:**

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Assist in breathing if necessary.

#### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Revision date : 2015/08/11 Version: 4.1

Page: 3/9 (50355773/SDS GEN US/EN)

#### Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide, water jet

Additional information: Avoid whirling up the material/product because of the danger of dust explosion.

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: Burning produces harmful and toxic fumes.

#### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

### 6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

# Personal precautions, protective equipment and emergency procedures

Breathing protection required. Avoid dust formation.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

Nonsparking tools should be used.

### 7. Handling and Storage

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Revision date : 2015/08/11 Version: 4.1

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid the formation and deposition of dust.

#### Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container dry because product takes up the humidity of air.

Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

# 8. Exposure Controls/Personal Protection

#### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

#### Personal protective equipment

#### **Respiratory protection:**

Breathing protection if dusts are formed.

#### Hand protection:

Chemical resistant protective gloves

### Eye protection:

Tightly fitting safety goggles (chemical goggles).

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

# 9. Physical and Chemical Properties

Form:	granules
Odour:	odourless
Colour:	white
pH value:	approx. 6.0

Revision date : 2015/08/11 Version: 4.1		Page: 5/9 (50355773/SDS_GEN_US/EN)
glass transition temperature:	approx. 140 °C (approx. 101.3 hPa) The substance / product decomposes. The product has not been tested.	
Thermal decomposition: Solubility in water:	No decomposition if used as directed. insoluble, only capable of swelling	

# 10. Stability and Reactivity

### Reactivity

Corrosion to metals: No corrosive effect on metal.

Dust explosivity characteristics: Kst: 43 - 71 m.bar/s A KSt-value of <200 bar.m.s-1 = dust explosion class, St 1

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

Minimum ignition energy: > 1 J

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides.

### Possibility of hazardous reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

The product is stable if stored and handled as prescribed/indicated.

### **Conditions to avoid**

Avoid humidity.

# Incompatible materials

water

### Hazardous decomposition products

Decomposition products: Hazardous decomposition products: carbon monoxide, carbon dioxide, hydrocarbons

Thermal decomposition: No decomposition if used as directed.

# 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Revision date : 2015/08/11 Version: 4.1

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50 Species: rat Value: > 2,000 mg/kg

Dermal

Type of value: LD50 Species: rat Value: > 2,000 mg/kg

#### Irritation / corrosion

Assessment of irritating effects: Ingestion may cause irritation of the gastrointestinal tract. Contact with powders or dusts may irritate the eyes, skin and respiratory tract.

<u>Skin</u> Species: rabbit Result: non-irritant Method: OECD Guideline 404

<u>Eye</u> Species: rabbit Result: non-irritant Method: OECD Guideline 405

Sensitization No sensitizing effect.

### **Chronic Toxicity/Effects**

#### Carcinogenicity

Assessment of carcinogenicity: A chronic (2-year) lifetime inhalation study in rats with respirable superabsorber polymer dust (micronized to < 10  $\mu$ m diameter) resulted in a non-specific inflammatory response in the lungs followed by tumor development in some rats in the highest chronic exposure level of 0.8 mg/m3. In the absence of chronic inflammation, tumours are not expected.

#### Information on: Superabsorber sodium salt

Assessment of carcinogenicity: A chronic (2-year) lifetime inhalation study in rats with respirable superabsorber polymer dust (micronized to < 10  $\mu$ m diameter) resulted in a non-specific inflammatory response in the lungs followed by tumor development in some rats in the highest chronic exposure level of 0.8 mg/m3. In the absence of chronic inflammation, tumours are not expected.

, \_\_\_\_\_

#### Other Information

The statement was derived from products of similar composition.

### Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

# Safety Data Sheet

Medi Gel® 1100 Revision date : 2015/08/11

Version: 4.1

# **12. Ecological Information**

## Toxicity

<u>Toxicity to fish</u> LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

<u>Aquatic invertebrates</u> EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

<u>Aquatic plants</u> EC50 (72 h) > 100 mg/l, Desmodesmus subspicatus (OECD Guideline 201) Nominal concentration.

#### Soil living organisms

Toxicity to soil dwelling organisms: LC50 > 1,000 mg/kg, Eisenia foetida (OECD Guideline 207)

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

### Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

### **Additional information**

The product contains: <= 20 (W/W) PPM total amount of heavy metal as Pb

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

Other ecotoxicological advice:

Do not release untreated into natural waters. The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

# 13. Disposal considerations

Waste disposal of substance:

Revision date : 2015/08/11 Version: 4.1

Page: 8/9 (50355773/SDS GEN US/EN)

Dispose of in accordance with local authority regulations. Incinerate in a licensed facility. Do not incinerate closed containers. Do not discharge into drains/surface waters/groundwater.

#### **Container disposal:**

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## **14. Transport Information**

#### Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

### Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

# **15. Regulatory Information**

#### **Federal Regulations**

Registration status: Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories):

Fire (Combustible Dust);

NFPA Hazard codes: Health : 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating<br/>Health: 1Flammability: 1Physical hazard:0

# 16. Other Information

**SDS Prepared by:** BASF NA Product Regulations SDS Prepared on: 2015/08/11

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2015/08/11 Version: 4.1

Medi Gel® 1100 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET