	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735	Version: 1.11
831289	

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifier

Trade name : pvp/va e-735

### Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

<b>Details of the supplier of the safety data sheet</b> Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) 1-614-790-3333 (USA)  EHSProductSafety@ashland.com	<b>Emergency telephone</b> 1-800-ASHLAND (1-800-274-5263)  <b>Regulatory information</b> 1-614-790-3333 (customer service)  <b>Product Information</b> 1-614-790-3333 (USA)
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)


### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapor.  
Causes serious eye irritation.

		Page: 2
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date:01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

May cause drowsiness or dizziness.

**Precautionary Statements**

**: Prevention:**

Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 Keep container tightly closed.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Avoid breathing mist or vapors.  
 Wash skin thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/ eye protection/ face protection.

**Response:**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/ attention.  
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.


**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature :

**Hazardous ingredients**

Chemical name	CAS-No.	Classification	Concentration (%)
---------------	---------	----------------	-------------------


		Page: 3
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date: 01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

ALCOHOL	254504001-5900	Flam. Liq. 2; H225 Eye Irrit. 2A; H319 STOT SE 3; H336	>= 50.00 - < 60.00
---------	----------------	--	--------------------

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

#### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: tearing Blurred vision Irritation Redness burning or stinging of the eye Causes serious eye irritation. May cause drowsiness or dizziness.
Notes to physician	: Treat symptomatically.


		Page: 4
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date: 01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Hydrocarbons Formaldehyde Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	:  Standard procedure for chemical fires.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

		Page: 5
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date: 01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.


Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
------------	---------	------------------------	-------------------------	-------

	Page: 6
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

		exposure)	Permissible concentration	
ALCOHOL	254504001-5900	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

#### Personal protective equipment

**Respiratory protection** : In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination.  
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

#### Hand protection


**Material** : butyl-rubber  
**Break through time** : 480 min  
**Glove thickness** : > 0.5 mm

**Remarks** : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Tightly fitting safety goggles  
Eye wash bottle with pure water

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

		Page: 7
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date: 01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: clear
Odor	: alcohol-like
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: not determined
Boiling point/boiling range	: 172.0 °F / 77.8 °C
Flash point	: 12.8 °C
Evaporation rate	: not determined
Flammability (solid, gas)	: not determined
Flammability (liquids)	: not determined
Flammability (liquids) Upper explosion limit	: not determined
Lower explosion limit	: not determined
Vapor pressure	: < 100 kPa (50 °C)
Relative vapor density	: not determined
Relative density	: No data available
Density	: 0.945 - 0.965 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: soluble
Solubility in other solvents	: No data available

## Version: 1.11


831289

Oxidizing properties : Not applicable

Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO2) hydrogen bromide Hydrocarbons Acetone Nitrogen oxides (NOx)
----------------------------------	---

Information on likely routes of exposure	:	Inhalation Eye contact Skin contact Ingestion
--	---	--



		Page: 9
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date: 01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

#### Components:

##### ALCOHOL:

Acute oral toxicity : LD50 (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat): 117 - 125 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LDLo (Rabbit): 20 g/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species: Rabbit

Result: Slight, transient irritation

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation in susceptible persons.

#### Components:

##### ALCOHOL:

Result: Slight, transient irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Species: Rabbit

Result: Irritating to eyes.


Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Remarks: May cause irreversible eye damage.

#### Components:

##### ALCOHOL:

Result: Irritating to eyes.

	Page: 10
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause drowsiness or dizziness.

#### Components:

ALCOHOL:

Assessment: May cause drowsiness or dizziness.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### Carcinogenicity:

##### IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.


## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

Long-term (chronic) aquatic hazard : Not classified based on available information.

**Components:**

**ALCOHOL:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12,000 - 16,000 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test Type: static test

**Persistence and degradability**

**Components:**

No data available

**Bioaccumulative potential**

**Components:**

**ALCOHOL:**

Partition coefficient: n-octanol/water : log Pow: -0.31

No data available

**Mobility in soil**

**Components:**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**Components:**


---

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

General advice : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

	Page: 12
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

## SECTION 14. TRANSPORT INFORMATION

### International transport regulations

#### REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

#### U.S. DOT - ROAD

UN 1866	Resin solution	3		II	
---------	----------------	---	--	----	--

#### CFR RAIL\_C

UN 1866	Resin solution	3		II	
---------	----------------	---	--	----	--

#### U.S. DOT - INLAND WATERWAYS

UN 1866	Resin solution	3		II	
---------	----------------	---	--	----	--

#### TDG ROAD\_C

UN 1866	RESIN SOLUTION	3		II	
---------	----------------	---	--	----	--

#### TDG RAIL\_C

UN 1866	RESIN SOLUTION	3		II	
---------	----------------	---	--	----	--

#### TDG INWT\_C

UN 1866	RESIN SOLUTION	3		II	
---------	----------------	---	--	----	--

#### INTERNATIONAL MARITIME DANGEROUS GOODS


UN 1866	RESIN SOLUTION	3		II	
---------	----------------	---	--	----	--

#### INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN 1866	Resin solution	3		II	
---------	----------------	---	--	----	--

#### INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN 1866	Resin solution	3		II	
---------	----------------	---	--	----	--

	Page: 13
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

#### MX\_DG

UN	1866	RESIN SOLUTION	3	II

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## SECTION 15. REGULATORY INFORMATION

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
VINYL ACETATE MONOMER	108-05-4	5000	

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
VINYL ACETATE MONOMER	108-05-4	5000	

### SARA 311/312 Hazards


: Flammable (gases, aerosols, liquids, or solids)  
 Serious eye damage or eye irritation  
 Specific target organ toxicity (single or repeated exposure)

### SARA 302

: This material does not contain any components with a section 302 EHS TPQ.

### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

	Page: 14
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735	Version: 1.11
831289	

## US State Regulations

### Pennsylvania Right To Know

ALCOHOL

254504001-

5900

Polymer

254504001-

6114

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

### New Jersey Right To Know

ALCOHOL

254504001-

5900

Polymer

254504001-

6114


The identity and concentration of one or more component(s) is being withheld under business confidentiality.

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

	Page: 15
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735 831289	Version: 1.11

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)


#### Other regulations

US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

## SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:


HEALTH	/	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of H-Statements

H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

#### Full text of other abbreviations


	Page: 16
<b>SAFETY DATA SHEET</b>	Revision Date: 10/12/2023
	Print Date: 01/18/2024
	SDS Number: R0718325
pvp/va e-735	Version: 1.11
831289	

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (<http://www.ashland.com>)

Sources of key data used to compile the Material Safety Data Sheet : Ashland internal data including own and sponsored test reports  
 European Union Law with content from the Official Journal of the European Union.  
 European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.  
 The German Water Hazard Classes.  
 ReachCentrum; a series of support services to help comply with REACH regulations.  
 The European Commission; proposing legislation, administering and implementing EU policies, and enforcing



		Page: 17
<b>SAFETY DATA SHEET</b>		Revision Date: 10/12/2023
		Print Date:01/18/2024
		SDS Number: R0718325
pvp/va e-735		Version: 1.11
831289		

EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

Revision Date : 10/12/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN