	Page: 1
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Trade name : lubrajel* II xd hydrogel
Description : hydrogel
*trademark owned by United-Guardian Inc.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) 1-614-790-3333 (USA) EHSProductSafety@ashland.com	Emergency telephone 1-800-ASHLAND (1-800-274-5263) Regulatory information 1-614-790-3333 (customer service) Product Information 1-614-790-3333 (USA)
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards


None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration (%)
ALCOHOL	254504001-5838	This material is not	>= 50.00 - < 60.00

	Page: 2
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

	considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	
--	--	--


The identity and concentration of one or more component(s) is being withheld under business confidentiality.

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	: No information available.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Aldehydes

	Page: 3
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2


- Specific extinguishing methods :
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

		Page: 4
SAFETY DATA SHEET		Revision Date: 02/10/2023
		Print Date:02/06/2024
		SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548		Version: 1.2

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

ALCOHOL	254504001-5838	TWA	5 mg/m3 mist, respirable fraction	OSHA Z-1
		TWA	15 mg/m3 mist, total dust	OSHA Z-1
		PEL	10 mg/m3 Mist - total fraction	CAL PEL
		PEL	5 mg/m3 Mist - respirable fraction	CAL PEL
		TWA	10 mg/m3 Mist - total dust	OSHA P0
		TWA	5 mg/m3 Mist - respirable fraction	OSHA P0

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment


Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination.
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses

		Page: 5
SAFETY DATA SHEET		Revision Date: 02/10/2023
		Print Date:02/06/2024
		SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548		Version: 1.2

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

Physical state : solid

Color : No data available

Odor : No information available.

Odor Threshold : No data available

pH : 4.7 - 5.5

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : 93.3 °C

Evaporation rate : Not applicable

Flammability (solid, gas) :
not determined

Flammability (liquids) : not determined

Flammability (liquids) :
Upper explosion limit : not determined


Lower explosion limit : not determined

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 1 - 1.2 g/cm3

		Page: 6
SAFETY DATA SHEET		Revision Date: 02/10/2023
		Print Date:02/06/2024
		SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548		Version: 1.2

Solubility(ies)
 Water solubility : not determined
 Solubility in other solvents : No data available
 Partition coefficient: n-octanol/water : not determined
 Thermal decomposition : No data available
 Viscosity
 Viscosity, dynamic : Not applicable
 Viscosity, kinematic : Not applicable
 Oxidizing properties : Not applicable
 Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY


Reactivity : No dangerous reaction known under conditions of normal use.
 Chemical stability : Stable under normal conditions.
 Conditions to avoid : Protect from frost, heat and sunlight.
 Incompatible materials : Oxidizing agents
 Hazardous decomposition products : Carbon monoxide
 Carbon dioxide (CO₂)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Eye contact
 Skin contact
 Ingestion

Acute toxicity

Not classified based on available information.

	Page: 7
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

Components:

ALCOHOL:

Acute oral toxicity : LD50 (Rat): 12,600 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 570 mg/m3
Exposure time: 1 h
Test atmosphere: vapor
Assessment: Not classified as acutely toxic by inhalation under GHS.

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

ALCOHOL:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Components:

ALCOHOL:

Result: Slight, transient irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.


Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

	Page: 8
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

Carcinogenicity:
IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

Components:

ALCOHOL:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,995 mg/l
Exposure time: 48 h

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.
Remarks: Expert judgment

Components:


ALCOHOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %

No data available

Bioaccumulative potential

Components:

	Page: 9
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

ALCOHOL:
 Partition coefficient: n- : log Pow: -1.76
 octanol/water

No data available
Mobility in soil
Components:
 No data available
Other adverse effects
 No data available
Product:
 Additional ecological : No data available
 information

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods
 Contaminated packaging : Empty containers should be taken to an approved waste
 handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C


Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

	Page: 10
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

--

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.


SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know

	Page: 11
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

ALCOHOL

254504001-5838

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

WATER

7732-18-5

2-PROPENOIC ACID, HOMOPOLYMER, ESTER WITH 1,2,3-PROPANETRIOL (<2%)

9003-01-4

New Jersey Right To Know

ALCOHOL

254504001-5838


The identity and concentration of one or more component(s) is being withheld under business confidentiality.

WATER

7732-18-5

2-PROPENOIC ACID, HOMOPOLYMER, ESTER WITH 1,2,3-PROPANETRIOL (<2%)

9003-01-4

	Page: 12
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Personal care
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

Inventories


AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

Other regulations


US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310)	Not applicable
--	----------------

SECTION 16. OTHER INFORMATION

Further information

	Page: 13
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

NFPA 704:



HMIS® IV:


HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration;

	Page: 14
SAFETY DATA SHEET	Revision Date: 02/10/2023
	Print Date:02/06/2024
	SDS Number: R0711003
lubrajel* II xd hydrogel *trademark owned by United-Guardian Inc. 829548	Version: 1.2

NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (<http://www.ashland.com>)

Sources of key data used to compile the Material Safety Data Sheet : Ashland internal data including own and sponsored test reports
European Union Law with content from the Official Journal of the European Union.
European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.
The German Water Hazard Classes.
ReachCentrum; a series of support services to help comply with REACH regulations.
The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.
Cefic, the European Chemical Industry Council.
ESIS European Chemical Substances Information System

Revision Date : 02/10/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN