

# SAFETY DATA SHEET

## LOWILITE® 62 GRANULAR MICROFINE



Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

### SECTION 1. IDENTIFICATION

Other Identifiers : 1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer

CAS-No. : 65447-77-0

#### Recommended use of the chemical and restrictions on use

Recommended use : UV absorber

Restrictions on use : Reserved for industrial and professional use.

#### Manufacturer or supplier's details

Company: Supplier  
SI Group USA (USAA), LLC  
4 Mountainview Terrace  
Suite 200  
Danbury, CT  
United States of America (USA)  
06810

#### Emergency telephone

Emergency telephone: +1 703-741-5970 (CHEMTREC/US)  
+44 (0) 1235 239 670 (NCEC/EU)  
0 512 8090 3042 (NRCC/CHINA)  
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

Supplemental Hazard Statements : May form combustible dust concentrations in air.

# SAFETY DATA SHEET

## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Pure substance

Substance name : 1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer

CAS-No. : 65447-77-0

Chemical nature : Polymer stabilizer

### Hazardous ingredients

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Product dust may be irritating to eyes, skin and respiratory system.  
None known.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

### SECTION 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

- 
- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
  
No information available.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Non-sparking tools should be used.  
Avoid dust formation.
- Environmental precautions :  
  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Minimize dust generation and accumulation.  
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.  
Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.  
Keep away from heat and sources of ignition.  
  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national

**LOWILITE® 62 GRANULAR MICROFINE**

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Exposure controls**

**Engineering measures** : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

Use mechanical ventilation for general area control.  
Ensure that extracted air cannot be returned to the workplace through the ventilation system.  
Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to

---

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Wash hands before breaks and at the end of workday.

### Environmental exposure controls

Water : Do not let product enter drains.  
Do not let product enter drains.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules, powder, or, flakes

Color : white, to, light cream

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/range : 55 - 77 °C

Boiling point/boiling range : No data available

Flash point : > 250 °C

Evaporation rate : No data available

# SAFETY DATA SHEET

## LOWILITE® 62 GRANULAR MICROFINE



Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

Flammability (solid, gas) : No data available  
Upper explosion limit : No data available  
Lower explosion limit : No data available  
Vapor pressure : No data available.  
  
Relative vapor density : No data available  
Relative density : 1.22  
Density : No data available  
Solubility(ies)  
    Water solubility : 0.16 g/l  
    Solubility in other solvents : No data available  
Partition coefficient: n-octanol/water : log Pow: 5.2 (20 °C)  
  
Autoignition temperature : 360 °C  
Auto-flammability  
Decomposition temperature : No data available  
Viscosity  
    Viscosity, dynamic : No data available  
    Viscosity, kinematic : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available  
Surface tension : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.  
Conditions to avoid : No data available  
Incompatible materials : Strong oxidizing agents, Strong acids and strong bases

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

Hazardous decomposition products : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

**Product:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Acute inhalation toxicity : Remarks: Not classified due to lack of data.  
Acute dermal toxicity : Remarks: Not classified due to lack of data.

#### Skin corrosion/irritation

**Product:**

Remarks: No significant adverse effects were reported

#### Serious eye damage/eye irritation

**Product:**

Remarks: No significant adverse effects were reported

#### Respiratory or skin sensitization

**Product:**

Remarks: No data available

#### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: Not classified due to lack of data.  
Genotoxicity in vivo : Remarks: Not classified due to lack of data.  
Germ cell mutagenicity - Assessment : Not classified due to lack of data.

#### Carcinogenicity

**Product:**

Carcinogenicity - Assessment : Not classified due to lack of data.

#### IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



# SAFETY DATA SHEET

## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Not readily biodegradable.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
May cause long-term adverse effects in the aquatic environment.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

##### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

##### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine- succinic acid, dimethyl ester, copolymer      65447-77-0

#### New Jersey Right To Know

1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine- succinic acid, dimethyl ester, copolymer      65447-77-0

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

- REACH : On the inventory, or in compliance with the inventory
- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- NZIoC : Not in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- ISHL : Not in compliance with the inventory
- CH INV : Not in compliance with the inventory
- TCSI : Not in compliance with the inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version      Revision Date:      SDS Number:      Country : US  
1.4            2019/07/17            400000004674      Language: Z8

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 2019/07/17

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS, DATA OR INFORMATION HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

US / Z8

### **Carechem24 International Worldwide Coverage**

#### **Emergency Phone Numbers:**

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670
<u>Asia Pacific:</u>	East / South East Asia	Regional Number : +65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	:Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285
	Vietnam	+65 3158 1255
	India	+65 3158 1198
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Bangladesh	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	All other countries	+44 (0) 1235 239 670

# SAFETY DATA SHEET



## LOWILITE® 62 GRANULAR MICROFINE

Version 1.4      Revision Date: 2019/07/17      SDS Number: 400000004674      Country : US  
Language: Z8

---

<u>America</u>	United States / Canada	001866 928 0789
<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
	Mexico	+52 555 004 8763