	Page: 1
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Trade name : ISP Captivates™ GL7600 encapsulate
™ Trademark, Ashland or its subsidiaries, registered in
various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care
Cosmetics


Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) 1-614-790-3333 (USA) EHSProductSafety@ashland.com	Emergency telephone 1-800-ASHLAND (1-800-274-5263) Regulatory information 1-614-790-3333 (customer service) Product Information 1-614-790-3333 (USA)
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization : Category 1


GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**

	Page: 2
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Avoid breathing mist or vapors.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves.
Response:
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/ attention.
Wash contaminated clothing before reuse.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.


SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration (%)
TITANIUM DIOXIDE (TiO ₂)	13463-67-7	This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	>=0.10 - < 1.00
2-METHYL-4-ISOTHIAZOLIN-3-ONE	2682-20-4	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 STOT SE 3; H335	>=0.0015 - < 0.10

Actual concentration is withheld as a trade secret


	Page: 3
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Severe allergic skin reactions, bronchospasm and anaphylactic shock Rash Itching Dermatitis Local irritation May cause an allergic skin reaction.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: No information available.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Standard procedure for chemical fires.
Further information	: Standard procedure for chemical fires.

	Page: 4
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Special protective equipment for fire-fighters : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE


Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from frost.

Further information on : No decomposition if stored and applied as directed.

	Page: 5
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

storage stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

TITANIUM DIOXIDE (TiO ₂)	13463-67-7	TWA	15 mg/m ³ total dust	OSHA Z-1
		TWA	10 mg/m ³ Total dust	OSHA P0
		PEL	10 mg/m ³ Total dust (Titanium)	CAL PEL
		PEL	5 mg/m ³ respirable dust fraction (Titanium)	CAL PEL

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination.
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection


Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Eye wash bottle with pure water
Work uniform or laboratory coat.
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

	Page: 6
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid
Color : gray
Odor : characteristic
Odor Threshold : No data available

pH : 3 - 7

Melting point/range : No data available
Melting point/freezing point : not determined
Boiling point/boiling range : No data available
Flash point : Not applicable

Evaporation rate : not determined

Flammability (solid, gas) :
not determined

Flammability (liquids) : not determined

Flammability (liquids) :
Upper explosion limit : not determined

Lower explosion limit : not determined

Vapor pressure : not determined

Relative vapor density : not determined

Relative density : No data available


Density : 1 g/cm³ (20 °C)

Solubility(ies)
Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : not determined

Thermal decomposition : No data available

	Page: 7
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date: 03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Viscosity
 Viscosity, dynamic : not determined
 Viscosity, kinematic : not determined
 Oxidizing properties : Not applicable
 Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
 Chemical stability : Stable under normal conditions.
 Possibility of hazardous reactions : Vapors may form explosive mixture with air.
 Conditions to avoid : Protect from frost, heat and sunlight.
 Incompatible materials : Oxidizing agents
 Strong acids
 Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Eye contact
 Skin contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:


TITANIUM DIOXIDE (TiO₂):

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: Not classified as acutely toxic by inhalation under GHS.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

	Page: 8
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date: 03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Acute oral toxicity : LD50 (Rat, male): 235 mg/kg
 LD50 (Rat, female): 183 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.11 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 242 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

TITANIUM DIOXIDE (TiO₂):

Result: Slight, transient irritation

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

TITANIUM DIOXIDE (TiO₂):

Result: Slight, transient irritation

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Result: Corrosive

Respiratory or skin sensitization

Skin sensitization: May cause an allergic skin reaction.

Respiratory sensitization: Not classified based on available information.

Components:


2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Assessment: The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Components:

	Page: 9
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

2-METHYL-4-ISOTHIAZOLIN-3-ONE:
Genotoxicity in vitro : Test Type: in vitro test
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Components:

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Routes of exposure: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

Group 2B: Possibly carcinogenic to humans

TITANIUM DIOXIDE (TiO₂) 13463-67-7

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION


Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

	Page: 10
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date: 03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Components:

TITANIUM DIOXIDE (TiO₂):

Toxicity to daphnia and other aquatic invertebrates : EC₅₀ (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test Type: static test

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Toxicity to fish : LC₅₀ (Oncorhynchus mykiss (rainbow trout)): 0.07 mg/l
Exposure time: 96 h

LC₅₀ (Lepomis macrochirus (Bluegill sunfish)): 0.07 mg/l
Exposure time: 96 h

LC₅₀ (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC₅₀ (Daphnia magna (Water flea)): 0.18 mg/l
Exposure time: 48 h

Toxicity to algae : EC₅₀ (Pseudokirchneriella subcapitata (green algae)): 0.158 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Short-term (acute) aquatic hazard) : 10

M-Factor (Long-term (chronic) aquatic hazard) : 1

Persistence and degradability

Components:

2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0.32 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

No data available

Bioaccumulative potential

Components:


2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Partition coefficient: n-octanol/water : log Pow: -0.486 (24 °C)

No data available

Mobility in soil

Components:

	Page: 11
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

No data available

Other adverse effects

No data available

Product:

Additional ecological : No data available
information

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with
chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

CFR_RAIL_C

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods


INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

MX_DG

	Page: 12
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Not dangerous goods

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----


Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION
TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know
CERCLA Reportable Quantity

	Page: 13
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

WATER	7732-18-5
PUMICE	1332-09-8

New Jersey Right To Know


WATER	7732-18-5
PUMICE	1332-09-8

California Prop. 65

WARNING: This product can expose you to chemicals including TITANIUM DIOXIDE (TiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: This product is regulated under the United States Food and Drug Act (FDA).
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory

	Page: 14
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date: 03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)


Other regulations

US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

SECTION 16. OTHER INFORMATION

Further information


NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.


	Page: 15
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Full text of H-Statements

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

	Page: 16
SAFETY DATA SHEET	Revision Date: 03/03/2023
	Print Date:03/03/2023
	SDS Number: R0718269
ISP Captivates™ GL7600 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 828844	Version: 1.0

Revision Date : 03/03/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN