

Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

# SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

## 1. Identification

Product identifier: SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

Other means of identification

Synonyms: POLYMETHYL HYDROGEN SILOXANE

Recommended use and restriction on use

Recommended use: Hydrophobic agent

Restrictions on use: Not known.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials LLC

260 Hudson River Road Waterford NY 12188

Contact person : commercial.services@momentive.com

**Telephone** : General information

+1-800-295-2392

**Emergency telephone** 

number

**Supplier** : CHEMTREC

1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification** 

Not classified

**Label Elements** 

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements Not applicable

Hazard(s) not otherwise

classified (HNOC):

None.

SDS\_US 1/12



Revision Date: 07/05/2023

#### SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

Substance(s) formed under the

conditions of use:

Reacts with water or alcohol in presence of acids or bases to release

hydrogen (flammable gas).

## 3. Composition/information on ingredients

**Substances** 

**Composition Comments:** The components are not hazardous or are below required disclosure limits.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

**Ingestion:** Do NOT induce vomiting. If conscious, drink plenty of water. Do not give

victim anything to drink if he is unconscious.

**Inhalation:** Move to fresh air. Get medical attention.

**Skin Contact:** IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation

occurs: Get medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treatment is symptomatic and supportive.

## 5. Fire-fighting measures

General Fire Hazards: Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use water spray to keep fire-exposed containers

cool.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

SDS\_US 2/12



Revision Date: 07/05/2023

#### SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

Specific hazards arising from the chemical:

This product may generate the flammable gas (hydrogen) when exposed to acidic or basic water and will intensify the fire, or possibly explode if

confined in a container.

If contamination occurs, pressure build up caused by hydrogen gas generation in sealed containers can cause bulging, rupture, or even violent explosion. In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

## Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures:

Static electricity and formation of sparks must be prevented. Use water

spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Caution: Contaminated surfaces may be slippery.

Methods and material for containment and cleaning

up:

Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** 

Vapours may form explosive mixture with air. Remove sources of ignition. Prevent runoff from entering drains, sewers, or streams.

**Environmental Precautions:** 

Do not allow runoff to sewer, waterway or ground.

## 7. Handling and storage

Precautions for safe handling:

Pack only into unbreakable packing materials (no glass containers!) to avoid contact with substances mentioned in Section 10. Take precautionary measures against static discharges. Keep away from food, drink and animal feeding stuffs. Use only in well-ventilated areas. When using do not eat, drink or smoke. Isolate from other materials.

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks and open flame. Keep away from heat, sparks, and open flame. Small amounts of hydrogen may be evolved during shipping and storage, creating a potential for container swelling. Excessive swelling may result in rupturing of the container. Accordingly, if containers swell, vent containers to relieve pressure. Take appropriate precautionary measures when opening to prevent ignition of any hydrogen present.

SDS\_US 3/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

None of the components have assigned exposure limits.

**Appropriate Engineering** 

Controls

Eye wash facilities and emergency shower must be available when handling this product. Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be

needed for non-routine or emergency situations.

## Individual protection measures, such as personal protective equipment

**General information:** When using do not eat, drink or smoke. Wash hands after contact. Practice

good housekeeping. Avoid contact with skin and eyes. Use only in well-

ventilated areas.

**Eye/face protection:** Safety glasses with side shields

**Skin Protection** 

**Hand Protection:** Use chemical-resistant, impervious gloves.

**Other:** Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

**Hygiene measures:** Avoid contact with skin and eyes. Observe good industrial hygiene

practices. When using do not eat, drink or smoke. Wash hands after

handling.

## 9. Physical and chemical properties

## **Appearance**

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Odorless

Odor threshold:

pH:

No data available.

> 260 °C (1.013 hPa)

Flash Point: > 177 °C (PENSKY-MARTENS)

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

SDS\_US 4/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:ca. 1.00 g/cm3

Relative density: 1

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): Insoluble

Partition coefficient (n-octanol/water) Log No data available.

Pow:

**Auto-ignition temperature:** No data available.

**Decomposition temperature:**Material is stable under normal conditions.

SADT: No data available.

Viscosity, dynamic: No data available.

Viscosity, kinematic: No data available.

Other information

Minimum ignition temperature: ca. 450 °C VOC: 3.8 g/l;

## 10. Stability and reactivity

**Reactivity:** No dangerous reaction if used as recommended.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Product generates flammable gas on contact with acids, bases or oxidizing

substances. Hazardous polymerization does not occur.

Conditions to avoid: Product generates flammable gas on contact with acids, bases or oxidizing

substances.

Incompatible Materials: Evolves hydrogen on contact with acids, alkalis, alcohols, powdered metals

or, as the case may be, metal oxides.

**Hazardous Decomposition** 

**Products:** 

Carbon dioxide Silicon dioxide. Flammable hydrogen gas. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that

small amounts of formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

SDS\_US 5/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

Information on likely routes of exposure

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

## Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

SDS\_US 6/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

## **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

## **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

## 12. Ecological information

#### **Ecotoxicity:**

## Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

#### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

SDS\_US 7/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

**Persistence and Degradability** 

**Biodegradation** 

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

## 13. Disposal considerations

**General information:** The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

**Contaminated Packaging:** Dispose of as unused product.

## 14. Transport information

#### DOT

Not regulated.

#### **IMDG**

Not regulated.

#### **IATA**

Not regulated.

SDS\_US 8/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

#### **Special precautions for user:** This product is not prohibited for air shipment by national or

international regulations on the transport of dangerous goods.

However, as a result of the potential formation of hydrogen gas under certain conditions, Momentive Performance Materials recommends that this product should be shipped using a mode of

transportation other than air (IATA-C, IATA-P).

## 15. Regulatory information

#### **US Federal Regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Not classified

## **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

## SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical

None present or none present in regulated quantities.

#### US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

SDS\_US 9/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

## **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Polymethylhydrosiloxane

## **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

## **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

SDS\_US 10/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

## **Inventory Status:**

	1
On or in compliance with the inventory	Remarks: None.
On or in compliance with the inventory	Remarks: None.
On or in compliance with the	Remarks: None.
On or in compliance with the inventory	Remarks: None.
On or in compliance with the inventory	Remarks: None.
Not in compliance with the inventory.	Remarks: None.
On or in compliance with the inventory	Remarks: None.
On or in compliance with the inventory	Remarks: Commercial Status: Active
On or in compliance with the inventory	Remarks: None.
On or in compliance with the inventory	Remarks: None.
If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.
	inventory  On or in compliance with the inventory  Not in compliance with the inventory.  On or in compliance with the inventory  If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers

# 16.Other information, including date of preparation or last revision

## **HMIS Hazard ID**

Health	0
Flammability	1
Physical Hazards	1
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 07/05/2023

SDS\_US 11/12



Revision Date: 07/05/2023

## SS4300C 05G-Pail (40.0 Lbs-18.16 Kg)

**Revision Date:** No data available.

Version #: 5.0

Further Information: No data available.

Disclaimer:

## Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

## **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS\_US 12/12