



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

#### **SECTION 1. IDENTIFICATION**

Product name : Oxone™ PS-16 Monopersulfate Compound

Product code : 00000000062642066

Manufacturer or supplier's details

Company : LANXESS Corporation

**Product Safety & Regulatory Affairs** 

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (866) 673 6350.

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

Oxidizing agents

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : Harmful if swallowed.

Causes severe skin burns and eye damage.

1/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

**Precautionary Statements** 

#### Prevention:

Do not breathe dust or mist.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

# Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Wash contaminated clothing before reuse.

#### Storage:

Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Content of KMPS as at time of production.

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
pentapotassium	70693-62-8	>= 90 - <= 100
bis(peroxymonosulphate)		
bis(sulphate)		
potassium hydrogensulphate	7646-93-7	>= 5 - < 10
dipotassium peroxodisulphate	7727-21-1	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

2/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Get medical attention if symptoms occur.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If unconscious, place in recovery position and get medical

attention immediately.

If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

apparatus.

If not breathing, if breathing is irregulor or respiratory arrest occurs, provide artifical respiration, or oxygen by a trained

professional, using a pocket type respirator.

Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 30 minutes.

Get medical attention immediately.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

In case of eye contact : In case of contact, flush eyes with plenty of water for at least

30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses.

Get medical attention immediately.

Chemical burns must be treated promptly by a physician.

If swallowed : Get medical attention immediately.

Rinse mouth with water.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Give small amounts of water to drink.

Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms and effects, both acute and delayed

Symptoms : Skin: Reddening, burning, and possible permanent damage.

Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Ingestion: May cause burns to mouth, throat, and stomach.

3/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Effects : Harmful if swallowed.

Causes serious eye damage.

Causes severe burns.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

Notes to physician : Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Can only be extinguished with large quantities of water.

Water fog

Unsuitable extinguishing

media

Carbon dioxide (CO2)

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

The product itself does not burn.

Insufficient water may prolong fire event and gas evolution

Water run-off may be acidic

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod: :

ucts

Sulfur oxides

Metal oxides

Carbon dioxide (CO2) Carbon monoxide

Further information : Fire can result from combustible or flammable materials that

come into direct contact with decomposing product.

Copious amounts of water are required to dilute material.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Run-off water may be highly acidic and should be collected

and neutralized if possible.

Special protective equipment:

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- : No action shall be taken involving any personal risk or without

4/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

tive equipment and emer-

suitable training.

gency procedures

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material.

Provide adequate ventilation.

Put on appropriate personal protection equipment.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Move containers from spill area.

Avoid dust formation. Do not dry sweep.

Vacuum or sweep up material and place in a designated, la-

beled waste container.

Dispose of wastes in an approved waste disposal facility. Do not allow spilled material or wash water to enter sewers,

surface waters, or groundwater systems.

# **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Do not get in eyes or mouth or on skin.

Keep in the original container or an approved alternative made

from a compatible material, kept tightly closed when not in

use.

Empty containers retain product residue; observe all precau-

tions for product.

Do not re-use empty containers.

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. the particle size measurements of the product indicate that it

is not respirable and therefore not bioavailable by the inhala-

tion route.

Conditions for safe storage

Store locked up.

Contact with water/moisture causes formation of corrosive

reaction products.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

5/20

# Oxone™ PS-16 Monopersulfate Compound



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

> and kept upright to prevent leakage. Do not store in unlabeled containers.

Empty containers retain residue and can be dangerous.

Do not reuse container.

Make sure all pipelines, tanks and equipment are leakproof. Never allow product to get in contact with water during stor-

age.

Protect from moisture.

Do not store near combustible materials.

Moisture may decompose this product and cause a violent

reaction leading to fire and explosion.

Do not allow cartons, cases or containers of product to become wet or store where they may be subject to either high

humidity or moisture.

Materials to avoid : Keep away from alkalis.

Recommended storage tem-

perature

< 90 °F / < 32 °C

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

Protect from atmospheric moisture (hygroscopic).

Maximum mass of Oxone during storage or processing at ambient temperature should not exceed 2045 kg (4500lb).

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH
Carbonic acid, magnesium salt (1:1)	546-93-0	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

**Engineering measures** 

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Oxone™ PS-16 Monopersulfate Compound



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Dust safety masks are recommended when the dust concen-

tration is more than 10 mg/m3.

Filter type : P3 filter

Hand protection

Material : Butyl rubber - IIR

Wearing time : 60 min

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the

protective gloves.

Eye protection : Wear safety glasses with side shields or goggles.

If contact with product is possible, wear safety glasses with

side shields.

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Tightly fitting safety goggles

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : granules

Physical state : solid

Color : white

Odor : odorless

7/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Odor Threshold : No data available

No data available

рΗ

Concentration: 3 %

Melting point/range Decomposition: yes

Boiling point/boiling range Decomposition at boiling point.

Flash point No data available

Evaporation rate No data available

Self-ignition No data available

Burning number No data available

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

0.0001 hPa (77 °F / 25 °C) Vapor pressure

Relative density No data available

Density 2.35 g/cm3 (68 °F / 20 °C)

Bulk density 1,100 - 1,400 kg/m3

Solubility(ies)

Water solubility : 297 - 357 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : 122 °F / 50 °C

> 122 °F / > 50 °C

Viscosity

Viscosity, dynamic No data available

8/20





Version **Revision Date:** SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Viscosity, kinematic : No data available

Explosive properties No data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

Metal corrosion rate Not corrosive to metals.

Particle size No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid Do not expose to temperatures above: 50 °C

Incompatible materials Halogenated compounds

Cyanides

Mixing with heavy metal salts such as those of cobalt, nickel, copper, or manganese can cause decomposition with release

of oxygen and heat. Oxidizing agents

Readily oxidizable organic compounds

Hazardous decomposition

products

Sulfur oxides

Oxygen

# **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

# **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity LD50 (Rat, male and female): 500 mg/kg

Method: OECD Test Guideline 423

GLP: yes

LC50 (Rat, male and female): > 5 mg/l Acute inhalation toxicity

Exposure time: 4 h

9/20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality

Expert judgment

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: ves

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

#### **Components:**

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

10 / 20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

potassium hydrogensulphate:

Assessment : Causes burns.

dipotassium peroxodisulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

dipotassium peroxodisulphate:

Result : Irritating to eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

**Product:** 

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitization on laboratory animals.

GLP : yes

Routes of exposure : Inhalation

Species : Mammal - species unspecified

Result : Does not cause respiratory sensitization.

Remarks : Expert judgment

### Components:

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

# dipotassium peroxodisulphate:

Routes of exposure : Inhalation

Species : Mammal - species unspecified

Result : May cause sensitization by inhalation.

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

# **Components:**

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive GLP: yes

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test system: Mammalian-Human

12 / 20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on fetal development : Remarks: No teratogenic or fetotoxic effects were found at all

dose levels tested.

STOT-single exposure

Not classified based on available information.

Components:

potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

# Oxone™ PS-16 Monopersulfate Compound



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

#### Repeated dose toxicity

#### **Components:**

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female

LOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 407

Remarks : Subacute toxicity

Species : Rat, male and female

LOAEL : 600 mg/kg Application Route : Oral Exposure time : 90 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 408

Remarks : Subchronic toxicity

# **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

**Product:** 

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l

14 / 20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

plants Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: Fresh water

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7

Exposure time: 72 h

Method: OECD Test Guideline 201

**Ecotoxicology Assessment** 

Chronic aquatic toxicity This product has no known ecotoxicological effects.

Persistence and degradability

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Bioaccumulative potential

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Partition coefficient: n-: log Pow: < 0.3

octanol/water Method: OECD Test Guideline 117

15 / 20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : Waste Oxone™ should be dissolved, diluted, and disposed of

in accordance with federal, state, and local regulations.

Solutions of greater than 3% Oxone™ will have a pH less than 2.0 and may be considered RCRA hazardous, due to the low

pH.

#### **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

IATA-DGR

UN/ID No. : UN 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.

(MONOPERSULFATE COMPOUND)

Class : 8 Packing group : II

Labels



Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

: 863 : 50.00 KG

: 859 : 15.00 KG

IMDG-Code

UN number : UN 3260

Print Date: 07/17/2025

16 / 20





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(MONOPERSULFATE COMPOUND)

Class : 8 Packing group : II Labels : 8

8

EmS Code : F-A, S-B Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

UN/ID/NA number : UN 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.

(MONOPERSULFATE COMPOUND)

Class : 8
Packing group : II
Labels : 8

CORROSIVE

ERG Code : 154 Marine pollutant : no

Hazard and Handling Notes.

Corrosive., Keep dry., Keep separated from foodstuffs

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)





Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

# Massachusetts Right To Know

dipotassium peroxodisulphate	7727-21-1	>= 1 - < 5
Carbonic acid, magnesium salt (1:1)	546-93-0	>= 1 - < 5

# Pennsylvania Right To Know

pentapotassium bis(peroxymonosulphate)	70693-62-8	>= 90 - < 100
bis(sulphate)		
potassium hydrogensulphate	7646-93-7	>= 3 - < 5
dipotassium peroxodisulphate	7727-21-1	>= 1 - < 3

# California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

# **Further information**

# Oxone™ PS-16 Monopersulfate Compound



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

#### NFPA 704:

# Flammability Health Instability

Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances;

# Oxone™ PS-16 Monopersulfate Compound



Version Revision Date: SDS Number: Date of last issue: 06/30/2022 1.3 02/27/2023 203000015340 Country / Language: US / EN

(Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/27/2023

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.