



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_BE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Gantrez™ SP-215
polymer
™ Trademark, Ashland or its subsidiaries, registered in
various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetic additive

1.3 Details of the supplier of the safety data sheet Ashland P.O. Box 8619 NL3009 AP, Rotterdam Netherlands +31 10 497 5000 (in the Netherlands), or contact your local CSR contact person EUSMT@ashland.com	1.4 Emergency telephone number +1-800-274-5263/001-859-357-3564, or contact your local emergency telephone number at 070/245.245 Product Information +31 10 497 5000 (in the Netherlands), or contact your local CSR contact person
--	---

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H225
H319Highly flammable liquid and vapour.
Causes serious eye irritation.Supplemental Hazard
Statements :

EUH066

Repeated exposure may cause skin
dryness or cracking.

Precautionary statements :

Prevention:
P210Keep away from heat, hot surfaces, sparks,
open flames and other ignition sources. No
smoking.P233
P280Keep container tightly closed.
Wear protective gloves/ protective clothing/
eye protection/ face protection.**Response:**

P303 + P361 + P353

IF ON SKIN (or hair): Take off
immediately all contaminated clothing.
Rinse skin with water.

P337 + P313

If eye irritation persists: Get medical advice/
attention.

P370 + P378

In case of fire: Use dry sand, dry chemical
or alcohol-resistant foam to extinguish.

2.3 Other hazards

Additional advice

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Ethanol	64-17-5 200-578-6 01-2119457610-43-0376 01-2119457610-43-xxxx	Flam. Liq.2; H225 Eye Irrit.2; H319	>= 50,00 - < 60,00
---------	--	--	-----------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Risks : Causes serious eye irritation.
Repeated exposure may cause skin dryness or cracking.



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
formaldehyde-like
Hydrocarbons

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Remove all sources of ignition.
Ensure adequate ventilation.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapours/mists with a water spray jet.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Open drum carefully as content may be under pressure.
Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Container hazardous when empty.
 Take precautionary measures against static discharges.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). No sparking tools should be used. Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TLV 8 hr	1.000 ppm 1.907 mg/m ³	BE OEL



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Use eye protection according to EN 166.

Hand protection

Remarks : Neoprene gloves Nitrile rubber

The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Wear as appropriate:
Impervious clothing
Safety shoes
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective clothing complying with EN 13688.
Safety shoes complying with EN ISO 20345.

Respiratory protection

: In the case of vapour formation use a respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous

Colour : clear

Odour : No data available

Odour Threshold : No data available

**SAFETY DATA SHEET**

Revision Date: 19.03.2018

Print Date: 10.12.2018

SDS Number: R0718539

Version: 1.1

Gantrez™ SP-215 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828402

pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	78,5 °C
Flash point	:	60,1 °F
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	53,3 hPa (19 °C)
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,983 g/cm ³ (25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : excessive heat
Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Acids
Alkali metals
Ammonia
Bases
halogens
inorganic materials
Oxidizing agents
sodium

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Not classified based on available information.

Components:

Ethanol

Acute oral toxicity : LD50 (Rat): 7.060 mg/kg

Acute inhalation toxicity : LC50 (Rat): 117 - 125 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LDLo (Rabbit): 20 g/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Remarks: May cause skin irritation in susceptible persons.

Result: Repeated exposure may cause skin dryness or cracking.

Components:

Ethanol

Result: Slight, transient irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

Ethanol

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12: Ecological information**12.1 Toxicity****Components:**

Ethanol

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12.000 - 16.000 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: static test

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential**Components:**

Ethanol

Partition coefficient: n-octanol/water : log Pow: -0,31

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects**Product:**



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

SECTION 14: Transport information

14.1 UN number

ADN: UN1866

ADR: UN1866

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: UN1866

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: UN1866

INTERNATIONAL MARITIME DANGEROUS GOODS: UN1866

RID: UN1866

14.2 UN proper shipping name

ADN: RESIN SOLUTION

ADR: RESIN SOLUTION

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Resin solution

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Resin solution

INTERNATIONAL MARITIME DANGEROUS GOODS: RESIN SOLUTION

RID: RESIN SOLUTION

14.3 Transport hazard class(es)



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

ADN: 3

ADR: 3

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: 3

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: 3

INTERNATIONAL MARITIME DANGEROUS GOODS: 3

RID: 3

14.4 Packing group

ADN: II

ADR: II

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: II

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: II

INTERNATIONAL MARITIME DANGEROUS GOODS: II

RID: II

14.5 Environmental hazards

ADN: Not applicable

ADR: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

RID: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable

Hazard code(s): Not applicable

Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that : Not applicable



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Ethanol

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2.500 t	25.000 t
P5c	FLAMMABLE LIQUIDS	5.000 t	50.000 t

Other regulations : Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
TCSI	On the inventory, or in compliance with the inventory
TSCA	On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 19.03.2018

Classification procedure:

H225	Highly flammable liquid and vapour.	Based on product data or assessment
H319	Causes serious eye irritation.	Calculation method



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

Full text of H-Statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (+31 10 497 5000).

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
BEI : Biological Exposure Index
CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO : International Civil Aviation Organization
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
IMDG : International Maritime Code for Dangerous Goods
ISO : International Organization for Standardization
logPow : octanol-water partition coefficient
LCxx : Lethal Concentration, for xx percent of test population
LDxx : Lethal Dose, for xx percent of test population.
ICxx : Inhibitory Concentration for xx of a substance
Ecxx : Effective Concentration of xx
N.O.S.: Not Otherwise Specified



SAFETY DATA SHEET	Revision Date: 19.03.2018
	Print Date: 10.12.2018
	SDS Number: R0718539
Gantrez™ SP-215 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828402	Version: 1.1

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands

ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP : Classification, Labelling and Packaging

CSA : Chemical Safety Assessment

CSR : Chemical Safety Report

DNEL : Derived No Effect Level.

EINECS : European Inventory of Existing Commercial Chemical Substances.

ELINCS : European List of Notified Chemical Substances

GV: Exposure limits (DK)

PEC : Predicted Effect Concentration

PEL : Permissible Exposure Limits

PNEC : Predicted No Effect Concentration

R-phrases : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrases: Safety phrase

WGK : German Water Hazard Class