	Page: 1
SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Ganex™ V-220F polymer
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

<p>Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) +1-614-790-3333</p> <p>EHSProductSafety@ashland.com</p>	<p>Emergency telephone number 1-800-ASHLAND (1-800-274-5263)</p> <p>Regulatory Information Number 1-614-790-3333</p> <p>Product Information +1-614-790-3333</p>
---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : **Prevention:**
 Keep dust/air mixtures away from ignition sources.

Other hazards

None known.



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : organic

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene	28211-18-9	Eye Irrit. 2A; H319	97.00

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 11.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

circumstances and the surrounding environment.

Water spray

Foam

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide

Specific extinguishing methods :

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.


SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Avoid dust formation.

Ensure all equipment is electrically grounded and bonded before beginning transfer operations.

The material can accumulate static charge and can therefore

	Page: 4
SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

Conditions for safe storage : No smoking.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : For exposures to dust, utilize the exposure limits for Particulates (insoluble) Not Otherwise Classified (PNOC). ACGIH TWA - 10 mg/m³ inhalable fraction, 3 mg/m³ respirable fraction. OSHA PEL - 15 mg/m³ total dust, 5 mg/m³ respirable fraction.

Provide appropriate exhaust ventilation at places where dust is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
 Break through time : 480 min
 Glove thickness : > 0.5 mm



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

Remarks	: The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	: Safety glasses
Skin and body protection	: Wear resistant gloves (consult your safety equipment supplier). Wear as appropriate: Safety shoes
Hygiene measures	: Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: flakes
Physical state	: solid
Colour	: off-white, yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: 97 - 111 °F / 36 - 44 °C
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Dust
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not volatile
Relative vapour density	: No data available



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

Relative density	: No data available
Density	: 0.95 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Eye Contact Ingestion
--	--



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species: Rabbit

Exposure time: 72 h

Method: Draize Test

Result: No skin irritation

Species: Human

Method: Patch Test 24 Hrs.

Result: No skin irritation

Components:

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species: Rabbit

Result: Slight, transient irritation

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Components:

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Result: Eye irritation


Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Test Type: Human Repeat Insult Patch Testing (HRIPT)

	Page: 8
SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

Exposure routes: Dermal
 Assessment: Does not cause skin sensitisation.

Components:

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:
 Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity
 Not classified based on available information.

Carcinogenicity
 Not classified based on available information.

Reproductive toxicity
 Not classified based on available information.

STOT - single exposure
 Not classified based on available information.

STOT - repeated exposure
 Not classified based on available information.

Aspiration toxicity
 Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 07/11/2019

Print Date: 3/27/2020

SDS Number: R0718362

Version: 1.9

Ganex™ V-220F polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828325

Persistence and degradability**Product:**

Biodegradability : Inoculum: activated sludge
 Concentration: 100 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 25 %
 Exposure time: 28 d

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological : No data available
 information

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and
 federal regulations.

Contaminated packaging : Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION**International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

**SAFETY DATA SHEET**

Revision Date: 07/11/2019

Print Date: 3/27/2020

SDS Number: R0718362

Version: 1.9

Ganex™ V-220F polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828325

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act**



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

2-Pyrrolidinone, 1-ethenyl, polymer with 1-
eicosene 28211-18-9

1-EICOSENE 3452-07-1

New Jersey Right To Know

2-Pyrrolidinone, 1-ethenyl, polymer with 1-
eicosene 28211-18-9

1-EICOSENE 3452-07-1

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Personal care

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
	Version: 1.9
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 07/11/2019

<p>NFPA:</p> <p>Health: 0, Flammability: 1, Instability: 0, Special hazard: Not applicable.</p>	<p>HMIS III:</p> <table border="1"> <tr> <td style="background-color: blue; color: white;">HEALTH</td> <td style="text-align: center;">0/</td> </tr> <tr> <td style="background-color: red; color: white;">FLAMMABILITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: yellow; color: black;">PHYSICAL HAZARD</td> <td style="text-align: center;">0</td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	0/	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	0/						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Not applicable

Full text of H-Statements

H319 Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet
 Ashland internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the



SAFETY DATA SHEET	Revision Date: 07/11/2019
	Print Date: 3/27/2020
	SDS Number: R0718362
Ganex™ V-220F polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828325	Version: 1.9

information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative