

# SAFETY DATA SHEET



## NAUGARD® XL-1 POWDER

Version 1.13      Revision Date:  
09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

### SECTION 1. IDENTIFICATION

#### Product identifier

Product name : NAUGARD® XL-1 POWDER

Other means of identification : (1,2-Dioxoethylen)bis(iminoethylen)bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat]

#### Recommended use of the chemical and restrictions on use

Recommended use : Antioxidant  
Metal deactivator

Restrictions on use : Reserved for industrial and professional use.

#### Manufacturer or supplier's details

##### Supplier

Company : SI Group USA (USAA), LLC

Address : 1790 Hughes Landing Blvd., Suite 600  
The Woodlands, TX  
United States of America (USA)  
77380

E-mail address : msdsrequest@siigroup.com

#### Emergency telephone

Emergency Phone Number : CHEMTREC/US : +1 703-741-5970  
NCEC/CHINA : 400 120 6011  
NCEC/INDIA : 000 800 100 7479  
NCEC/ROW : +44 1235 239670

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Combustible dust

#### GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

**NAUGARD® XL-1 POWDER**

Version 1.13      Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Pure substance  
Substance name : (1,2-Dioxoethylen)bis(iminoethylen)bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat]  
Chemical nature : Polymer stabilizer

**Hazardous ingredients**

No hazardous ingredients

**SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.  
If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.  
In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Most important symptoms and effects, both acute and delayed : Product dust may be irritating to eyes, skin and respiratory system.  
No information available.  
Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Unsuitable extinguishing media : High volume water jet  
Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Burning produces irritant fumes.  
Exposure to decomposition products may be a hazard to

**NAUGARD® XL-1 POWDER**Version 1.13      Revision Date:  
09/27/2022Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

health.

Hazardous combustion products : No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Non-sparking tools should be used.  
Avoid dust formation.  
Keep in properly labeled containers.  
Dispose of rinse water as waste water.

Environmental precautions : No special environmental precautions required. Do not let product enter drains.

Methods and materials for containment and cleaning up : Sweep up and shovel.  
Keep in suitable, closed containers for disposal.**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Minimize dust generation and accumulation.  
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.  
Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.  
Keep away from heat and sources of ignition.  
For personal protection see section 8.  
No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

Further information on storage stability : Keep in a dry place.

## NAUGARD® XL-1 POWDER

Version 1.13  
Revision Date: 09/27/2022Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

Use mechanical ventilation for general area control.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

**Environmental exposure controls**

Water : Do not let product enter drains.  
Do not let product enter drains.

# SAFETY DATA SHEET



## NAUGARD® XL-1 POWDER

Version 1.13      Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular, powder
Color	: white to off-white
Odor	: not significant
Odor Threshold	: No data available
pH	: No data available
Melting point/range	: 170 - 180 °C / 170 - 180 °C
Boiling point/boiling range	: Decomposes
Flash point	: 260 °C / 260 °C Method: open cup
Evaporation rate	: <Ether
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: Heavier than air
Relative density	: 1.19 (20 °C / 20 °C)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: Description: partly soluble
Partition coefficient: n-octanol/water	: log Pow: 8.1
Autoignition temperature	: 273 °C / 273 °C
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Surface tension	: No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.

# SAFETY DATA SHEET



## NAUGARD® XL-1 POWDER

Version 1.13  
Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Acids and bases
Hazardous decomposition products	:	Carbon oxides Nitrogen oxides (NOx)

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

**Product:**

Acute oral toxicity	:	LD50 (Rat): > 10,000 mg/kg
Acute inhalation toxicity	:	Remarks: Not classified due to lack of data.
Acute dermal toxicity	:	Remarks: Not classified due to lack of data.

#### Skin corrosion/irritation

**Product:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	The product is not considered as being a skin irritant.

#### Serious eye damage/eye irritation

**Product:**

Species	:	Rabbit
Result	:	slight irritation
Remarks	:	The product is not considered as being an eye irritant.

#### Respiratory or skin sensitization

**Product:**

Species	:	Rabbit
Result	:	Did not cause sensitization on laboratory animals.
Remarks	:	No data available

#### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
Germ cell mutagenicity - Assessment	:	Not classified due to lack of data.

**NAUGARD® XL-1 POWDER**

Version 1.13      Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

**Carcinogenicity**

**Product:**

Carcinogenicity - Assessment : Not classified due to lack of data.

**Reproductive toxicity**

**Product:**

Reproductive toxicity - Assessment : Not classified due to lack of data.

**STOT-single exposure**

**Product:**

Assessment : Not classified due to lack of data.

**STOT-repeated exposure**

**Product:**

Assessment : Not classified due to lack of data.

**Repeated dose toxicity**

Based on available data, the classification criteria are not met.

**Aspiration toxicity**

**Product:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data is available on the product itself.

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea));  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic : (Green algae (Scenedesmus subspicatus));

---



## NAUGARD® XL-1 POWDER

Version 1.13  
Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation**

**49 CFR**

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

**SARA 311/312 Hazards** : See section 2 for classified hazards based on component information

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**

**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Not listed

**New Jersey Right To Know**

Not listed

**The ingredients of this product are reported in the following inventories:**

# SAFETY DATA SHEET

## NAUGARD® XL-1 POWDER



Version 1.13  
Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

DSL	:	All components of this product are on the Canadian DSL
AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	On or in compliance with the active portion of the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# SAFETY DATA SHEET

## NAUGARD® XL-1 POWDER




Version 1.13  
Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registra-

# SAFETY DATA SHEET



## NAUGARD® XL-1 POWDER

Version 1.13      Revision Date: 09/27/2022

Date of last issue: 11/17/2021  
Date of first issue: 06/27/2007

---

tion, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 09/27/2022

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS, DATA OR INFORMATION HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

US / Z8