

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Ti-Pure™ Titanium Dioxide Pigment

SDS-Identcode : 130000146687

REACH Registration Number : 01-2119489379-17-0016

Substance name : Titanium dioxide

Index-No. : 022-006-00-2

EC-No. : 236-675-5

Other means of identification : R-900

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Colouring agent, Pigment

Recommended restrictions : For industrial use only.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Chemours Netherlands B.V.  
Baanhoekweg 22  
3313 LA Dordrecht Netherlands

Telephone : +31-(0)-78-630-1011

Telefax : +31-78-6163737

E-mail address of person  
responsible for the SDS : sds-support@chemours.com

#### 1.4 Emergency telephone number

+(44)-870-8200418 (CHEMTREC - Recommended)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Substance name : Titanium dioxide  
Index-No. : 022-006-00-2  
EC-No. : 236-675-5

#### Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
Titanium dioxide	13463-67-7 236-675-5	>= 90 - <= 100

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : irritant effects

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Not applicable  
Will not burn

Unsuitable extinguishing media : Not applicable  
Will not burn

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : No special restrictions on storage with other products.

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to BS EN 166

Hand protection

Remarks : Wash hands before breaks and at the end of workday.

Skin and body protection : Skin should be washed after contact.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to BS EN 143

Filter type : Particulates type (P)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : solid

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : 1,843 °C

Initial boiling point and boiling range : 3,000 °C

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Will not burn

Not expected to form explosive dust-air mixtures.

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	3.4 - 4.3
Density	:	4.050 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size	:	0.2 - 0.4 µm Method: BI-XDC X-ray Disc Centrifuge median mass based hydrodynamic diameter
Particle Size Distribution	:	For the information on the particles percentage with aerodynamic diameter ≤10 micron, see section 11.1 Information on toxicological effects – Carcinogenicity – Remarks.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	None known.
---------------------	---	-------------

### 10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

---

### 10.5 Incompatible materials

Materials to avoid : None.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Titanium dioxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: Acute toxicity estimate (Rat): > 2,000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Titanium dioxide:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Titanium dioxide:

Species	: Rabbit
Method	: OECD Test Guideline 405

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

---

|||Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Titanium dioxide:

|||Test Type : Buehler Test  
|||Exposure routes : Skin contact  
|||Species : Guinea pig  
|||Method : OECD Test Guideline 406  
|||Result : negative

|||Test Type : Local lymph node assay (LLNA)  
|||Exposure routes : Skin contact  
|||Species : Mouse  
|||Method : OECD Test Guideline 429  
|||Result : negative

|||Exposure routes : Inhalation  
|||Species : Mouse  
|||Result : negative

|||Exposure routes : Inhalation  
|||Species : Humans  
|||Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Titanium dioxide:

|||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
  
Test Type: comet assay  
Method: OPPTS 870.5140  
Result: positive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: intratracheal  
Method: OECD Test Guideline 489  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 475  
Result: negative

Test Type: Transgenic rodent germ cell gene mutation assay  
Species: Mouse  
Application Route: Intravenous injection  
Method: OECD Test Guideline 488  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Product:

Remarks : In lifetime inhalation studies rats were exposed for 2 years to respectively 10, 50 and 250 mg/m<sup>3</sup> of respirable TiO<sub>2</sub>. Slight lung fibrosis was observed at 50 and 250 mg/m<sup>3</sup> levels. Microscopic lung tumours were also observed in 13 percent of the rats exposed to 250 mg/m<sup>3</sup>, an exposure level that caused lung overloading and impairment of rat lungs clearance mechanisms.

In further studies, these tumours were found to occur only under particle overload conditions in a uniquely sensitive species, the rat, and have little or no relevance for humans. The pulmonary inflammatory response to TiO<sub>2</sub> particles exposure was also found to be much more severe in rats than in other rodent species.

In February 2006, IARC has re-evaluated Titanium dioxide as pertaining to Group 2B: "possibly carcinogenic to humans", based upon inadequate evidence in humans and sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. IARC evaluation guidelines consider the generation of tumours, in 2 different studies within the same animal species, to be adequate criteria for an assessment of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

sufficient evidence.

The conclusions of several epidemiology studies on more than 20000 TiO<sub>2</sub> industry workers in Europe and the USA did not suggest a carcinogenic effect of TiO<sub>2</sub> dust on the human lung. Mortality from other chronic diseases, including other respiratory diseases, was also not associated with exposure to TiO<sub>2</sub> dust.

Based upon all available study results, Chemours scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

### Remarks

: The Commission Regulation (EU) 2020/217, amending REGULATION (EC) No 1272/2008, introduces a new harmonized classification for certain forms of TiO<sub>2</sub> as a category 2 carcinogen by inhalation which applies from 1 October 2021. To be classified, the TiO<sub>2</sub> must be in powder form and contain 1% or more of particles with aerodynamic diameter ≤ 10 µm. Through a rigorous evaluation of available test methods and available standards, EN 15051-2 (Workplace exposure – Measurement of the dustiness of bulk materials – rotating drum method) was identified as the best available method for complying to the regulation. Data from the testing following EN 15051-2 consistently shows that Ti-Pure™ grades of TiO<sub>2</sub> contain < 1% of particles with aerodynamic diameter ≤ 10 µm and therefore do not meet the criteria for classification. The respirable and thoracic dust content of Ti-Pure™ grades fall in the very low or low dustiness categories by the EN 15051-2 method.

### Components:

#### Titanium dioxide:

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : Ingestion  
Exposure time : 105 weeks  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

### Components:

#### **Titanium dioxide:**

- |                                    |  |
|------------------------------------|--|
| Effects on fertility               | : Test Type: One-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 443<br>Result: negative           |
| Effects on foetal development      | : Test Type: Prenatal development toxicity study (teratogenicity)<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 414<br>Result: negative |
| Reproductive toxicity - Assessment | : Weight of evidence does not support classification for reproductive toxicity   |

#### **STOT - single exposure**

Not classified based on available information.

### Components:

#### **Titanium dioxide:**

- |                            |   |
|----------------------------|---|
| Exposure routes Assessment | : Skin contact<br>: No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less              |
| Exposure routes Assessment | : Ingestion<br>: No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less                 |
| Exposure routes Assessment | : inhalation (dust/mist/fume)<br>: No significant health effects observed in animals at concentrations of 5.0 mg/l/4h or less |

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### **Titanium dioxide:**

- |                            |  |
|----------------------------|--|
| Exposure routes Assessment | : Ingestion<br>: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.                    |
| Exposure routes Assessment | : inhalation (dust/mist/fume)<br>: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less. |
| Exposure routes Assessment | : Ingestion<br>: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.                    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

---

### Repeated dose toxicity

#### Components:

##### Titanium dioxide:

Species : Rat, male and female  
NOAEL : 24,000 mg/kg  
LOAEL : > 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Remarks : No significant adverse effects were reported

Species : Rat, male and female  
NOAEL : 0.01 mg/l  
LOAEL : 0.5 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 24 Months  
Method : OECD Test Guideline 453  
Remarks : No significant adverse effects were reported

Species : Rat, male and female  
NOAEL : 962 mg/kg  
LOAEL : > 962 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### Titanium dioxide:

|| No aspiration toxicity classification

### Experience with human exposure

#### Product:

Inhalation : Target Organs: Respiratory system  
Symptoms: respiratory tract irritation

Skin contact : Target Organs: Skin  
Symptoms: Contact with dust can cause mechanical irritation or drying of the skin.

Eye contact : Target Organs: Eyes  
Symptoms: Dust contact with the eyes can lead to mechanical irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version 2.0      Revision Date: 14.07.2021      SDS Number: 5327061-00006      Date of last issue: 17.05.2021  
Date of first issue: 25.11.2019

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Titanium dioxide:**

Toxicity to fish	: LC50 (Fish): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
	LC50 (Marine species): > 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia sp. (water flea)): > 1,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	EC50 (No species specified): > 1,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l Exposure time: 72 h Method: ISO 10253
	NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 3 d Method: OECD Test Guideline 201
	NOEC (Skeletonema costatum (marine diatom)): 5,600 mg/l Exposure time: 3 d Method: ISO 10253

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

##### Components:

##### **Titanium dioxide:**

Bioaccumulation	: Species: Oncorhynchus mykiss (rainbow trout) Bioconcentration factor (BCF): 352
-----------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

---

## SECTION 16: Other information

Other information : Ti-Pure™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors. These products may not be directly added to food, pharmaceuticals, cosmetics, or cigarette papers/filters for tobacco products. Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

please contact your Chemours representative.

In the manufacture of titanium dioxide, product is packaged at temperatures of approximately 100 to 120°C (212 to 248°F). When pigment is shipped shortly after manufacture, it may stay hot for a very long time depending on ambient temperatures and inventory storage practices. Use caution while handling hot pigment to prevent burns to personnel. Use caution in solvent applications to prevent ignition of solvent.

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Ti-Pure™ Titanium Dioxide Pigment

Version	Revision Date:	SDS Number:	Date of last issue: 17.05.2021
2.0	14.07.2021	5327061-00006	Date of first issue: 25.11.2019

---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN