



# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING


Trade name	CA69		
Synonyms	Cresylic Acid		
Use	Intermediate, Solvent mixture, Synthesis of polymers		
Company	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC)		
Address	1914 Haden Road, Houston, TX 77015-6498		
Telephone	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424 9300	
	CHEMTREC World Wide	(703) 527-3887	
	Other Emergencies (24-hr)	(832) 783 6600	
	SDS and Product Information (8:00am-4:30pm CST)	(832) 783 6400	
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588 3491	
	NCEC - Europe, Israel, Africa, Americas	+44 (0) 2087 628 322	
	NCEC - Middle East, Arabic African countries (where European languages are spoken)	+44 (0) 1235 239 670	
	NCEC - Middle East/Africa (where Arabic is spoken)	+44 (0) 1235 239 671	
	NCEC - Asia Pacific	+65 3158 1074	
	NCEC - China	+86 10 5100 3039	
	NCEC - Australia	+61 2801 44558	
E-mail address	SasolElectronicSDS@us.sasol.com		

#### SECTION 2 HAZARDS IDENTIFICATION

OSHA/GHS	Flammable liquids	Category 4
Hazards	Acute toxicity (Oral)	Category 3
	Acute toxicity (Inhalation)	Category 3
	Acute toxicity (Dermal)	Category 3
	Skin corrosion	Category 1B
	Serious eye damage	Category 1
	Skin sensitisation	Category 1
	Germ cell mutagenicity	Category 2
	Specific target organ toxicity - repeated exposure	Category 2
	Acute aquatic toxicity	Category 2
	Chronic aquatic toxicity	Category 2

#### LABEL ELEMENTS





Response P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P363 Wash contaminated clothing before reuse.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P391 Collect spillage.





- Storage P403 + P233 + P235 Store in a cool, well ventilated place. Keep container tightly closed. P405 Store locked up.
- Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

#### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	CAS-No.	Weight percent
Phenol	108-95-2	10 - 30
o-Cresol	95-48-7	10 - 30
m-Cresol	108-39-4	10 - 30
p-Cresol	106-44-5	10 - 30
2,3-Xylenol	526-75-0	1 - 10
2,4-Xylenol	105-67-9	1 - 10
2,5-Xylenol	95-87-4	1 - 10
2,6-Xylenol	576-26-1	1 - 10
3,4-Xylenol	95-65-8	1 - 10
3,5-Xylenol	108-68-9	1 - 10
o-Ethylphenol	90-00-6	1 - 10
m-Ethylphenol	620-17-7	1 - 10
p-Ethylphenol	123-07-9	1 - 10
Trimethylphenol	26998-80-1	1 - 10

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

#### SECTION 4 FIRST AID MEASURES

- **Eye contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
- **Skin contact** Take off contaminated clothing and shoes immediately. If possible, quickly blot material from skin to avoid spreading it. Rapid skin decontamination is critical. Wash off immediately with plenty of water. Wash off with polyethylene glycol and afterwards with plenty of water. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water Continue cycle of water PEG/EtOH solution for at least 15 minutes (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol. For external use only.) Wash off with soap and water. Obtain medical attention. Wash contaminated clothing before re-use.
  - **Inhalation** Remove to fresh air. Keep patient warm and at rest. Obtain medical attention. If breathing is irregular or stopped, administer artificial respiration. Inhalation of vapors in high concentration may cause shortness of breath (lung edema). In case of shortness of breath, give oxygen.



**Ingestion** Call a physician or poison control centre immediately. Do NOT induce vomiting. Rinse mouth. Immediately give plenty of water (if possible charcoal slurry). Never give anything by mouth to an unconscious person.

#### SECTION 5 FIREFIGHTING MEASURES

#### FLAMMABLE PROPERTIES

firefighters

Fire/explosion May be ignited by open flame. NFPA Class IIIA combustible liquid.

SuitableUse water spray, alcohol-resistant foam, dry chemical or carbon dioxide., Do NOT useextinguishing mediawater jet.

## **Protective equipment** Wear self-contained breathing apparatus and protective suit. and precautions for

**Further information** Evacuate personnel to safe areas. Prevent further leakage or spillage if safe to do so. Keep containers and surroundings cool with water spray. In the event of fire and/or explosion do not breathe fumes. Avoid contact with runoff water

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and<br/>materials forEvacuate personnel to safe areas. Use personal protective equipment. Land spill:<br/>Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,<br/>diatomaceous earth, vermiculite) and transfer to a container for disposal according to local<br/>/ national regulations (see section 13). Do not flush into surface water or sanitary sewer<br/>system. Water spill: Contain spill with booms. Remove material that settles in deeper<br/>areas of waterway. Non-disposable equipment should be thoroughly decontaminated with<br/>soap and water. Prevent further leakage or spillage if safe to do so. Do not contaminate<br/>any lakes, streams, ponds, groundwater or soil.

#### SECTION 7 HANDLING AND STORAGE

**Safe handling advice** Wear personal protective equipment. Avoid contact with skin and eyes. Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory equipment.

Storage and handling materials Unsuitable: Avoid use of aluminum, copper or brass alloys in storage or process equipment which will contact this material

**Further information** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition.



## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **ENGINEERING MEASURES**

Ensure adequate ventilation, especially in confined areas.

#### PERSONAL PROTECTIVE EQUIPMENT

- Eyes Chemical resistant goggles must be worn., Wear as appropriate:, Face-shield
- **Skin** Full protective clothing, chemical boots, and chemical gloves. Impervious gloves. Nondisposable equipment should be thoroughly decontaminated with soap and water.
- **Inhalation** Use NIOSH approved respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### **EXPOSURE GUIDELINES**

Components Phenol	Exposure limit(s) ACGIH TLV (8-hour) 5 ppm OSHA PEL (Permissible Exposure Limit) 5 ppm 19 mg/m3 NIOSH Recommended Exposure Limit 5 ppm 19 mg/m3 NIOSH Ceiling 15.6 ppm 60 mg/m3 NIOSH NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations) 250 ppm
o-Cresol	ACGIH TLV (8-hour) 20 mg/m3 (inhalable fraction and/or vapor) NIOSH Recommended Exposure Limit 2.3 ppm 10 mg/m3 NIOSH NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations) 250 ppm OSHA PEL (Permissible Exposure Limit) 5 ppm 22 mg/m3
m-Cresol	ACGIH TLV (8-hour) 20 mg/m3 (inhalable fraction and/or vapor) NIOSH Recommended Exposure Limit 2.3 ppm 10 mg/m3 NIOSH NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations) 250 ppm OSHA PEL (Permissible Exposure Limit) 5 ppm 22 mg/m3
p-Cresol	ACGIH TLV (8-hour) 20 mg/m3 (inhalable fraction and/or vapor) NIOSH Recommended Exposure Limit 2.3 ppm 10 mg/m3 NIOSH NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations) 250 ppm OSHA PEL (Permissible Exposure Limit) 5 ppm 22 mg/m3
Naphthalene	OSHA PEL (Permissible Exposure Limit) 10 ppm 50 mg/m3 ACGIH TLV (8-hour) 10 ppm 50 mg/m3 NIOSH Recommended Exposure Limit 10 ppm 50 mg/m3 NIOSH Short term exposure limit 15 ppm 75 mg/m3 NIOSH NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations) 250 ppm
1,4-Dioxane	ACGIH TLV (8-hour) 20 ppm OSHA PEL (Permissible Exposure Limit) 100 ppm 360 mg/m3

PEL=	Permissible Exposure Limits	TWA=	Time Weighted Average (8 hr.)
TLV=	Threshold Limit Value	STEL=	Short Term Exposure Limit (15 min.)
EL=	Excursion Limit	WEEL=	Workplace Environmental Exposure Level



## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid
Colour	clear to amber
Form	liquid
Odour	Antiseptic
Odour Threshold	No data available
Flash point	84 - 86 °C, 183 - 187 °F
Flammability	Upper explosion limit: 8.6 %(V)
	Lower explosion limit: 1.5 %(V)
Boiling point/boiling range	185 - 230 °C, 365 - 446 °F
Melting point/range	< -20 °C, < -4 °F
Auto-ignition temperature	estimated 559 °C, 1,038 °F
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	0.2 mm Hg @ 25 °C, 77 °F
Vapour density	approximately 4
Density	1.04 g/cm3 @ 15.5 °C, 59.9 °F
Relative density	1.04 @15.5 °C, 59.9 °F
Water solubility	approximately 20 g/l @ 25 °C, 77 °F
Viscosity	No data available
Viscosity, dynamic	4 mPa.s @ 50 °C, 122 °F
рН	5.5
Evaporation rate	No data available



## **CA69**

Partition coefficient: n- log Pow: 2 octanol/water

Molecular weight 111 g/mol

#### SECTION 10 STABILITY AND REACTIVITY

Reactivity	No dangerous reaction known under conditions of normal use.	
Chemical stability	Stable under recommended storage conditions.	
Conditions to avoid	Keep away from heat and sources of ignition.	
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.	
Materials to avoid	Incompatible with strong acids and bases. Incompatible with oxidizing agents. Copper and brass alloys Aluminium	
Hazardous polymerisation	Hazardous polymerisation does not occur.	

#### SECTION 11 TOXICOLOGICAL INFORMATION

 Additional Remarks
 Information given is based on data obtained from similar substances or components of this material.

 Acute dermal toxicity
 229 mg/kg (calculated ATE)

Acute inhalation > 0.5 - 1 mg/l toxicity (calculated ATE)

 Acute oral toxicity
 142 mg/kg (calculated ATE)

 Skin corrosion/irritation
 Causes severe skin burns and eye damage.

 Serious eye
 Causes serious eye damage.

damage/eye irritation



## **CA69**

Respiratory or skin sensitisation	Guinea pig: Causes sensitisation.
Germ cell mutagenicity	<b>Genotoxicity in vitro</b> : Test substance: Phenol In vitro tests showed mutagenic effects Test substance: cresols In vitro tests showed mutagenic effects which were not observed with in vivo test.
	Genotoxicity in vivo: In vivo tests did not show mutagenic effects
	Assessment Mutagenicity: Suspected of causing genetic defects.
Reproductive toxicity	Reproductive toxicity: Rat; Oral; NOAEL (parents): 375 mg/kg Test substance: cresols Rat; Oral; OECD Test Guideline 422 NOAEL (parents): 100 mg/kg Test substance: Phenol, 3-ethyl
	Assessment Reproductive toxicity: Based on available data, the classification criteria are not met.
	Teratogenicity: Rabbit; Oral; NOAEL (teratogen): 100 mg/kg Test substance: cresols Rat; Oral; NOAEL (teratogen): 100 mg/kg Category approach
	Assessment teratogenicity: Based on available data, the classification criteria are not met.
STOT - single exposure	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	
	LOAEL: 0.0009 mg/l. Inhalation; Short-term exposure; Test substance: mixed cresols; Category approach Target Organs: Hematopoietic system
	Test substance: mixed cresols; Category approach



## **CA69**

LOAEL: 100 mg/kg Test substance: mixed cresols Target Organs: Lungs

Target Organs: Central nervous system, Hematopoietic system, Kidney, Lungs The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity Not applicable

Carcinogenicity Assessment carcinogenicity: Contains no ingredient listed as a carcinogen

#### SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity	Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Toxicity to fish	LC50 (Salmo trutta (brown trout)) 96 hours: > 1 - 10 mg/l Test substance: p-Cresol (literature value)
	LC50 (Oncorhynchus mykiss (rainbow trout)) 96 hours: > 1 - 10 mg/l Test substance: Phenol (literature value)
	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 10 - 100 mg/l Test substance: 2,4-xylenol (literature value)
	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 10 - 100 mg/l Test substance: Phenol, 4-Ethyl- (literature value)
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 48 hours: > 1 - 10 mg/l Test substance: p-Cresol (literature value)
	EC50 (Ceriodaphnia dubia (water flea)) 48 hours: > 1 - 10 mg/l Test substance: Phenol (literature value)
	EC50 (Daphnia magna (Water flea)) 48 hours: > 1 - 10 mg/l Test substance: Xylenol isomer mixture
	EC50 (Daphnia magna (Water flea)) 48 hours: > 1 - 10 mg/l Test substance: Ethylphenol isomer mixture





Toxicity to algae	ErC50 (Desmodesmus subspicatus (green algae)) 48 hours: > 10 - 100 mg/l Test substance: p-Cresol (literature value)
	ErC10 (Desmodesmus subspicatus (green algae)) 48 hours: > 1 - 10 mg/l Test substance: p-Cresol (literature value)
	EbC50 (Pseudokirchneriella subcapitata (green algae)) 96 hours: > 10 - 100 mg/l Test substance: Phenol (literature value)
	ErC50 (Pseudokirchneriella subcapitata (green algae)) 72 hours: > 10 - 100 mg/l Test substance: Xylenol isomer mixture
	NOErC (Pseudokirchneriella subcapitata (green algae)) 72 hours: > 1 - 10 mg/l Test substance: Xylenol isomer mixture
	ErC50 (Pseudokirchneriella subcapitata (green algae)) 72 hours: > 10 - 100 mg/l Test substance: Ethylphenol isomer mixture
	NOErC (Pseudokirchneriella subcapitata (green algae)) 72 hours: > 1 - 10 mg/l Test substance: Ethylphenol isomer mixture
Chronic toxicity to fish	NOEC (Pimephales promelas (fathead minnow)) 32 d: > 1 - 10 mg/l Test substance: p-Cresol (literature value)
	NOEC (Cirrhinus mrigala (Carp)) 60 d: > 0.01 - 0.1 mg/l Test substance: Phenol (literature value)
	NOEC (Pimephales promelas (fathead minnow)) 32 d: > 1 - 10 mg/l Test substance: 2,4-xylenol (literature value)
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)) 21 d: > 0.1 - 1 mg/l Test substance: p-Cresol (literature value)
	NOEC (Daphnia magna (Water flea)) 16 d: > 0.1 - 1 mg/l Test substance: Phenol (literature value)
	NOEC (Daphnia magna (Water flea)) 21 d: > 0.1 - 1 mg/l Test substance: 2,6-xylenol



## **CA69**

	(literature value)
	NOEC (Daphnia magna (Water flea)) 21 d: > 0.1 - 1 mg/l Test substance: 2,4-xylenol (literature value)
Biodegradation	Product is expected to undergo biodegradation at the levels anticipated in the environment. Readily biodegradable. OECD Test Guideline 301D (28 d): > 60 % Test substance: m-Cresol (literature value)
	Readily biodegradable. OECD Test Guideline 301C (40 d): > 60 % Test substance: p-Cresol (literature value)
	Readily biodegradable. OECD Test Guideline 301D (28 d): > 60 % Test substance: o-Cresol (literature value)
	Readily biodegradable. OECD Test Guideline 301C (28 d): > 60 % Test substance: Phenol (literature value)
	Inherently biodegradable. OECD Test Guideline 302B Test substance: 2,4-xylenol
	Readily biodegradable. OECD Test Guideline 301B (28 d): > 60 % Test substance: Ethylphenol isomer mixture
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	No data available

#### SECTION 13 DISPOSAL CONSIDERATIONS



## **CA69**

Waste Code	Re-evaluation of the product may be required by the user at the time of disposal, since
	the product uses, transformations, mixtures, contamination, and spillage may change the classification.

**Disposal methods** Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Dispose of only in accordance with local, state, and federal regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

**Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

## SECTION 14 TRANSPORT INFORMATION

- DOT UN 2022, Cresylic Acid, 6.1 (8), II RQ = 100 lbs.
- IATA UN 2022, Cresylic Acid, 6.1 (8), II RQ = 100 lbs.
- IMDG UN 2022, Cresylic Acid, 6.1 (8), II, Marine pollutant (Phenol) RQ = 100 lbs.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

## SECTION 15 REGULATORY INFORMATION

## **U.S. FEDERAL REGULATIONS**

TSCA Inventory Listing	
Components	<u>CAS-No.</u>
Phenol	108-95-2
Phenol, 2-methyl	95-48-7
Phenol, 3-methyl	108-39-4
Phenol, 4-methyl	106-44-5
Phenol, 2,3-dimethyl	526-75-0
Phenol, 2,4-dimethyl	105-67-9
Phenol, 2,5-dimethyl	95-87-4
Phenol, 2,6-dimethyl	576-26-1
Phenol, 3,4-dimethyl	95-65-8
Phenol, 3,5-dimethyl	108-68-9
Phenol, 2-ethyl	90-00-6

## **CA69**

No chemicals in this material are subject	ect to the reporting requirements of SARA Ti	tle III, Section 302.
SARA 302 Status Components	CAS-No.	Weight percent
Phenol, trimethyl		26998-80-1
Phenol, 4-ethyl		123-07-9
Phenol, 3-ethyl		620-17-7

#### SARA 311/312 Classification

Flammable liquids, Acute toxicity, Skin corrosion, Serious eye damage, Skin sensitisation, Germ cell mutagenicity, Specific target organ toxicity - repeated exposure

#### **SARA 313 Chemical**

<u>Components</u>	CAS-No.	Weight percent
Phenol	108-95-2	10 - 30 %
Phenol, 2-methyl	95-48-7	10 - 30 %
Phenol, 3-methyl	108-39-4	10 - 30 %
Phenol, 4-methyl	106-44-5	10 - 30 %
Phenol, 2,4-dimethyl	105-67-9	1 - 10 %
Naphthalene	91-20-3	< 100 PPM

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

nt

#### **INTERNATIONAL REGULATIONS**

#### **WHMIS Classification**

Flammable liquids	Category 4
Acute toxicity (Oral)	Category 3
Acute toxicity (Inhalation)	Category 3
Acute toxicity (Dermal)	Category 3
Skin corrosion	Category 1B
Serious eye damage	Category 1
Skin sensitisation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity -	Category 2
repeated exposure	
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2





## **CA69**



Classification according to Regulation (EU) 1272/2008.

Acute toxicity (Oral), Category 3 Acute toxicity (Inhalation), Category 3 Acute toxicity (Dermal), Category 3 Skin corrosion, Category 1 Serious eye damage, Category 1 Skin sensitisation, Category 1 Germ cell mutagenicity, Category 2 Specific target organ toxicity - repeated exposure, Category 2 Chronic aquatic toxicity, Category 2	
Australia. Inventory of Chemical Substances (AICS)	Listed
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL) This product contains one or several components listed in the Canadian NDSL.	Not listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Not listed
Korea. Existing Chemicals Inventory (KECI)	Not listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Not listed
New Zealand. Inventory of Chemical Substances (NZIoC)	Not listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

## **STATE REGULATIONS**

California Prop. 65 Components Naphthalene 1,4-Dioxane

CAS-No. 91-20-3 123-91-1



Sasol does not specifically analyze for CA Prop 65-listed chemicals. However, through process knowledge, the components listed above may be present at detectable quantities. Sasol's manufacturing process is designed to minimize impurities which would include such substances.

## SECTION 16 OTHER INFORMATION

#### HAZARD RATINGS

			Physical Hazard/
	<u>Health</u>	Flammability	Instability
HMIS®	3	2	0
NFPA	3	2	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.