

SAFETY DATA SHEET

OC305

Issuing Date: 21-May-2012 Revision Date: 17-May-2014 Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name OC305

UN/ID No UN3455

Synonyms Cresol

Molecular Weight 108

Recommended use Chemical intermediate. Solvent mixture. Synthesis of polymers.

Manufacturer Sasol (USA) Corporation

1914 Haden Road, Houston, TX 77015-6498

Telephone: (713) 428-5400

Emergency telephone

Call Center Region Number

NCEC Europe, Israel, Africa, Americas +44 (0) 2087 628 322

Middle East, Arabic African Countries (where European +44 (0) 1235 239 670

languages are spoken)

Middle East/Africa (where Arabic is spoken) +44 (0) 1235 239 671 Asia Pacific +65 3158 1074

China +86 10 5100 3039
Australia +61 2801 44558
Southern Africa (Sasol Call Centre) +27 17 610 4444

SCC Southern Africa (Sasol Call Centre) +27 17 610 4444 +27 800 112 890

+27 800 112 890 +1 800 424 9300

Chemtrec® North America +1 800 424 9300 World Wide +1 703 527 3887

2. HAZARDS IDENTIFICATION

GHS - Classification

Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Skin corrosion/irritation	Category 1 b
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 3

GHS Label elements, including precautionary statements



Signal Word: DANGER

Hazard statements

- Toxic if swallowed
- · Toxic in contact with skin
- · Causes severe skin burns and eye damage
- · Toxic to aquatic life
- Harmful to aquatic life with long lasting effects

Physical hazards

Flammable liquids

Category 4

Combustible Liquid

Precautionary Statements - EU (§28, 1272/2008)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P403 + P235 - Store in a well-ventilated place. Keep cool

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P273 - Avoid release to the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	EC-No
o-Cresol	95-48-7	100	202-423-8

4. FIRST AID MEASURES

General advice Immediate medical attention is required.

Main symptoms Salivation. Tremors. Convulsions. Erythema. Burn. Dizziness. Hypoactivity.

Eye contact Immediate medical attention is required. Immediately flush with plenty of water.

After initial flushing, remove any contact lenses and continue flushing for at least

15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Immediate medical attention is required. Wash off immediately with soap and

plenty of water removing all contaminated clothes and shoes. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water. Continue cycle of water - PEG/EtOH solution for at least 15 minutes. (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol. For external use only). Finish decontamination with thorough washing using soap

and water.

Inhalation Move to fresh air. Call a physician or poison control center immediately. If not

breathing, give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Rinse mouth.

Ingest immediately about 350 ml (5 ml/kg body weight) of activated charcoal slurry. Note: To prepare activated charcoal slurry, mix thoroughly 50 g of activated charcoal in 400 ml (about 2 cups) water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Notes to physician Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy

sputum, and high pulse pressure. Treat symptomatically.

Protection of first-aidersUse personal protective equipment. Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flammable properties

May cause fire.

Suitable Extinguishing Media

Dry chemical, Foam, Water spray, Carbon dioxide (CO2).

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid

contact with skin, eyes and clothing. Keep people away from and upwind of

spill/leak.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Should not be released into the environment.

Prevent product from entering drains.

Methods for containment Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide

area (e.g. by containment or oil barriers).

Methods for cleaning up Soak up with inert absorbent material. Take up mechanically and collect in

suitable container for disposal. Clean contaminated surface thoroughly. Prevent

product from entering drains.

OTHER INFORMATION Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling Provide adequate information, instruction and training for operators. Wear

personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

equipment.

Technical measures/Storage

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents,

copper alloys, aluminum.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	NIOSH REL	OSHA PEL	Ontario TWA
o-Cresol	TWA: 20 mg/m ³	IDLH: 250 ppm		TWA: 5 ppm
	inhalable fraction and	TWA: 2.3 ppm		Skin
	vapor	TWA: 10 mg/m ³		
	Š*	_		

Component	European Union	China	Japan	Korea	Australia	Taiwan
o-Cresol 95-48-7 (100)		TWA: 10 mg/m³ STEL: 20	TWA: 5 ppm TWA: 22 mg/m ³	Skin TWA: 5 ppm TWA: 22		
		mg/m³ Skin	ISHLÄCL: 5 ppm	mg/m³		

Chemical Name	Mexico	Brazil	Argentina	Venezuela	India
o-Cresol			TWA: 5 ppm		TWA: 5 ppm
			Skin		TWA: 22 mg/m ³
					Skin

Engineering measures Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Drain down and flush system prior to equipment break-in or maintenance. Carry out filling operations only at stations with exhaust ventilation facilities. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection Tightly fitting safety goggles Face-shield

Skin and body protection Wear as appropriate:. Impervious clothing; Impervious gloves; Boots; Chemical

resistant apron.

Hand protection Fluorinated rubber, Chloroprene, Polyvinylchloride, Break through time, >60 min.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. When

using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Keep

away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Solid

appearance white to Amber, crystalline

Odor Phenolic

Odor Threshold No information available

pH 5.5
Melting point/range 31 °C
Boiling point/boiling range 191 °C
Flash point 81 °C

Evaporation rateNo information available

Flammability Limits in Air

upper 7.6 **lower** 1.4

Oxidizing properties not applicable
Vapor pressure not applicable
0.3 mmHg @ 25 °C

Vapor density 3.72 Specific Gravity 1.04

Water solubility 30 g/L @ 100 °C

Partition coefficient: 1.95
Autoignition temperature 599 °C
Viscosity, dynamic 3 cp @ 50 °C

Molecular Weight 108

Dust explosion properties

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat, flames and sparks.

Incompatible products Incompatible with strong acids and bases, Incompatible with oxidizing agents,

copper alloys, aluminum.

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide. Carbon dioxide (CO2).

Hazardous reactionsNone under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information

Oral 121 mg/kg **Dermal** 620 mg/kg

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
o-Cresol	= 121 mg/kg (Rat)	= 620 mg/kg (Rat) = 890	> 1220 mg/m³ (Rat) 1 h
		mg/kg (Rabbit)	

Chronic toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product.

IARC: (International Agency for Research on Cancer)

Group 3: Not classifiable as to its carcinogenicity to humans

Irritation Causes severe irritation and or burns.

Sensitization None known.

Mutagenic effects Not classified due to inconclusive data.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Developmental Toxicity NOAEL: 175 mg/kg/d.

Target Organ Effects Pancreas, Central nervous system (CNS), Central Vascular System (CVS), Eyes,

Kidney, Liver, Respiratory system, Skin, Central nervous system (CNS), Central Vascular System (CVS), Eyes, Kidney, Liver, Pancreas, Respiratory system, Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to	Toxicity to daphnia
			microorganisms	and other aquatic
				invertebrates

o-Cresol	EC50 96 h: = 65 mg/L	LC50 96 h: 9.72 - 15.92	EC50 = 22.6 mg/L 5 min	$EC50 \ 48 \ h: = 9.5 \ mg/L$
	(Pseudokirchneriella	mg/L flow-through	EC50 = 25.9 mg/L 15 min	(Daphnia magna) EC50
	subcapitata)	(Pimephales promelas)	EC50 = 26.5 mg/L 30 min	48 h: = 15.8 mg/L Static
		LC50 96 h: = 24 mg/L		(Daphnia magna)
		(Brachydanio rerio) LC50		
		96 h = 11.5 mg/L		
		(Lepomis macrochirus)		
		LC50 96 h: 18.37 - 24.21		
		mg/L static (Lepomis		
		macrochirus) LC50 96 h:		
		= 8.4 mg/L flow-through		
		(Oncorhynchus mykiss)		
		LC50 96 h: 14.07 - 23.61		
		mg/L static (Poecilia		
		reticulata)		

Persistence and degradability

Readily biodegradable. The product can be degraded by abiotic (e.g. chemical or photolytic) processes.

Bioaccumulative potential

Not likely to bioaccumulate

Mobility

Not expected to adsorb on soil. The product evaporates slowly.

Chemical Name	log Pow
o-Cresol	1.95

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products

Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. The aqueous medium should be given appropriate treatment as waste water in line with local regulations.

Contaminated packaging

Do not re-use empty containers. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal or incineration.

14. TRANSPORT INFORMATION

IMDG/IMO

Cresols, solid, molten **Proper Shipping Name**

Hazard class 6.1 Subsidiary hazard class 8 UN3455 **UN/ID No Packing group** Ш

EmS No. F-A, S-B

Description UN3455, Cresols, solid, molten, 6.1, (8), II

ICAO/IATA

UN/ID No UN3455

Proper Shipping Name Cresols, solid, molten

Hazard class 6.1 **Subsidiary hazard class** 8 Packing group Ш **ERG Code** 6C

Description UN3455, Cresols, solid, molten, 6.1, (8), II

DOT

Proper Shipping Name Cresols, solid, molten

Hazard class 6.1 **Subsidiary Class UN/ID No** UN3455

Packing group Ш

Description UN3455, Cresols, solid, molten, 6.1, (8), II

ADR/RID

Proper Shipping Name Cresols, solid, molten

Hazard class 6.1 UN/ID No UN3455 Packing group Ш **Classification Code** TC2 **TU15 TE19 Special Provisions**

Description UN3455, Cresols, solid, molten, 6.1, (8), II

ADR/RID-Labels

15. REGULATORY INFORMATION

International Inventories

All of the components in the product are on the following Inventory lists:

TSCA Complies **EINECS/ELINCS** Complies Complies DSL/NDSL Complies **PICCS** Complies **ENCS** Complies **IECSC AICS** Complies **KECL** Complies

Legend

TSCA (Toxic Substances Control Act)

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

RESTRICTIONS - REACH TITLE No information available

VIII

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
o-Cresol	95-48-7	100	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	no
Fire Hazard	yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
o-Cresol				X

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

•

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ	
o-Cresol	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ	

U.S. State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
o-Cresol	X	Χ	X	X	

Chemical Name	NPRI
o-Cresol	X

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION



Issuing Date: 21-May-2012

Revision Date: 17-May-2014

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.