P Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Gafquat™ HS-100

polymer

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet

Emergency telephone number 1-800-ASHLAND (1-800-274-5263)

Ashland P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

1-614-790-3333

Product Information 1-614-790-3333

Regulatory information

1-614-790-3333 (customer service)

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2

GHS label elements

Hazard pictograms

!>

Signal Word : Warning

Hazard Statements : Causes skin irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Ashland always solving ™	Page: 2
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
2-Pyrrolidinone,1-ethenyl-	131954-48-8	Skin Irrit. 2; H315	21.00
,polymer with N,N,N-trimethyl-3-			
[(2-methyl-1-oxo-2-			
propenyl)amino]-1-			
propanaminium chloride			

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Ashland always solving ™	Pag	e: 3
SAFETY DATA SHEET	Revision Date: 06/30/2	020
	Print Date: 11/30/2	020
	SDS Number: R0718	381
Gafquat™ HS-100 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 838786	Version:	1.5

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 11.

Causes skin irritation.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Hazardous combustion

products

Carbon dioxide (CO2)
 Carbon monoxide
 Nitrogen oxides (NOx)
 Hydrogen chloride

Specific extinguishing

methods

.

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

P Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Do not breathe vapours/dust. Advice on safe handling

Do not smoke.

Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

place.

Further information on

storage stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Components	CAS-No.
2-Pyrrolidinone,1-ethenyl-	131954-48-8
,polymer with N,N,N-trimethyl-	
3-[(2-methyl-1-oxo-2-	
propenyl)amino]-1-	
propanaminium chloride	

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

> ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

Impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous

liquid

Physical state : liquid

Colour : light pink, light yellow

Ashland always solving ™	Page: 6
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Odour : odourless

Odour Threshold : Not applicable

pH : 7-8

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Evaporation rate : not determined

Flammability (liquids) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined

Relative density : No data available

Density : 1.042 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Oxidizing properties : Not applicable

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Incompatible materials : Strong oxidizing agents

strong reducing agents

Hazardous decomposition

products No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Skin contact

Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

<u>Components:</u>
2-Pyrrolidinone,1-ethenyl-,polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-

propanaminium chloride:

: LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Species: Rabbit

Result: Irritating to skin.

Remarks: May cause skin irritation and/or dermatitis.

Components:

2-Pyrrolidinone,1-ethenyl-,polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1propanaminium chloride:

Ashland always solving ™	Page: 8
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R071838
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Result: Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species: Rabbit

Result: Slight, transient irritation

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

2-Pyrrolidinone,1-ethenyl-,polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-

propanaminium chloride:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidinone, 1-ethenyl-, polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-

propanaminium chloride:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Result: In vivo tests did not show any chromosomal changes.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

Ashland always solving ™	Page: 9
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 838786	Version: 1.5

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Components:

2-Pyrrolidinone, 1-ethenyl-, polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-

propanaminium chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 23.81 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 501.22 mg/l

Exposure time: 48 h

Persistence and degradability

Components:

2-Pyrrolidinone, 1-ethenyl-, polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-

propanaminium chloride:

Biodegradability : Remarks: Not readily biodegradable.

Based on a similar product formulation.

No data available

Bioaccumulative potential

Components:

No data available

Mobility in soil

Components:

No data available

P Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

CFR RAIL C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods	

S Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 838786	Version: 1.5

TDG_ROAD_C	
IDO_ROAD_O	Not dangerous goods
TDG_RAIL_C	
	Not dangerous goods
TDG_INWT_C	
	Not dangerous goods
	Not dangerous goods
NTERNATION	Not dangerous goods L MARITIME DANGEROUS GOODS
NTERNATION	
	_ MARITIME DANGEROUS GOODS Not dangerous goods
	MARITIME DANGEROUS GOODS Not dangerous goods AIR TRANSPORT ASSOCIATION - CARGO
	_ MARITIME DANGEROUS GOODS Not dangerous goods
INTERNATION	MARITIME DANGEROUS GOODS Not dangerous goods AIR TRANSPORT ASSOCIATION - CARGO

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Not dangerous goods

 MX_DG

Marine pollutant	no	

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer	Version: 1.5
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
838786	

SARA 311/312 Hazards : Skin corrosion or irritation

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

131954-48-8

131954-48-8

US State Regulations Pennsylvania Right To Know

WATER 7732-18-5

2-Pyrrolidinone,1-ethenyl-,polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride

New Jersey Right To Know

WATER 7732-18-5

2-Pyrrolidinone,1-ethenyl-,polymer with N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This product is regulated under the United States Food and

Drug Act (FDA).

DSL : q (quantity restricted)

AICS : On the inventory, or in compliance with the inventory

ENCS : Personal care

KECI : Personal care

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

Ashland always solving ™	Page: 13
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 838786	Version: 1.5


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA) - On or in compliance with the active portion of the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 06/30/2020



NFPA Flammable and Combustible Liquids Classification

Not applicable

Full text of H-Statements

H315 Causes skin irritation.

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the

Ashland always solving ™	Page: 14
SAFETY DATA SHEET	Revision Date: 06/30/2020
	Print Date: 11/30/2020
	SDS Number: R0718381
Gafquat™ HS-100 polymer ™ Trademark, Ashland or its subsidiaries, registered	Version: 1.5
in various countries 838786	

information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative