

SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015

Revision No: 0



LITHIUM BROMIDE SOLUTION

1. Identification of the Substance/Mixture and of the Company/Undertaking:

1.1 **Product Identifier:** Lithium Bromide Solution, Uninhibited

1.1.1 **Substances** Not applicable

Lithium Bromide Solution, Uninhibited 1.1.2 Mixture name:

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against: 1.2

Industrial Manufacturing

Only to be supplied for industrial uses Do not use for private purposes (household).

Details of the Supplier of the Safety Data Sheet 1.3

North America Europe FMC Lithium **FMC** Chemicals Seven LakePointe Plaza Commercial Road 2801 Yorkmont Rd, Suite 300 Bromborough, Merseyside Charlotte, NC 28208 CH62 3NL, England

Phone: +1.704.868.5300 Phone: +44.151. 334.8085 Fax: +1.704.868.5370 Fax: +44.151.482.7361 1.888.lithium

Asia Pacific FMC Asia Innovation Center

No 3 Building No. 4560 Jinke Road Shanghai, China 201203 T: +86.21.2067.5888

Email: lithium.info@fmc.com Web: www.fmclithium.com

Emergency Telephone Number: 1.4

North America Europe **Asia Pacific**

CHEMTREC: +1.800.424.9300 24 hr Specialist advice number: Phone: +86.21.2067.5888

+1.703.527.3887 CHEMTREC: +1.703.527.3887 +1.704.629.5361 Office (0900-1700): +44.151.334.8085 Plant: Medical: +1.303.595.9048

2. Hazards Identification

2.1 Classification of the Substance or mixture:

2.1.1 GHS Classification [EC Regulation No 1272/2008 and US OSHA regulations]

Acute Toxicity, Category 4 Eye Irritant, Category 2 Skin irritant, Category 2 Skin sensitization, Category 1

2.2.2 EC: Classification according to 67/548/EEC or 1999/45/EC [DSD/DPD]

Xn, R22; Xi, R36/38, R43

2.2 **Label Elements:**

2.2.3 Hazard Pictograms(s):



2.2.4	Signal Word:	Warning
4.4. 7	Cidilai Wold.	vvairiiiu

Hazard Statement(s): Harmful if swallowed H302 Causes serious eye irritation H319 Causes skin irritation H315 May cause an allergic skin reaction H317

Precautionary Statement(s):

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF IN EYES: Rinse cautiously w/ water for several minutes. Remove P305 + P351 + P338

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

P337 + P313 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel P301 + P312 unwell

IF ON SKIN: Wash with plenty of soap and water. P302 + P352 If skin irritation occurs: Get medical advice/attention. P332 + P313

Page 2 of 7

SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015

Revision No: 0

Additional Precautionary Statements(s):

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse

Dispose of contents/ container to an approved waste disposal plant.

P272

P264

P276

P276

P277

P264

P270

P362

P362

P362

2.3 Other Hazards

None.

3. Composition / Information on Ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

3.2.1 GHS Classification [EC: Regulation No 1272/2008; US: OSHA regulations]

Chemical Name	CAS#	EC No	EC Index No	REACH Reg No	<u>Wt.%</u>	Classification, Haz Statement Codes	<u>ard</u>
Lithium bromide	7550-35-8	231-439-8	None	01-2119970708- 24-0000	52-56	Acute tox 4 Skin Irrit 2 Eye Irrit 2 Skin Sens 1	H 302 H315 H319 H317
Water	7732-18-5	None	None	None	44-48	None	

3.2.2 EC: Classification according to 67/548/EEC or 1999/45/EC [DSD/DPD]

Chemical Name	CAS#	EC No	EC Index No	REACH Reg No	<u>Wt.%</u>	Classificat Phrases	ion, Hazard
Lithium bromide	7550-35-8	231-439-8	None	01-2119970708- 24-0000	52-56	Xn Xi	R 22 R 36/38 R43
Water	7732-18-5	None	None	None	44-48	None	

(see Section 16 for abbreviations and R-phrase text)

4. First Aid Measures

4.1 <u>Description of First Aid Measures</u>

EYES: Immediately flush with water for at least 15 minutes, lifting the upper and lower eyelids

intermittently. See a medical doctor or ophthalmologist immediately.

SKIN: Immediately flush with plenty of water while removing contaminated clothing and/or shoes,

and thoroughly wash with soap and water. Obtain medical attention if signs of irritation or ill-

health.

INGESTION: Quickly wipe material from the mouth and rinse mouth with water. Do not induce vomiting

unless under medical supervision. Obtain medical attention if signs of irritation or ill-health.

INHALATION: Remove to fresh air. If breathing discomfort occurs and persists, see a medical doctor.

4.2 Most Important Symptoms and effects, both acute and delayed

Symptoms of over-exposure will typically be a result of the irritant nature of the substance with discomfort to skin and if swallowed, local effects with discomfort to the mouth and GI tract.

4.3 <u>Indication of any immediate medical attention and special treatment needed.</u>

Notes to medical doctor:

Product is irritant to the eyes, skin and mucous membranes. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

Page 3 of 7 SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015 Revision No: 0

5. Fire-Fighting Measures

5.1 Extinguishing media Dry chemical, CO2, water spray or regular foam.

5.2 Special hazards arising from the substance or mixture

<u>Hazardous combustion products</u> None. Not combustible.

General Hazard No known physical hazard, non-combustible.

Properties contributing to Not flammable

Flammability

Flashpoint Not applicable
Flammable limits in air Not applicable
Auto ignition temperature Not applicable.
Sensitivity to static discharge Not applicable
Sensitivity to static impact Not applicable

5.3 Advice for fire-fighters

Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for fire fighting. This is necessary to protect against the hazards of heat, products of combustion and oxygen deficiency. Do not breathe smoke, gases or vapors generated.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection

6.2 Environmental precautions

Contain spill. Do not wash into drains. Dispose of at qualified waste disposal facility.

6.3 Methods and material for containment and cleaning up

Contain spill with absorbant. Sweep up and place in approved transport container. Dispose of waste according to local and Federal laws and regulations.

6.4 Reference to other sections

Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection.

6.5 Additional information

Not specified.

7. Handling and Storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin or clothing. Avoid breathing mist. Use with adequate ventilation. Wear safety glasses or goggles and rubber gloves. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from strong acids. Keep container closed. This product does not contain a corrosion inhibitor and therefore may corrode steel and stainless steel containers and equipment

7.3 Specific end use(s)

Defined in Exposure scenarios. Industrial and professional use only

8. Exposure Controls / Personal Protection

8.1 Control parameters

Lithium bromide

DNEL

Long-term exposure, systemic, inhalation 3.8 mg/m³ Long-term exposure, systemic, dermal 10.9 mg/kg/day

PNEC

PNEC aqua (freshwater) 21.3 mg/l PNEC STP 287 mg/l

EXPOSURE LIMITS

Page 4 of 7 SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015 Revision No: 0

Chemical Name	EU		EH40 (UK WEL)		USA (ACGIH)		USA (OSHA)	
	TWA	STEL	TWA	STEL	TWA	STEL/Ceiling	PEL	STEL/Ceiling
Lithium bromide	none		none		None		None	

8.2 Exposure controls

Engineering controls:

Use local exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eyes and Face: Safety glasses or goggles.

Respiratory: When engineering controls are not adequate, wear a respirator approved for

protection against inorganic dusts. US: NIOSH or MSHA approved Europe: CEN Class P type

<u>Protective Clothing:</u> <u>Gloves:</u> Nitrile/Neoprene/PVC/Natural Rubber (permeation breakthrough not

detected during 6 hr test)

These glove recommendations should not be used as the absolute basis for glove selection. Actual in-use conditions may vary glove performance from the controlled conditions of laboratory tests. Factors such as concentration and temperature, glove thickness and glove reuse, may affect performance. Other glove requirements, such as length, dexterity, cut, abrasion, puncture and snag resistance, or glove grip need to be considered in making your final selection.

Other: Not specified.

Work Hygienic Practices:

Quick-drench eyewash and safety shower.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

<u>Appearance:</u> Clear, colorless liquid

Odorless
Odor threshold:
Odorless
Not applicable

pH: (1% solution) @ 25°C: 9

Melting point: Not applicable **Boiling point:** 140°C (284°F) Flash point: Not applicable Evaporation rate(butyl acetate = 1): Not applicable Flammability: Not flammable Flammable limits: Not applicable Not applicable Vapor pressure: Vapor density (air = 1): Not applicable 3.5 g/cc Specific gravity:

Solubility in water: Miscible in any proportion

Partition coefficient n-octanol/ water: Not applicable. No components considered to be soluble in

octanol

 Autoignition temperature:
 Not applicable

 Decomposition temperature:
 Not available

 Viscosity:
 Not available

 Explosive properties:
 Not explosive

 Oxidizing properties:
 Not an oxidizer

9.2 Other information

Self-reactive propertiesDoes not meet classification criteria.Pyrophoric propertiesDoes not meet classification criteriaSelf-heating propertiesDoes not meet classification criteria.Water reactive propertiesDoes not meet classification criteria.Corrosive to metalsDoes not meet classification criteria.

Molecular weight: 86.84 (LiBr)

10. Stability and Reactivity

Page 5 of 7 SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015 **Revision No:** 0

water or air

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reaction Hazardous polymerization will not occur.

10.4 Conditions to avoid Contact with acids

10.5 Incompatible materials Acids **Hazardous decomposition products** 10.6 None

11. Toxicological Information

11.1 Information on toxicological effects

(b) skin corrosion/irritation

The mixture has not been tested, but properties can be predicted based on the properties of the two components

(a) acute toxicity Lithium bromide discriminating acute oral dose > 500 mg/kg

Lithium bromide solution (ca 50%) acute inhalation toxicity > 15.57 mg/l

Lithium bromide discriminating acute dermal > 2000 mg/kg Classified as irritant to skin on the basis of lithium bromide (c) serious eye damage/irritation Classified as irritant to eyes on the basis of lithium bromide (d) respiratory/skin sensitisation Classed as sensitizer to skin on the basis of lithium bromide None of the components considered to be mutagenic.

(e) germ cell mutagenicity (f) carcinogenicity None on the components considered to be carcinogenic

(g) reproductive toxicity None on the components suspected of damaging fertility or the unborn

child.

(h) STOT-single exposure None on the components considered to cause organ damage (i) STOT-repeated exposure None on the components considered to cause organ damage (j) aspiration hazard Lithium bromide in aqueous solution, does not present an aspiration

hazard.

Lithium bromide has been extensively tested for REACH registration

Acute Effects From Overexposure:

No data available for the formulation.

No envisaged effects other than acute effects from local irritation

Chronic Effects From Overexposure:

No data available for product.

Carcinogenicity Listings EH40: Not listed.

IARC: Not listed. NTP: Not listed.

OSHA: Not considered a carcinogen under OSHA.

ACGIH: Not listed.

12. Ecological Information

12.1 Toxicity:

The mixture has not been tested, but properties can be predicted based on the properties of lithium bromide

Fish 96h LC₅₀ estimated > 800 mg/L (trout)

Aquatic invertebrate 48h EC₅₀ estimated > 500 mg/L (daphnia)

Plant 96h LC₅₀ estimated > 500 mg/l (algae)

Sludge inhibition, 3h EC₅₀ > 200 mg/l

12.2 Persistence and degradability

Inorganic salt.

12.3 Bioaccumulative potential

Inorganic. Lithium salts are not bioaccumulative

12.4 Mobility in soil

Not expected to be mobile.

12.5 Results of PBT and vPvB assessment

Page 6 of 7 SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015 Revision No: 0

Inorganic

12.6 Other adverse effects

Due to the nature of the material and the specialist applications, this product is not considered to be a risk to the environment.

13. Disposal Considerations

13.1 Waste treatment methods

Disposal method:

Do not discharge to waste water systems.

Dispose of waste according to local and national laws and regulations.

14. Transport Information

14.1 UN Number Not classified

14.2 <u>UN proper shipping name (IMDG, ICAO, ADR, DOT)</u> None
 14.3 <u>Transport hazard class(es) (IMDG, ICAO, ADR, DOT)</u> None
 14.4 <u>Packing group (IMDG, ICAO, ADR, DOT)</u> None

 14.5
 Environmental hazards
 None

 14.6
 Special precautions for user
 None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EUROPEAN UNION:

German Wassergefährdungsklasse (water hazard class)

Lithium bromide 1

UNITED STATES:

Section 311 Hazard Category (40 CFR 370): Immediate (acute) health hazard,

Section 313 Reportable Ingredients (40 CFR 372):

This product does not contain a toxic chemical subject to the reporting requirements of Section 313 of Emergency Planning

and Community Right-To-Know Act of 1986.

Section 302 Extremely Hazardous Substances Not listed

(40 CFR 355):

CERCLA Hazardous Substance (40 CFR Not listed

302.4):

TSCA Sec 12b Export Notification: This product is not subject to TSCA 12 (b) Export Notification

Requirements.

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0 Special: None

INTERNATIONAL INVENTORY STATUS:

Inventory/Country Product Status

EINECS (EU) Listed
TSCA (US) Listed
ECL (Korea) Listed
DSL (Canada) Listed

15.2 <u>Chemical Safety Assessment</u>

A Chemical Safety Assessment has been carried out for lithium bromide

16. Other Information

Page 7 of 7 SDS Ref. No: QS-SDS-001 Date Approved: 1 May, 2015 Revision No: 0

European Union:

R Phrases:

R22 Harmful if swallowed. R36/38 Irritating to eyes and skin. R43 May cause sensitisation by skin contact

List of Abbreviations used in this SDS:

PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent, very Bioaccumulative
PEC	Predicted environmental concentration
PNEC	Predicted no effect concentration
DAILL	Danis and the afficient leaved

DNEL Derived no effect level

Specific uses identified for Exposure Scenarios

ES1	Manufacture of fine chemicals and pharmaceutical synthesis
ES2	Industrial use of substances in closed systems- Absorption Chillers
ES3	Professional use of substances in closed systems- Absorption Chillers

REVISION SUMMARY: Revision # 0. New SDS.

This SDS has been prepared to meet E U. S. OSHA Hazard Communication Standard requirements. type 1a

Copyright 2015. FMC Corporation. All Rights Reserved. FMC and the FMC logo are trademarks of FMC Corporation.