

TraSys® 475

Version 2.0

Revision Date 02/03/2014

Ref. 130000031749

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TraSys® 475
MSDS Number : 130000031749
Product Use : Release agent, Water-borne coatings
Manufacturer : Stoner Incorporated
1070 Robert Fulton Hwy.
Quarryville, PA 17566
United States
Product Information : 1-800-227-5538 (outside the U.S. 1-717-786-7355)
Emergency &
Transport Information : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-741-5970)
Other information : professional use

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects
Skin : May cause skin irritation.
Eyes : May cause eye irritation.
Inhalation : May cause irritation of respiratory tract.
Carcinogenicity
None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Water	7732-18-5	90 - 95 %
Proprietary Resins		1 - 5 %
Propylene Glycol	57-55-6	0 - 5 %

SECTION 4. FIRST AID MEASURES

Skin contact : If on skin, rinse well with water. Wash contaminated clothing before re-use.
Consult a physician if necessary.
Eye contact : Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.

Material Safety Data Sheet

TraSys[®] 475

Version 2.0

Ref. 130000031749

- | | |
|----------------|---|
| Inhalation | : Move to fresh air. Oxygen or artificial respiration if needed. Consult a physician. |
| Ingestion | : DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Call a physician. |
| General advice | : When symptoms persist or in all cases of doubt seek medical advice. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|------------------------------|--|
| Flammable Properties | |
| Flash point | : does not flash |
| Fire and Explosion Hazard | : In fire conditions, toxic decomposition products may be formed. (see also section 10) |
| Suitable extinguishing media | : The product itself does not burn.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Firefighting Instructions | : Wear self-contained breathing apparatus (SCBA). Wear suitable protective equipment. Evacuate personnel to safe areas. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- | | |
|-----------------------------|--|
| Safeguards (Personnel) | : Ventilate spill area. |
| Spill Cleanup | : Dike spill. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |
| Accidental Release Measures | : Prevent material from entering sewers, waterways, or low areas. |

SECTION 7. HANDLING AND STORAGE

- | | |
|----------------------|---|
| Handling (Personnel) | : Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Remove and wash contaminated clothing before re-use. |
| Storage | : Keep containers tightly closed in a dry, cool and well-ventilated place. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using. |

Material Safety Data Sheet

TraSys® 475

Version 2.0

Ref. 130000031749

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls	: Use only with adequate ventilation.
Personal protective equipment	
Respiratory protection	: Provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	: Material: Impervious gloves
Eye protection	: Safety goggles
Skin and body protection	: Preventive skin protection Where there is potential for skin contact, have available and wear as appropriate, impervious gloves, apron, pants, jacket, hood and boots.
Exposure Guidelines	
Exposure Limit Values	
None established.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: white
Odor	: slight
pH	: neutral
Freezing point	: 0 °C (32 °F)
Boiling point	: 100 °C (212 °F)
% Volatile	: 93 - 96 %
Vapour Pressure	: 30 mm Hg at 25 °C (77 °F)
Specific Gravity	: 0.99
Water solubility	: dispersible
Vapour density	: > 1 (Air = 1.0)

SECTION 10. STABILITY AND REACTIVITY

Stability	: Stable under recommended storage conditions.
Conditions to avoid	: Decomposes on heating.
Incompatibility	: Incompatible with oxidizing agents.
Hazardous decomposition products	: Silicon dioxide, Carbon oxides, nitrogen oxides (NOx), metal oxides, Sulphur compounds, Methanol, Aldehydes , Formaldehyde
Hazardous reactions	: Polymerization will not occur.

Material Safety Data Sheet

TraSys[®] 475

Version 2.0

Ref. 130000031749

SECTION 11. TOXICOLOGICAL INFORMATION

TraSys[®] 475

Inhalation 4 h ALC : > 0.50 mg/l male , rat

Oral ALD : > 11,000 mg/kg , rat

Skin irritation : Species: rabbit, No skin irritation

Eye irritation : Species: rabbit, No eye irritation

Sensitisation : Species: mouse, Did not cause sensitization on laboratory animals.

Further information : Information given is based on data on the components and the toxicology of similar products.

Propylene Glycol

Reproductive toxicity : Evidence suggests the substance is not a reproductive toxin in animals.

Teratogenicity : Did not show teratogenic effects in animal experiments.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

TraSys[®] 475

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 180 mg/l

72 h EC50 : Pseudokirchneriella subcapitata (green algae) > 1,000 mg/l

48 h EC50 : Daphnia magna (Water flea) > 1,000 mg/l
The toxicological data has been taken from products of similar composition.

Propylene Glycol

48 h LC50 : Cyprinus carpio (Carp) 6,000 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : In accordance with local and national regulations.

Environmental Hazards : If recycling is not practicable, dispose of in compliance with local regulations.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

Material Safety Data Sheet

TraSys® 475

Version 2.0

Ref. 130000031749

SECTION 15. REGULATORY INFORMATION

TSCA Status : On the inventory, or in compliance with the inventory

Title III hazard classification : Acute Health Hazard: Yes
Chronic Health Hazard: No
Fire: No
Reactivity/Physical hazard: No
Pressure: No

SECTION 16. OTHER INFORMATION

	HMIS
Health	1
Flammability	0
Reactivity/Physical hazard	0
PPE	: Personal Protection rating to be supplied by user depending on use conditions.
MSDS preparation date	: 02/03/2014

TraSys® is the registered trademarks of Stoner Incorporated or its affiliates.

Contact person : MSDS Coordinator, Stoner Incorporated, 1070 Robert Fulton Hwy, Quarryville PA, 17566, 1 800-227-5538

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.