

Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

SECTION 1. IDENTIFICATION

Product name : Eastman BioExtend(TM) 30HP Antioxidant Solution

Product code : P3186904

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive

Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Solvent

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H227 Combustible liquid.

H302 + H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation.



PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary Statements

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
diethylene glycol monobutyl ether	112-34-5	> 40 - < 44
2-tert-butylhydroquinone	1948-33-0	> 29 - < 31
ethylene glycol monopropyl ether	2807-30-9	> 26 - < 28
2,2'-[(1-methyl-1,2-	94-91-7	> 0.8 - < 1.2
ethanediyl)bis(nitrilomethylidyne)]bis-		
phenol		



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version **Revision Date:** SDS Number: Date of last issue: -

08/11/2020 150000070151 Date of first issue: 09/06/2016 1.1 PRD SDSUS / Z8 / 0001 N43 / 0091451081 / 0004272709

SECTION 4. FIRST AID MEASURES

If inhaled Move to fresh air.

Treat symptomatically.

If symptoms persist, call a physician.

Wash off immediately with plenty of water for at least 15 In case of skin contact

minutes.

Take off all contaminated clothing immediately. Wash contaminated clothing before re-use.

Get medical attention.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

Get medical advice/ attention.

If swallowed Seek medical advice.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed or in contact with skin.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use water spray to extinguish.

Carbon dioxide (CO2)

Dry chemical

Foam

Unsuitable extinguishing

media

None known.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information Combustible liquid and vapor.

Special protective equipment :

for fire-fighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Wear appropriate personal protective equipment.

Environmental precautions Avoid release to the environment.

Methods and materials for containment and cleaning up Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

and transfer to a container for disposal according to local /

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors or spray mist.

Avoid contact with skin, eyes and clothing.

Do not taste or swallow.

Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage : Keep container tightly closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diethylene glycol monobutyl ether	112-34-5	TWA (Inhal- able fraction and vapor)	10 ppm	ACGIH
ethylene glycol monopropyl ether	2807-30-9	TWA	25 ppm	Eastman Chemical Company occupational exposure limit

Engineering measures : Good general ventilation (typically 10 air changes per hour)

should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level.

Personal protective equipment

Respiratory protection : If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved

respirator must be worn.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Safety glasses with side-shields



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : dark yellow

Odor : slight

Odor Threshold : not determined

pH : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : 356 °F / 180 °C

Flash point : $163 \,^{\circ}\text{F} / 73 \,^{\circ}\text{C}$

Method: Seta closed cup

Evaporation rate : not determined

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapor pressure : not determined

Relative vapor density : not determined

Relative density : 0.9846 (77 °F / 25 °C)

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : not determined

Decomposition temperature : Thermal stability not tested. Low stability hazard expected at

normal operating temperatures.



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon dioxide (CO2)
Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

diethylene glycol monobutyl ether:

Acute oral toxicity : LD50 Oral (Rat): 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 29 ppm

Exposure time: 2 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 2,764 mg/kg

2-tert-butylhydroquinone:

Acute oral toxicity : LD50 Oral (Rat, male): 951 mg/kg



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

LD50 Oral (Rat, female): 1,131 mg/kg

Acute dermal toxicity : LD50 Dermal (Guinea pig): > 1,000 mg/kg

ethylene glycol monopropyl ether:

Acute oral toxicity : LD50 Oral (Rat): 3,089 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2132 ppm

Exposure time: 6 h

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,337 mg/kg

2,5-di-tert-butylhydroquinone:

Acute oral toxicity : LD50 Oral (Rat): 50 - 300 mg/kg

Acute dermal toxicity : LD50 Dermal (Guinea pig): > 21,000 mg/kg

Remarks: (highest dose tested)

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : No data available

Components:

diethylene glycol monobutyl ether:

Species : Rabbit Exposure time : 4 h Result : slight

2-tert-butylhydroquinone:

Species : Guinea pig
Exposure time : 24 h
Result : slight

ethylene glycol monopropyl ether:

Species : Rabbit Exposure time : 24 h Result : slight

2,5-di-tert-butylhydroquinone:

Species : Rabbit Exposure time : 24 h

Result : slight to moderate



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : No data available

Components:

diethylene glycol monobutyl ether:

Species : Rabbit
Result : slight
Exposure time : 24 h

2-tert-butylhydroquinone:

Species : Rabbit Result : irritating

ethylene glycol monopropyl ether:

Species : Rabbit
Result : irritating
Exposure time : 24 h

2,5-di-tert-butylhydroquinone:

Species : Rabbit Result : strong

Remarks : Read-across from a similar material

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : No data available

Components:

diethylene glycol monobutyl ether:

Test Type : Skin Sensitization
Species : Guinea pig
Result : non-sensitizing

2-tert-butylhydroquinone:

Test Type : Skin Sensitization



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Species : Guinea pig Result : slight

ethylene glycol monopropyl ether:

Test Type : Skin sensitization
Species : Guinea pig
Result : non-sensitizing

2,5-di-tert-butylhydroquinone:

Test Type : Skin Sensitization
Species : Guinea pig
Result : non-sensitizing

Germ cell mutagenicity

Not classified based on available information.

Components:

diethylene glycol monobutyl ether:

Genotoxicity in vitro : Test Type: Mutagenicity - Bacterial

Metabolic activation: +/- activation

Result: negative

Test Type: Mutagenicity - Mammalian Metabolic activation: +/- activation

Result: negative

Genotoxicity in vivo : Species: Mouse

Application Route: oral: gavage

Result: negative

ethylene glycol monopropyl ether:

Genotoxicity in vitro : Test Type: Salmonella typhimurium assay (Ames test)

Metabolic activation: +/- activation

Method: Bacterial Reverse Mutation Assay

Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This product does not contain any carcinogens or potential

carcinogens as listed by OSHA, IARC or NTP.

Components:

ethylene glycol monopropyl ether:

Remarks : negative



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Product:

Remarks : No data available

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Repeated dose toxicity

Components:

diethylene glycol monobutyl ether:

Species : Rat

NOAEL : 250 mg/kg Application Route : Ingestion Exposure time : 90 d

Species : Rat

NOAEL : > 2,000 mg/kg Application Route : Dermal Study

Exposure time : 90 d

Remarks : (highest dose tested)

Species : Rat

NOAEL : > 0.094 mg/l
Application Route : Inhalation study:

Exposure time : 90 d

Aspiration toxicity

Not classified based on available information.



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Product:

No data available

Information on likely routes of exposure

Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: Harmful in contact with skin.

Causes skin irritation.

May cause an allergic skin reaction.

Eye contact : Remarks: Causes serious eye irritation.

Ingestion : Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

diethylene glycol monobutyl ether:

Toxicity to fish : LC50 (Fish): 1,300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): >= 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Chlorella pyrenoidosa): > 100 mg/l

Exposure time: 96 h

2-tert-butylhydroquinone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 96 h

ethylene glycol monopropyl ether:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 5,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 5,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

Exposure time: 72 h



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

2,5-di-tert-butylhydroguinone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.6 mg/l

Exposure time: 96 h

Remarks: Read-across from a similar material

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 96 h

Remarks: Read-across from a similar material

LC50 (snail): 32 mg/l Exposure time: 96 h

Remarks: Read-across from a similar material

LC50 (flatworm): 3.2 mg/l Exposure time: 96 h

Remarks: Read-across from a similar material

Persistence and degradability

Components:

diethylene glycol monobutyl ether:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 85 % Exposure time: 28 d

Method: Ready Biodegradability: Modified MITI Test (I)

Biochemical Oxygen De-

mand (BOD)

BOD-5: 250 mg/g

Chemical Oxygen Demand

(COD)

2,080 mg/g

2-tert-butylhydroquinone:

Biodegradability : Concentration: 20 mg/l

Biodegradation: 19 % Exposure time: 28 d

Biochemical Oxygen De-

mand (BOD)

BOD-5: 70 mg/g

BOD-20: 2,000 mg/g

Chemical Oxygen Demand

(COD)

2,200 mg/g

ThOD : 2,450 mg/g

ethylene glycol monopropyl ether:

Biodegradability : Result: Readily biodegradable.



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

Biochemical Oxygen De- : BOD-5:

mand (BOD) 1,200 mg/l

BOD-20: 1,500 mg/l

Chemical Oxygen Demand

(COD)

2.04 g/g

ThOD : 1.98 g/g

2,5-di-tert-butylhydroquinone:

Biodegradability : Concentration: 20 mg/l

Biodegradation: 19 % Exposure time: 28 d

Remarks: Read-across from a similar material

Bioaccumulative potential

Components:

ethylene glycol monopropyl ether:

Partition coefficient: n- : Pow: 1.1 octanol/water : log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

Components:

ethylene glycol monopropyl ether:

Results of PBT and vPvB : Not fulf

assessment

Not fulfilling vPvB (very persistent, very bioaccumulative) crite-

ria.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.



Eastman BioExtend(TM) 30HP Antioxidant Solution

PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

(2-tert-butylhydroquinone)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2-tert-butylhydroquinone)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-/

EmS Code : F-A, S-F Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)
Respiratory or skin sensitization

Skin corrosion or irritation

Serious eye damage or eye irritation



PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

diethylene glycol 112-34-5

monobutyl ether

ethylene glycol 2807-30-9

monopropyl ether

California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

CH INV : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information




PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amend-



PO00104823

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 08/11/2020
 150000070151
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0001
 N43 / 0091451081 / 0004272709

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/11/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8