

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828370

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Trade name : Gantrez™ ES-435
polymer
™ Trademark, Ashland or its subsidiaries, registered in
various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care
Cosmetics

Details of the supplier of the safety data sheet

Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
+1-614-790-3333

EHSProductSafety@ashland.com

Emergency telephone number

1-800-ASHLAND (1-800-274-5263)

Regulatory Information Number

1-800-325-3751

Product Information

+1-614-790-3333

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 2

Skin irritation : Category 2

Eye irritation : Category 2

Specific target organ
systemic toxicity - single
exposure : Category 3 (Central nervous system)

GHS label elements



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: Highly flammable liquid and vapor.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

Precautionary Statements

: **Prevention:**
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/ eye protection/ face protection.
Response:
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/ attention.
 If skin irritation occurs: Get medical advice/ attention.
 Take off contaminated clothing and wash before reuse.
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
 Store in a well-ventilated place. Keep container tightly closed.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
Disposal:
 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

 Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Defatter

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
ETHANOL	64-17-5	Flam. Liq. 2; H225 Eye Irrit. 2A; H319 STOT SE 3; H336	52.00
BUTANOL NORMAL	71-36-3	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335, H336	5.00

SECTION 4. FIRST AID MEASURES

 General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

 If inhaled : Move to fresh air.
 If unconscious, place in recovery position and seek medical advice.
 Consult a physician after significant exposure.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

If on skin, rinse well with water.
 Wash contaminated clothing before re-use.
 If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 Continue rinsing eyes during transport to hospital.
 Remove contact lenses.
 Protect unharmed eye.

If swallowed : Obtain medical attention.
 Do NOT induce vomiting.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes skin irritation.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.
 No symptoms known or expected.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Alcohol-resistant foam
 Carbon dioxide (CO2)
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
 Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion : carbon dioxide and carbon monoxide



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

products

formaldehyde-like
 Hydrocarbons
 toxic fumes

Specific extinguishing
 methods

:

Product is compatible with standard fire-fighting agents.

Further information

: Do not use a solid water stream as it may scatter and spread fire.
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
 Use a water spray to cool fully closed containers.

Special protective equipment
 for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,
 protective equipment and
 emergency procedures

: Evacuate personnel to safe areas.
 Remove all sources of ignition.
 Use personal protective equipment.
 Ensure adequate ventilation.
 Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for
 containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Other information

: Comply with all applicable federal, state, and local regulations.
 Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

 Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Advice on safe handling : Open drum carefully as content may be under pressure.
 Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Container hazardous when empty.
 Take precautionary measures against static discharges.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHANOL	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
BUTANOL NORMAL	71-36-3	TWA	20 ppm	ACGIH
		C	50 ppm 150 mg/m3	NIOSH REL
		TWA	100 ppm 300 mg/m3	OSHA Z-1
		C	50 ppm	OSHA P0



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

			150 mg/m3	
		C	50 ppm 150 mg/m3	CAL PEL

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
 Maintain eye wash station in immediate work area.

Skin and body protection

: Wear as appropriate:
 Impervious clothing
 Safety shoes
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures

: Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Physical state : liquid

Colour : clear

Odour : alcohol-like

Odour Threshold : No data available

pH : No data available



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Melting point/freezing point	: No data available
Boiling point/boiling range	: 180.5 °F / 82.5 °C Value for Component
Flash point	: 8.9 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 40 hPaValue for Component
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.962 g/cm3 (20 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.
 excessive heat

Incompatible materials : Acids
 Alkali metals
 aluminum
 Ammonia
 Bases
 halogens
 inorganic materials
 Lead
 Oxidizing agents
 sodium

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:

ETHANOL:

Acute oral toxicity : LD50 (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat): 117 - 125 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour

Acute dermal toxicity : LDLo (Rabbit): 20 g/kg

BUTANOL NORMAL:

Acute oral toxicity : LD50 (Rat): 790 mg/kg

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828370

Acute inhalation toxicity : LC50 (Rat): > 24 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: Not classified as acutely toxic by inhalation
under GHS.

Acute dermal toxicity : LD50 (Rabbit): 3,400 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Result: Repeated exposure may cause skin dryness or cracking.

Components:

ETHANOL:

Result: Slight, transient irritation

BUTANOL NORMAL:

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: May cause irreversible eye damage.

Components:

ETHANOL:

Result: Irritating to eyes.

BUTANOL NORMAL:

Result: Corrosive

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828370

ETHANOL:

Assessment: May cause drowsiness or dizziness.

BUTANOL NORMAL:

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Carcinogenicity:**IARC**

Group 1: Carcinogenic to humans

ETHANOL

64-17-5

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:**ETHANOL:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12,000 - 16,000 mg/l

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Exposure time: 96 h

Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
 Exposure time: 48 h
 Test Type: static test

BUTANOL NORMAL:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 - 500 mg/l
 Exposure time: 96 h
 Test Type: static test
 Method: Static
 Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,897 - 2,072 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: Static
 Remarks: Intoxication

Persistence and degradability**Components:****BUTANOL NORMAL:**

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 98 %
 Exposure time: 19 d
 Method: OECD Test Guideline 301E

Biochemical Oxygen Demand (BOD) : Theoretical oxygen demand
 2.59 mg/g

Chemical Oxygen Demand (COD) : 2.45 mg/g
 Method: Chemical oxygen demand

No data available

Bioaccumulative potential**Components:****ETHANOL:**

Partition coefficient: n-octanol/water : log Pow: -0.31

BUTANOL NORMAL:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
 Bioconcentration factor (BCF): 0.38
 Exposure time: 24 h
 Concentration: 921 mg/l



SAFETY DATA SHEET

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Method: Static

Partition coefficient: n-
 octanol/water : log Pow: 0.88

No data available

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

Additional ecological : No data available
 information

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with
 chemical or used container.
 Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and
 federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste
 handling site for recycling or disposal.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MX_DG

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828370

UN	1866	RESIN SOLUTION	3	II

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	1866	Resin solution	3	II

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	1866	Resin solution	3	II

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	1866	RESIN SOLUTION	3	II

TDG_INWT_C

UN	1866	RESIN SOLUTION	3	II

TDG_RAIL_C

UN	1866	RESIN SOLUTION	3	II

TDG_ROAD_C

UN	1866	RESIN SOLUTION	3	II

U.S. DOT - INLAND WATERWAYS

UN	1866	Resin solution	3	II

CFR_RAIL_C

UN	1866	Resin solution	3	II

U.S. DOT - ROAD

UN	1866	Resin solution	3	II

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
BUTANOL NORMAL	71-36-3	5000	100000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 The following components are subject to reporting levels established by SARA Title III, Section 313:
 BUTANOL NORMAL 71-36-3 5.00 %

Pennsylvania Right To Know

ETHANOL	64-17-5
MALEIC ACID MONOBUTYL ESTER-VINYL METHYL ETHER CO	25119-68-0
2-Butenedioic acid (2Z)-, mono(1-methylethyl) ester, polymer with methoxyethene	31307-95-6
BUTANOL NORMAL	71-36-3

New Jersey Right To Know

ETHANOL	64-17-5
MALEIC ACID MONOBUTYL ESTER-VINYL METHYL ETHER CO	25119-68-0
2-Butenedioic acid (2Z)-, mono(1-	31307-95-6

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828370

methylethyl) ester, polymer with
methoxyethene

BUTANOL NORMAL

71-36-3

California Prop 65

This product does not contain any chemicals known to State
of California to cause cancer, birth defects, or any other
reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This product is regulated under the United States Food and
Drug Act (FDA).

DSL : All components of this product are on the Canadian DSL

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL
(Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION**Further information**

Revision Date: 01/31/2018

NFPA:**HMIS III:**



SAFETY DATA SHEET


Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370



NFPA Flammable and Combustible Liquids Classification

Flammable Liquid Class IB

Full text of H-Statements

H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

**SAFETY DATA SHEET**

Revision Date: 01/31/2018

Print Date: 2/14/2018

SDS Number: R0718521

Version: 1.3

Gantrez™ ES-435 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828370

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative