



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS\_ES

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Prolipid™ 141  
lamellar gel  
™ Trademark, Ashland or its subsidiaries, registered in  
various countries

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Personal care, Cosmetics

### 1.3 Details of the supplier of the safety data sheet

Ashland  
P.O. Box 8619  
NL3009 AP, Rotterdam  
Netherlands  
+31 10 497 5000 (in the Netherlands), or  
contact your local CSR contact person

EUSMT@ashland.com

### 1.4 Emergency telephone number

00-800-274-5263-3/001-859-357-3564, or contact  
your local emergency telephone number at + 34  
91 562 04 20

### Product Information

+31 10 497 5000 (in the Netherlands), or contact  
your local CSR contact person

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.3 Other hazards

#### Additional advice

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

No information available.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Chemical nature : organic

**Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Substances with a workplace exposure limit :			
Stearic acid	57-11-4 200-313-4		>= 25,00 - < 40,00
Stearic acid, monoester with glycerol	31566-31-1 250-705-4		>= 25,00 - < 40,00
Glycerol	56-81-5 200-289-5		>= 1,00 - < 2,50

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

If swallowed : Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
 stomach or intestinal upset (nausea, vomiting, diarrhea)  
 irritation (nose, throat, airways)  
 Cough  
 Difficulty in breathing

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No hazards which require special first aid measures.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.  
 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide  
 Aldehydes  
 nitrogen oxides (NOx)



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid dust formation.  
Avoid breathing dust.  
Material can create slippery conditions.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
Comply with all applicable federal, state, and local regulations.

### 6.2 Environmental precautions

- Environmental precautions : Prevent further leakage or spillage if safe to do so.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

- For further information see Section 8 and Section 13 of the safety data sheet.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid dust formation.  
Ensure all equipment is electrically grounded and bonded before beginning transfer operations.  
The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Avoid breathing dust.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Stearic acid	57-11-4	TWA	10 mg/m <sup>3</sup>	VLA
Stearic acid, monoester with glycerol	31566-31-1	TWA	10 mg/m <sup>3</sup>	VLA
Glycerol	56-81-5	TWA (Mist.)	10 mg/m <sup>3</sup> Mist.	VLA



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

## 8.2 Exposure controls

### Engineering measures

Provide appropriate exhaust ventilation at places where dust is formed. General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Eye protection	: Safety glasses
Hand protection	
Remarks	: Neoprene gloves
Skin and body protection	: Wear as appropriate: Safety shoes
Respiratory protection	: No personal respiratory protective equipment normally required.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: Wax like
Colour	: tan
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: 50 - 55 °C
Boiling point/boiling range	: No data available
Flash point	: 93,3 °C (Estimated)

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

### 10.4 Conditions to avoid

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : Strong bases  
Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : acrolein  
Aldehydes  
carbon dioxide and carbon monoxide

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Components:

##### STEARIC ACID:

Acute oral toxicity : LD 50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,1621 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: Not classified as acutely toxic by inhalation

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

under GHS.

Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD 50 (Rabbit): > 5 g/kg

**Components:****GLYCERIN:**

Acute oral toxicity : LD 50 (Rat): 12.600 mg/kg  
 Method: OECD Test Guideline 401

Acute inhalation toxicity : LC 50 (Rat): > 570 mg/m<sup>3</sup>  
 Exposure time: 1 h  
 Assessment: Not classified as acutely toxic by inhalation under GHS.

Acute dermal toxicity : LD 50 (Rabbit): > 10 g/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****STEARIC ACID:**

Species: Rabbit  
 Result: No skin irritation

**GLYCERYL MONOSTEARATE:**

Result: No skin irritation

**GLYCERIN:**

Result: No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

**Components:****STEARIC ACID:**

Species: Rabbit

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

Result: Mildly irritating to eyes

**GLYCERYL MONOSTEARATE:**

Result: No eye irritation

**GLYCERIN:**

Result: Mildly irritating to eyes

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Product:**

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

**Components:****STEARIC ACID:**

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Remarks: Information given is based on data obtained from similar substances.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****STEARIC ACID:**

Genotoxicity in vitro

: Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Further information****Product:**

Remarks: No data available

**SECTION 12: Ecological information****12.1 Toxicity****Components:**

Stearic acid

Toxicity to fish : LC 50 (Cyprinus carpio (Carp)): > 1.000 mg/l  
 Exposure time: 48 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10 mg/l  
 aquatic invertebrates : Exposure time: 48 h  
 Test Type: static test  
 Method: OECD Test Guideline 202  
 Remarks: No toxicity at the limit of solubility  
 Information given is based on data obtained from similar  
 substances.

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,9  
 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility  
 Information given is based on data obtained from similar  
 substances.

Toxicity to daphnia and other : NOEC: > 0,22 mg/l  
 aquatic invertebrates : Exposure time: 21 d  
 (Chronic toxicity) : Species: Daphnia magna (Water flea)  
 Test Type: semi-static test

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Information given is based on data obtained from similar substances.

Glycerol

Toxicity to fish

: LC 50 (Goldfish (*Carassius auratus*)): > 5.000 mg/l  
 Exposure time: 24 h  
 Method: Static  
 Remarks: Mortality

Toxicity to daphnia and other  
 aquatic invertebrates

: LC 50 (Water flea (*Daphnia magna*)): > 10.000 mg/l  
 Exposure time: 24 h  
 Method: Static  
 Remarks: Mortality

**12.2 Persistence and degradability****Components:**

Stearic acid

Biodegradability

: Result: Readily biodegradable  
 Biodegradation: 72 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301B

**12.3 Bioaccumulative potential****Product:**

Bioaccumulation

: Remarks: The bioaccumulation potential cannot be  
 determined.

**Components:**

Stearic acid

Partition coefficient: n-  
octanol/water

: log Pow: 8,23

Glycerol

Partition coefficient: n-  
octanol/water

: log Pow: -1,76

**12.4 Mobility in soil**

No data available

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

**12.5 Results of PBT and vPvB assessment**

Not relevant

**12.6 Other adverse effects****Product:**

Additional ecological information : No data available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Contaminated packaging : Empty remaining contents.

**SECTION 14: Transport information****SECTION 14: Transport information****14.1 UN number**

ADN:

ADR:

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO:

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER:

INTERNATIONAL MARITIME DANGEROUS GOODS:

RID:

**14.2 UN proper shipping name**

ADN:

ADR:

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO:

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER:

INTERNATIONAL MARITIME DANGEROUS GOODS:

RID:

**14.3 Transport hazard class(es)**

ADN:

ADR:

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO:**  
**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER:**  
**INTERNATIONAL MARITIME DANGEROUS GOODS:**  
**RID:**

**14.4 Packing group****ADN:****ADR:**

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO:**  
**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER:**  
**INTERNATIONAL MARITIME DANGEROUS GOODS:**  
**RID:**

**14.5 Environmental hazards****ADN:** Not applicable**ADR:** Not applicable**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO:** Not applicable**INTERNATIONAL MARITIME DANGEROUS GOODS:** Not applicable**RID:** Not applicable**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Ship Type: Not applicable

Hazard code(s): Not applicable

Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 57) : Not applicable

**SAFETY DATA SHEET**

Revision Date: 07.11.2016

Print Date: 13.12.2018

SDS Number: R0717864

Version: 1.1

Prolipid™ 141 lamellar gel  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831023

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
 Not applicable

**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

DSL All components of this product are on the Canadian DSL

AICS On the inventory, or in compliance with the inventory

ENCS On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**15.2 Chemical safety assessment**

No data available

**SECTION 16: Other information****Further information**



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

Revision Date: 07.11.2016

### Full text of H-Statements

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (+31 10 497 5000).

Sources of key data used to compile the Safety Data Sheet  
Ashland internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
BEI : Biological Exposure Index  
CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
FG : Food grade  
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
H-statement : Hazard Statement  
IATA : International Air Transport Association.  
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO : International Civil Aviation Organization  
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
IMDG : International Maritime Code for Dangerous Goods  
ISO : International Organization for Standardization  
logPow : octanol-water partition coefficient  
LCxx : Lethal Concentration, for xx percent of test population  
LDxx : Lethal Dose, for xx percent of test population.  
ICxx : Inhibitory Concentration for xx of a substance  
Ecxx : Effective Concentration of xx



<b>SAFETY DATA SHEET</b>	Revision Date: 07.11.2016
	Print Date: 13.12.2018
	SDS Number: R0717864
Prolipid™ 141 lamellar gel ™ Trademark, Ashland or its subsidiaries, registered in various countries 831023	Version: 1.1

N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands  
 ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine  
 CLP : Classification, Labelling and Packaging  
 CSA : Chemical Safety Assessment  
 CSR : Chemical Safety Report  
 DNEL : Derived No Effect Level.  
 EINECS : European Inventory of Existing Commercial Chemical Substances.  
 ELINCS : European List of Notified Chemical Substances  
 GV: Exposure limits (DK)  
 PEC : Predicted Effect Concentration  
 PEL : Permissible Exposure Limits  
 PNEC : Predicted No Effect Concentration  
 R-phrase : Risk phrase  
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID : Regulation Concerning the International Transport of Dangerous Goods by Rail  
 S-phrase: Safety phrase  
 WGK : German Water Hazard Class