SAFETY DATA SHEET



Eastman(TM) Butyric Acid, Food Grade, Kosher

Version 2.0

PRD

Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) Butyric Acid, Food Grade, Kosher

Product code : 00152-FK, P0015271, P0015270, P0015277

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive

Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H227 Combustible liquid.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.



Version 2.0 PRD Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

No smoking.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical name	CAS-No.	Concentration (% w/w)
butyric acid	107-92-6	100

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash contaminated clothing before re-use.

Call a physician or poison control center immediately.



Version 2.0 PRD

Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Call a physician or poison control center immediately.

If swallowed Seek medical advice.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye damage.

Causes severe burns.

Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Carbon dioxide (CO2)

> Dry chemical Water spray

Unsuitable extinguishing

media

Water spray jet

Specific hazards during fire

fighting

Water may be ineffective.

The product will float on water and can be reignited on surface

water.

Further information Combustible liquid and vapor.

Use water spray to cool unopened containers.

Special protective equipment

for fire-fighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Wear appropriate personal protective equipment.

Local authorities should be advised if significant spillages

cannot be contained.

Avoid release to the environment. Environmental precautions

Methods and materials for containment and cleaning up Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

After cleaning, flush away traces with water. Eliminate all ignition sources if safe to do so.



Version 2.0 PRD

Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

SECTION 7. HANDLING AND STORAGE

Advice on protection against : None known.

fire and explosion

Advice on safe handling Do not breathe vapors or spray mist.

Do not get on skin or clothing.

Do not get in eyes. Do not swallow.

Ensure adequate ventilation. Wash thoroughly after handling. Keep away from fire (No Smoking).

Keep away from fire, sparks and heated surfaces.

Do not use sparking tools.

Conditions for safe storage Keep container closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values. **Engineering measures** Ensure adequate ventilation.

Personal protective equipment

Respiratory protection Use respiratory protection unless adequate local exhaust

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks Wear suitable gloves.

Eye protection Safety glasses

Protective measures Remove respiratory and skin/eye protection only after vapors

have been cleared from the area.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Use personal protective equipment as required.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Color colorless



Version 2.0 PRD Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

Odor : unpleasant

Odor Threshold : not determined

pH : 2 (25 °C)

Melting point/freezing point : -7 °C

Boiling point/boiling range : 164 °C

Flash point : 71 °C (1,013 hPa)

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : 13.4 %(V)

Lower explosion limit : 2.19 %(V)

Vapor pressure : 1 hPa (20 °C)

Relative vapor density : 3

Relative density : 0.9574 (20 °C)

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : Thermal stability not tested. Low stability hazard expected at

normal operating temperatures.

Viscosity

Viscosity, dynamic : 1.666 mPa.s (20 °C)

Viscosity, kinematic : 1.74 mm2/s (20 °C)

Explosive properties : Not classified

Oxidizing properties : Not classified

Surface tension : 68.5 mN/m, 20 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Stable



Version 2.0 PRD Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8/ 0001 Date of last issue: -

Date of first issue: 07/07/2017

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Ingredients:

butyric acid:

Acute oral toxicity : LD50 Oral (Rat): 1,632 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): 6,096 mg/kg

Skin corrosion/irritation

Causes severe burns.

Ingredients:

butyric acid:

Species: Rabbit Exposure time: 24 h

Result: Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

butyric acid:

Species: Rabbit Result: Corrosive Exposure time: 24 h

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Version 2.0

PRD

Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

Respiratory sensitization

Not classified based on available information.

Ingredients:

butyric acid: Species: Humans

Result: Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

butyric acid:

Genotoxicity in vitro

Test Type: Mutagenicity - Mammalian Metabolic activation: +/- activation

Result: negative

Test Type: Chromosome aberration test in vitro

Metabolic activation: +/- activation

Result: negative

: Test Type: Mutagenicity - Bacterial Metabolic activation: +/- activation

Result: negative

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



Version 2.0

PRD

Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

Product:

No aspiration toxicity classification

Information on likely routes of exposure

Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: Causes skin burns.

Eye contact : Remarks: Causes serious eye damage.

Ingestion : Remarks: Harmful if swallowed.

Further information

Product:

Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

butyric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 66.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51.25 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): 45.1 mg/l Exposure time: 72 h

Persistence and degradability

Ingredients:

butyric acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 5 d

Method: Ready biodegradability: Modified OECD Screening

Test

Result: Readily biodegradable. Biodegradation: 100 %



Version 2.0 PRD Revision Date: 07/07/2017

SDS Number: 150000110510 SDSUS / Z8 / 0001 Date of last issue: -

Date of first issue: 07/07/2017

Exposure time: 14 d

Method: Ready biodegradability: Modified OECD Screening

Test

Biochemical Oxygen De-

mand (BOD)

BOD-5:

340 - 1,160 mg/g

BOD-20: 1,450 mg/g

Chemical Oxygen Demand

(COD)

1,650 mg/g

Bioaccumulative potential

Ingredients:

butyric acid:

Partition coefficient: n-

octanol/water

log Pow: 1.1 (25 °C)

Mobility in soil

Ingredients:

butyric acid:

Distribution among environmental compartments : log Koc: 1.66 - 1.69 Method: QSAR model

Other adverse effects

Ingredients:

butyric acid:

Results of PBT and vPvB

assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR



Date of last issue: -Version Revision Date: SDS Number:

2.0 07/07/2017 150000110510 Date of first issue: 07/07/2017 PRD SDSUS / Z8 / 0001

UN/ID No. UN 2820 Proper shipping name

Butyric acid

() Class 8 Ш Packing group Labels Corrosive 856 Packing instruction (cargo

aircraft)

Packing instruction (passen-852

ger aircraft)

IMDG-Code

UN number UN 2820 **BUTYRIC ACID** Proper shipping name

()

Class 8 Ш Packing group Labels 8 EmS Code F-A, S-B Marine pollutant no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number UN 2820 Proper shipping name Butyric acid

> () 8

Class Packing group Ш

Labels Class 8 - Corrosive

ERG Code 153 Marine pollutant no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards Acute Health Hazard

Fire Hazard

SARA 313 This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

DSL All components of this product are on the Canadian DSL



Version 2.0 PRD	Revision Date: 07/07/2017	150	S Number: 0000110510 SUS / Z8/ 0001	Date of last issue: - Date of first issue: 07/07/2017
AICS		:	On the inventory,	or in compliance with the inventory
ENCS		:	On the inventory,	or in compliance with the inventory
ISHL		:	On the inventory,	or in compliance with the inventory
KECI		:	On the inventory,	or in compliance with the inventory
PICCS		:	On the inventory,	or in compliance with the inventory
IECSC		:	On the inventory,	or in compliance with the inventory
TCSI		:	On the inventory,	or in compliance with the inventory
TSCA		:	On the inventory,	or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-




Version Revision Date: SDS Number: Date of last issue: -

2.0 07/07/2017 150000110510 Date of first issue: 07/07/2017 PRD SDSUS / Z8 / 0001

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 07/07/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8