Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: CELOGEN® 780

Chemical name: Azodicarbonamide formulation

Use of substance/preparation: Foaming Agent

Supplier: CelChem LLC

6519 Carema Lane Naples, FL 34113 USA

Emergency telephone number: INFOTRAC 24 hour numbers:

USA & Canada: **1-800-535-5053**Mexico: **01-800-681-1530**

Outside North America: +1-352-323-3500 (collect)

Contact: 239-228-2285

Email: customerservice@celchemllc.com

2. HAZARDS IDENTIFICATION

United States (US): According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

Self-reactive solid Type D
Combustible Dust
Respiratory sensitization – Category 1 – H334

Label Elements

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

Heating may cause a fire.

May form combustible dust concentrations in air.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

Precautionary statement(s):

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

Keep/Store away from combustible materials.

Keep only in original container

Wear protective gloves/eye protection/face protection.

In case of fire: Use water spray or dry chemical to extinguish

Store in a well-ventilated place. Keep cool.

Store away from other materials.

Dispose of contents/container in accordance with appropriate Federal, State, and local regulations. Avoid discharge to sewers and natural waters.

Avoid breathing dust.

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a doctor.

Other Hazards:

Avoid dispersion of dust in air to reduce potential for dust ignition/explosions.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	CAS Number	Percent (w/w)	Substance Classification
Azodicarbonamide	123-77-3	>85	Combustible Dust Respiratory sensitization – Category 1 – H334
Zinc compound	Trade secret	>10	Combustible Dust
Zinc compound	Skin Irritation - Ca Eye Irritation - Ca		Acute Oral Toxicity - Category 4 - H302 Skin Irritation - Category 2 - H315 Eye Irritation - Category 2 - H319 STOT Single - Category 3 - H335

4. FIRST AID MEASURES

Swallowing

Do not induce vomiting. Rinse mouth and then drink water. Obtain medical attention.

Inhalation

Remove to fresh air. Obtain medical attention.

Skin contact

Remove contaminated clothing. Wash thoroughly with warm water using a mild soap. Obtain medical attention if irritation persists.

Eye contact

Immediately flush eyes with water and continue washing for several minutes. Obtain medical attention if irritation persists.

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

5. FIREFIGHTING MEASURES

Special firefighting procedures

Evacuate all personnel from danger area.

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

Use water spray to cool fire-exposed containers and structures.

Extinguishing media

Suitable: - water spray

- dry chemical

Hazardous combustion products

Toxic fumes.

Ammonia.

Oxides of nitrogen.

Oxides of carbon.

Traces of incompletely burned carbon products.

Special protective equipment for firefighters

Self-contained breathing apparatus.

Full protective clothing

Unusual fire and explosion hazards

Heated containers may explode. Once ignited, this product will burn vigorously and with acceleration.

NFPA CLASSIFICATION

Health:	Flammability:	Reactivity:	Special provisions:
2	3	1	No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid all contact.

Environmental precautions

Avoid discharge to sewers or natural waters.

Methods for cleaning up

Avoid dispersion of dust.

Eliminate sources of ignition.

Collect in a suitable container for disposal.

Dispose of waste material in compliance with all federal, state, and local regulations.

Sweep up using non-sparking equipment.

7. HANDLING AND STORAGE

HANDLING

Handling precautions

Avoid dispersion of dust to reduce fire and explosion potential. Take precautionary measures against static discharges.

Page **3** of **9**

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

STORAGE

Storage requirements

Keep away from heat, sparks and flame. Store in a cool, dry and well-ventilated area. Keep container tightly closed.

Further information on storage

Separate from combustible storage by 8 ft. aisles or isolate in a detached building. Do not store over 4 ft. high unless sprinklers are hydraulically designed to produce a density of 0.5 gpm/sq. ft. over the entire area. Maximum Storage Temperature: 55° C (131° F)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

Component	Country	<u>Type</u>	<u>Value</u>	<u>Remark</u>
Azodicarbonamide	UK	United Kingdom	OELV	1 mg/m ³
		United Kingdom	OELV	3 mg/m ³
Zinc compound	USA	PEL, OSHA	5 mg/m ³	Respirable fraction
		PEL, OSHA	15 mg/m ³	Total dust
		TLV-TWA, ACGIH	2 mg/m ³	Respirable fraction
		STEL, ACGIH	10 mg/m ³	Respirable fraction

ENGINEERING CONTROLS

Ventilation

Local exhaust suggested to prevent dust buildup.

PERSONAL PROTECTION

Respiratory protection

In case of occurrence of dust respiratory protective equipment required.

Hand protection / protective gloves

Wear chemical resistant protective gloves.

Eye protection

Wear safety glasses with side shields.

Skin protection

Wear protective clothing, such as long sleeves to minimize skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical StatePowderColorOrange-yellowOdorCharacteristicOdor thresholdNot AvailablepHNot Available

Melting Point 284 - 302 °F Decomposes

Freezing Point

Initial Boiling Point/Boiling Range

Not applicable
Plash Point

Decomposes

Page **4** of **9**

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

Flammability Limits Upper: Not available

Lower: Not available

Vapor PressureNot applicableVapor DensityNot applicableDensity1.78 g/cm³ at 25 °C

Solubility in water Slightly soluble, Decomposes in alkaline solution

Solubility in organic solventsNo data availablePartitioning CoefficientNot availableAuto ignition TemperatureNot availableDecomposition Temperature284-302 °F

Decomposes without ignition. Bulk quantities may self-ignite if heated.

Viscosity Not applicable

10. STABILITY AND REACTIVITY

Stability: This product is stable only when stored at, or below, the recommended maximum temperature.

Incompatible materials:

Metallic compounds.

Acids.

Bases.

Strong oxidizing agents.

Hazardous reactions:

Keep away from heat.

Hazardous combustion products:

Toxic fumes.

Ammonia.

Oxides of nitrogen.

Oxides of carbon.

Traces of incompletely burned carbon products.

Hazardous polymerization:

Will not occur.

11. TOXICOLOGICAL INFORMATION

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Azodicarbonamide	123-77-3	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.52 mg/L (highest attainable concentration)	
Zinc compound	Trade secret	> 5000 mg/kg bw (rat)	> 2000 mg/kg (Rat)	>5.7 mg/L (4 hours, rat)	
Zinc compound	Trade secret	> 500 < 2000 mg/kg bw (Rat) (similar substance)	No information available	No information available	
Substances	CAS Number	Skin Corrosion / Irritation			
Azodicarbonamide	123-77-3	Not irritating to skin in rabbits			
Zinc compound	Trade secret	Non-irritating to the skin in rabbits and Guinea pigs.			
Zinc compound	Trade secret	May be irritating to the skin.			
Substances	CAS Number	Eye damage/irritation			
Azodicarbonamide	123-77-3	Non-irritating to rabbit's eye			

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

Trade secret	Not expected to be a reproductive toxicant (similar substance). Did not show teratogenic effects in animal experiments (similar substance).	
Trade secret	Not expected to be a reproductive toxicant (similar substance). Did not show	
Trade secret		
Trade Secret	Not expected to be a reproductive toxicant (similar substance). Did not show teratogenic effects in animal experiments (similar substance).	
Trada sassá	animal experiments.	
123-77-3	Animal testing did not show any effects on fertility. Did not show teratogenic effects ir	
	Reproductive toxicity	
T	Т	
Trade secret	No data of sufficient quality are available.	
Trade secret	No information available.	
123-77-3	Did not show carcinogenic effects in animal experiments.	
CAS Number	Carcinogenic Effects	
	, , , , , , , , , , , , , , , , , , , ,	
Trade secret	In vitro tests did not show mutagenic effects (similar substances).	
Trade secret	Not regarded as mutagenic based on recent in vitro and in vivo mutagenicity studies.	
123-77-3	While some in vitro tests showed positive results, in vivo tests were negative.	
CAS Number	Mutagenic Effects	
Trade Secret	INO IIIIOTTIIALIOTI AVAIIADIE	
	No information available. No information available	
	May cause sensitization by inhalation.	
	Respiratory Sensitization	
T		
Trade secret	Not sensitizing in laboratory animals (guinea pig, mouse) (similar substances).	
Trade secret	Did not cause sensitization on laboratory animals (Guinea pigs)	
123-77-3	Not sensitizing in laboratory animals (guinea pig, mouse).	
CAS Number	Skin Sensitization	
•		
Trade secret	Non-irritating to the eye in rabbits. May cause mechanical irritation of the eye. Eye, rabbit: Causes moderate eye irritation	
	CAS Number 123-77-3 Trade secret Trade secret CAS Number 123-77-3 Trade secret Trade secret CAS Number 123-77-3 Trade secret Trade secret Trade secret Trade secret Trade secret Trade secret Trade secret	

classification (similar substances).

Zinc compound

Trade secret

No significant toxicity observed in animal studies at concentrations requiring

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

Substances	CAS Number	Aspiration hazard
Azodicarbonamide	123-77-3	Not applicable
Zinc compound	Trade secret	Not applicable
Zinc compound	Trade secret	Not applicable

12 ECOLOGICAL INFORMATION

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Azodicarbonamide	123-77-3	No information available	EC50 - Fathead minnow (Pimephales promelas) Result: > 50 mg/l Exposure time: 48 h	No information available	EC50 - Water flea (Daphnia magna) Result: 11 mg/l Exposure time: 48 h
Zinc compound	Trade secret	No information available	No information available	No information available	No information available
Zinc compound	Trade secret	No information available	No information available	No information available	No information available

13 DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations. Avoid discharge to sewers

and natural waters. Refer to Section 8: Exposure Controls/Personal Protection

US Waste: In accordance with EPA/RCRA 40 CFR261.21 (a) (2) Ignitability, D001.

14 TRANSPORT INFORMATION

DOT Classification

Proper shipping name: Self-reactive solid Type D

Class: 4.1 UN ID #: UN 3226

IMDG Classification

Proper shipping name: Self-reactive solid Type D

Class: 4.1 UN ID #: UN 3226

ICAO Classification FORBIDDEN BY AIR

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

Chemical name CAS# Max weight %

Zinc compounds Trade secret 15.00

Page **7** of **9**

Version 2.4

Date of Issue: 03/13/2015 **Revision Date: 04/01/2020**

CELOGEN® 780

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in SDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

Chemical name CAS# Max weight %

15.00 Zinc compounds Trade secret

Massachusetts Right-To-Know Substance List (MSL)--Hazardous Substances and Extraordinarily Hazardous Substances on the

MSL must be identified when present in products.

Components present in this product at a level which could require reporting under the statute are:

Chemical name CAS# Max weight %

Zinc compounds Trade secret 15.00

Pennsylvania Right-To-Know Hazardous Substance List--Hazardous Substances and Special Hazardous Substances on the list must be identified when present in products.

Components present in this product at a level which could require reporting under the statute are:

Max weight % Chemical name CAS#

Zinc compounds Trade secret 15.00

New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

Chemical name CAS# New Jersey TS Number

Zinc compound Trade secret CROM316 Zinc compound Trade secret CROM319

Immediate Health Hazard **EPA Hazard Categories (SARA 311, 312):**

CHEMICAL INVENTORY

Canada: This product is on the NDSL.

Europe: The ingredients of this mixture are on the EINECS inventory.

United States: This product is on the TSCA inventory.

Australia: This product is not listed on the AICS inventory.

China: This product is on the IECSC Inventory. Japan: This product is on the ENCS inventory.

This product is listed on the Existing Chemicals List (ECL). Korea:

Philippines: This product is on the PICCS.

Food additive: Not applicable Cosmetics: Not applicable **Pharmaceuticals:** Not applicable

Version 2.4

Date of Issue: 03/13/2015 Revision Date: 04/01/2020

CELOGEN® 780

Food contact

Azodicarbonamide:

21CFR177.1210 Closures with sealing gaskets for food containers additives not to exceed 2 wt. % of gasket composition. As a blowing agents in the manufacture of polyethylene complying with 21CFR177.1520 at a level not to exceed 5 wt. % of the finished polyethylene.

21CFR177.2600 Rubber Articles Intended for repeated uses not to exceed 5 wt. % of composition.

21CFR178.3010 Adjuvant substances used in the manufacture of foamed plastics. As a blowing agents in the manufacture of polye complying with 21CFR177.1520 at a level not to exceed 5 wt. % of the finished polyethylene.

21CFR172.806 Azodicarbonamide as an aging and bleaching ingredient in flour in an amount not to exceed 45 ppm.

16. OTHER INFORMATION

Moderate hazard

Serious hazard

HMIS RATING

2 (HMIS)

3 (HMIS)

Health: 2	Flammability: 3	Reactivity: 1	PPI: X
STP	Standard temperature and pressure		
w/w	Weight/weight		
0 (HMIS)	No hazard		
1 (HMIS)	Slight hazard		

4 (HMIS) Severe hazard
X (HMIS) Personal protection rating to be supplied by user depending on use conditions