

SAFETY DATA SHEET

according to the Globally Harmonized System and US regulation

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

1. IDENTIFICATION

Product name : ARMEEN 18D FLAKES

Product Use Description : Specific use(s): Surfactant

Company : Nouryon Surface Chemistry LLC
131 S Dearborn St, Suite 1000
Chicago IL 60603-5566
US

Telephone : +18009069977

Fax : +13125447188

E-mail address :

Emergency telephone : CANUTEC: +1 613-996-6666 CHEMTREC: +1 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	flakes
Color	white
Odor	ammoniacal
Hazard Summary	Risk of dust explosion.

GHS Classification

Skin irritation, Category 2

Serious eye damage, Category 1

Specific target organ toxicity - repeated exposure, Category 2, Gastrointestinal tract, Liver, Immune system

Aspiration hazard, Category 1

Short-term (acute) aquatic hazard, Category 1

Long-term (chronic) aquatic hazard, Category 1

GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eye damage.

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

H373 May cause damage to organs (Gastrointestinal tract, Liver, Immune system) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P260 Do not breathe dust or fume.

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Carcinogenicity:

IARC

: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Substance

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration [% W/W]
Octadecylamine	124-30-1	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 90 - \leq 100$
Octadecylmethylamine	2439-55-6	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 STOT SE 3; H335 Aquatic Acute 1; H400 M-Factor (Acute): 1	$\geq 1 - < 5$
Diocadecylamine	112-99-2	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 STOT SE 3; H335 Aquatic Acute 2; H401	$\geq 0.1 - \leq 1$

Actual concentration is withheld as a trade secret

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

- General advice : Immediate medical attention is required.
Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
- Inhalation : Obtain medical attention immediately.
Remove to fresh air.
Rinse nose and mouth with water.
- Skin contact : Take off contaminated clothing and shoes immediately.
Carefully remove paste or solidified product.
Wash skin immediately with 0,5 % acetic acid in water, and then with soap and water.
If skin irritation persists, call a physician.
Skin irritation, if untreated, may be prolonged and serious (e.g., necrosis). This may be prevented by early treatment with medium strength corticosteroids.

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Eye contact	<p>: In case of contact with eyes, rinse immediately with 0.5% acetic acid in water for a few minutes, followed by rinsing with plenty of water for as long as possible. Eyelids should be held away from the eyeball to ensure thorough rinsing.</p> <p>Get medical attention immediately. Continue to rinse during transport of patient. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.</p>
Ingestion	<p>: Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.</p>
Notes to physician	
Symptoms	<p>: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.</p>
Risks	<p>: May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure.</p>
Treatment	<p>: Treat symptomatically.</p>

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	<p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p>
Unsuitable extinguishing media	<p>: High volume water jet</p>
Specific hazards during fire fighting / Specific hazards arising from the chemical	<p>: Treat as oil fire. Do not use a solid water stream as it may scatter and spread fire. Water spray may be ineffective unless used by experienced firefighters. Do not allow run-off from fire fighting to enter drains or water courses. Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.</p>
Combustion products	<p>: Carbon oxides Nitrogen oxides (NOx)</p>
Special protective equipment for fire-fighters	<p>: In the event of fire, wear self-contained breathing apparatus.</p>
Further information	<p>: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</p>

See also Section 9. Physical and chemical properties: Safety data

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- | | | |
|--|---|---|
| Personal precautions | : | Use personal protective equipment.
Wear respiratory protection.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation. |
| Emergency measures on accidental release | : | Evacuate personnel to safe areas.
Only qualified personnel equipped with suitable protective equipment may intervene.
Prevent unauthorized persons entering the zone. |
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system.
Discharge into the environment must be avoided. |
| Methods for cleaning up /
Methods for containment | : | Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal. |
| Reference to other sections | : | For disposal considerations see section 13.

For personal protection see section 8. |

7. HANDLING AND STORAGE

Handling

- | | | |
|---|---|--|
| Advice on safe handling | : | For personal protection see section 8.
Avoid formation of respirable particles.
Avoid contact with skin, eyes and clothing.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed.
No sparking tools should be used. |

Storage

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Prevent unauthorized access.
Avoid elevated temperatures.
Keep in a dry place.
Reacts with copper, aluminum, zinc and their alloys
Store at room temperature in the original container.
Keep container tightly closed. |
| Other data | : | No decomposition if stored and applied as directed. |

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis	Form of exposure
Dust		TWA	50 Million particles per cubic foot	2012-07-01	OSHA Z-3	total dust
	Further information	:	a: Based on impinger samples counted by light-field techniques. d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1. mppcf X 35.3 = million particles per cubic meter = particles per c.c			
Dust		TWA	15 mg/m3	2012-07-01	OSHA Z-3	total dust
	Further information	:	d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.			
Dust		TWA	5 mg/m3	2012-07-01	OSHA Z-3	respirable fraction
	Further information	:	d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.			
Dust		TWA	15 Million particles per cubic foot	2012-07-01	OSHA Z-3	respirable fraction
	Further information	:	a: Based on impinger samples counted by light-field techniques. d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1. mppcf X 35.3 = million particles per cubic meter = particles per c.c			
Dust		PEL	10 mg/m3	2014-11-26	CAL PEL	Total dust
Dust		PEL	5 mg/m3	2014-11-26	CAL PEL	respirable dust fraction
	Further information	:	(n): The concentration and percentage of the particulate used for this limit are determined from the fraction passing a size selector with the following characteristics: Aerodynamic Diameter in Micrometers (unit density sphere)..... Percent Passing Selector 0 100 1 97 2 91 3 74 4 50 5 30 6 17 7 9 8 5 10 1			

ACGIH: American Conference of Governmental Industrial Hygienists
 BEI: Biological Exposure Index
 MAC: Maximum Allowable Concentration
 NIOSH: National Institute for Occupational Safety and Health
 OEL: OEL: Occupational exposure limit.
 STEL: Short term exposure limit
 TWA: Time Weighted Average

Appropriate engineering controls

Provide eyewash station and safety shower. Keep solutions of 0.5% acetic acid in water close at hand.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Eye/face protection	: Tightly fitting safety goggles
Hand protection	: Glove material: Nitrile rubber
	: Glove material: butyl-rubber
Skin and body protection	: Protective suit
Respiratory protection	: In the case of dust, vapor or aerosol formation use respirator with an approved filter. Wear full face mask supplied with: Combination filter: ABEKP.
Hygiene measures	: Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Dry-clean contaminated clothing before reuse.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system. Discharge into the environment must be avoided.
----------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	: flakes
Color	: white
Odor	: ammoniacal
Odor Threshold	: No data available

Safety data

pH	: Not applicable
Melting point/range	: 50 - 60 °C
Boiling point/boiling range	: > 300 °C
Flash point	: 100 - 199 °C Method: Pensky-Martens ISO 2719
Ignition temperature	: > 150 °C
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Flammability (liquids)	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Vapor pressure	: < 0.1 hPa at 20 °C

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Relative vapor density	: Not applicable
Density	: 790 kg/m ³ at 60 °C
Relative density	: No data available
Water solubility	: insoluble
Solubility in other solvents	: Soluble in 2-propanol.
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: 7 mPa.s at 60 °C
Viscosity, kinematic	: ca. 8.9 mm ² /s at 60 °C
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

10. STABILITY AND REACTIVITY

Conditions to avoid	: None known.
Materials to avoid	: Reacts with copper, aluminum, zinc and their alloys
Hazardous decomposition products	: Carbon oxides nitrogen oxides (NO _x)
Thermal decomposition	: No data available
Reactivity	: Stable under normal conditions.
Chemical stability	: Stable under recommended storage conditions.
Hazardous reactions	: Dust may form explosive mixture in air.

11. TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION:

Hazard Summary

Acute toxicity	: Not classified based on available information.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/eye irritation	: Causes serious eye damage.

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Respiratory or skin sensitization	: Respiratory sensitization: Not classified based on available information. Skin sensitization: Not classified based on available information.
Germ cell mutagenicity	: Not classified based on available information.
Carcinogenicity	: Not classified based on available information.
Reproductive toxicity	: Not classified based on available information.
STOT-single exposure	: Not classified based on available information.
STOT-repeated exposure	: May cause damage to organs (Gastrointestinal tract, Liver, Immune system) through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.

Potential Health Effects

Inhalation	: Thermal decomposition can lead to release of irritating gases and vapors. Product dust may be irritating to respiratory system. May be fatal if swallowed and enters airways. Inhalation may cause central nervous system effects.
Skin	: Product dust may be irritating to skin. Causes skin irritation. The product may be absorbed through the skin.
Eyes	: Vapor in the eyes may cause irritation and pain. Causes serious eye damage.
Ingestion	: May be harmful if swallowed. May be fatal if swallowed and enters airways.
Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

Toxicology Assessment

Further information	: No further data available.
---------------------	------------------------------

Test result

Acute oral toxicity	: Acute toxicity estimate: 2,427 mg/kg Method: Calculation method
Aspiration toxicity	: May be fatal if swallowed and enters airways.

Carcinogenicity:

IARC	: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

TOXICOLOGY DATA FOR THE INGREDIENTS:

Test result

Component: Octadecylamine

Acute oral toxicity : LD50: > 2,000 - 5,000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Skin irritation : Species: Rabbit
Result: Irritating to skin.
Method: OECD Test Guideline 404

Eye irritation : Species: Rabbit
Result: Risk of serious damage to eyes.
Method: OECD Test Guideline 405

Sensitization : Maximization Test
Species: Guinea pig
Result: negative
Method: OECD Test Guideline 406
Read-across (Analogy)

Target Organ Systemic Toxicant - Repeated exposure : Target Organs: Gastrointestinal tract, Liver, Immune system
May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity : May be fatal if swallowed and enters airways.

Component: Octadecylmethylamine

Acute oral toxicity : LD50: > 2,000 mg/kg
Species: Rat
Read-across (Analogy)

Skin irritation : Result: Irritating to skin.

Eye irritation : Result: Irritating to eyes.

Target Organ Systemic Toxicant - Single exposure : May cause respiratory irritation.

Component: Dioctadecylamine

Acute oral toxicity : LD50: > 2,000 mg/kg
Species: Rat
Read-across (Analogy)

Skin irritation : Result: Irritating to skin.

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Eye irritation : Result: Irritating to eyes.

Target Organ Systemic : May cause respiratory irritation.

Toxicant - Single exposure

12. ECOLOGICAL INFORMATION

PRODUCT INFORMATION:

Ecotoxicology Assessment

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Further information on ecology

Hazardous to the ozone layer

Regulation : 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

COMPONENTS:

Test result

Component: Octadecylamine

Ecotoxicity effects

Toxicity to fish : LC50: > 0.01 - 0.1 mg/l
Exposure time: 96 h
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 203
Read-across (Analogy)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 0.01 - 0.1 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
Read-across (Analogy)

Toxicity to algae : EC50: > 0.01 - 0.1 mg/l
Exposure time: 72 h
Species: Scenedesmus subspicatus (algae)
Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Bioaccumulation : Bioconcentration factor (BCF): > 500

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Mobility : No data available

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D
Read-across (Analogy)

Further information on ecology

Biochemical Oxygen Demand (BOD) : No data available

Component: Octadecylmethylamine

Ecotoxicity effects

Toxicity to fish : LC50: > 0.1 - 1 mg/l
Exposure time: 96 h
Species: Fish
Read-across (Analogy)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 10 - 100 mg/l
Exposure time: 48 h
Species: Daphnia
Read-across (Analogy)

Toxicity to algae : IC50: > 0.1 - 1 mg/l
Exposure time: 72 h
Species: algae
Read-across (Analogy)

M-Factor (Acute) : 1

Elimination information (persistence and degradability)

Bioaccumulation : No data available

Mobility : No data available

Biodegradability : Result: Readily biodegradable.
Read-across (Analogy)

Further information on ecology

Biochemical Oxygen Demand (BOD) : No data available

Component: Dioctadecylamine

Ecotoxicity effects

Toxicity to fish : LC50: > 1 - 10 mg/l
Exposure time: 96 h
Species: Fish
Read-across (Analogy)

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

Elimination information (persistence and degradability)

Bioaccumulation	: No data available
Mobility	: No data available
Biodegradability	: Result: Readily biodegradable.

Further information on ecology

Biochemical Oxygen Demand (BOD)	: No data available
---------------------------------	---------------------

13. DISPOSAL CONSIDERATIONS

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Hazardous waste Dispose of contents/container in accordance with local regulation.
	: Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Alkylamine)
Class	: 9
Packing group	: III
Labels	: 9
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Alkylamine)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

(Alkylamine)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

NOM-002-SCT

Not regulated as a dangerous good

15. REGULATORY INFORMATION

Notification status

TCSI	: YES. On the inventory, or in compliance with the inventory
TSCA	: YES. All substances listed as active on the TSCA inventory
AICS	: YES. On the inventory, or in compliance with the inventory
DSL	: YES. All components of this product are on the Canadian DSL
ENCS	: YES. On the inventory, or in compliance with the inventory
ISHL	: YES. On the inventory, or in compliance with the inventory
KECI	: YES. On the inventory, or in compliance with the inventory
PICCS	: YES. On the inventory, or in compliance with the inventory
IECSC	: YES. On the inventory, or in compliance with the inventory
NZIoC	: YES. On the inventory, or in compliance with the inventory

For explanation of abbreviations, see section 16.

TSCA list

TSCA 5(a)(2)	: No substances are subject to a Significant New Use Rule.
TSCA 12(b)	: No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard
-----------------------------	---

SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
-----------------	---

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H401	: Toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

CAL PEL	: California permissible exposure limits for chemical contaminants (Title 8, Article 107)
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
CAL PEL / PEL	: Permissible exposure limit
OSHA Z-3 / TWA	: 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information


HMIS Classification

: Health Hazard: 3
Flammability: 1
Physical hazards: 0

Health Hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Classification

: Health Hazard: 3
Fire Hazard: 1
Reactivity Hazard: 0
Health Hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0



Notification status explanation

TCSI	Taiwan Chemical Substance Inventory (TCSI)
TSCA	United States TSCA Inventory
AICS	Australia Inventory of Chemical Substances (AICS)
DSL	Canadian Domestic Substances List (DSL)
ENCS	Japan. ENCS - Existing and New Chemical Substances Inventory
ISHL	Japan. ISHL - Inventory of Chemical Substances
KECI	Korea. Korean Existing Chemicals Inventory (KECI)
PICCS	Philippines Inventory of Chemicals and Chemical Substances (PICCS)
IECSC	China. Inventory of Existing Chemical Substances in China (IECSC)
NZIoC	New Zealand. Inventory of Chemical Substances

Further information

Revision Date 03/24/2020

ARMEEN 18D FLAKES

Version 1

Revision Date 03/24/2020

Print Date 05/08/2020

US / Z8

The information in this safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the context of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.