**Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Styleze™ 2000

polymer

™ Trademark, Ashland or its subsidiaries, registered in

Regulatory Information Number

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet

Emergency telephone number 1-800-ASHLAND (1-800-274-5263)

Ashland

P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

+1-614-790-3333

Product Information +1-614-790-3333

1-800-325-3751

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : **Prevention:**

Keep dust/air mixtures away from ignition sources.

Other hazards

None known.

P Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze™ 2000 polymer	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839485	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous componentsNo hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Specific hazards during

firefighting

: Organic dusts at sufficient concentration can form explosive

mixtures in air.

P Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

: Avoid dust formation.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

: Avoid dust formation. Advice on safe handling

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Conditions for safe storage

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

No smoking.

Ashland always solving ™	Page: 4
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide appropriate exhaust ventilation at places where dust

is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

Safety shoes

Hygiene measures : Avoid breathing dust.

P Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze™ 2000 polymer	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839485	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : 0.152 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

P Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Hazardous decomposition

products No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

: Inhalation Skin contact

Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Ashland always solving ™	Page: 7
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze™ 2000 polymer	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839485	

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic

hazard

Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

P Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze™ 2000 polymer	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839485	

Mobility in soil No data available Other adverse effects No data available

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life

with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

CFR_RAIL_C

	Not dangerous goods

ILS DOT - INLAND WATERWAYS

J.S. DOT - INLAND WATERWAYS	
Not dangerous goods	

TDG_ROAD_C

P	Ashlai always solv	\mathbf{nd}^{m}					Page: 9
SAFETY DA	TA QUEET				Rev	vision Date: 0	9/04/2018
SAILIIDA	IA SIILLI					Print Date: 9	
					SDS I	Number: 0000	
Styleze™ 2000 p ™ Trademark, As in various countri 839485	shland or its subs	idiaries, regist	ered				rsion: 1.2
	Not dangerous	goods					
TDG_RAIL_C	Not dangerous	goods					
TDG_INWT_C	Not dangerous	goods					
NTERNATIONAL	MARITIME DAN Not dangerous		ODS				
NTERNATIONAL	AIR TRANSPOR		ION - CAR	GO			
NTERNATIONAL	AIR TRANSPOR		ION - PAS	SENGER			
MX_DG	Not dangerous	goods					
ORM = ORM-D	CBL = COMBUS	LIBI E I IOLIID					
ORM = ORM-D, (TIBLE LIQUID					

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839485	

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

2-Propenoic acid, 2-methyl-, dodecyl ester, 83120-95-0

polymer with 1-ethenyl-2-pyrrolidinone and

2-propenoic acid

New Jersey Right To Know

2-Propenoic acid, 2-methyl-, dodecyl ester, 83120-95-0

polymer with 1-ethenyl-2-pyrrolidinone and

2-propenoic acid

WATER 7732-18-5

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not

on the Canadian DSL and have annual quantity limits.

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : On TSCA Inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 09/04/2018



NFPA Flammable and Combustible Liquids ClassificationNot applicable

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Ashland always solving Solving	Page: 12
SAFETY DATA SHEET	Revision Date: 09/04/2018
	Print Date: 9/21/2018
	SDS Number: 000000287238
Styleze [™] 2000 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 839485	Version: 1.2

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative