

ROYCO 22MS MIL-G-81827A

Version: 1.0	Revision Date: 12/05/2014	Print Date: 04/22/2015
SECTION 1. PRODUCT AND C	OMPANY IDENTIFICATION	
Product name	: ROYCO 22MS MIL-G-81827A	
Product Use Description:	Lubricant	
Company:	<u>Manufacturer</u> Anderol Specialty Lubricants, a division o 215 Merry Lane East Hanover, NJ 07936 United States of America	of Chemtura Corporation
	Telephone: +1 203-573-4596, Toll Free	: +1 888-263-3765
Emergency telephone number:	CHEMTREC: (24 hours) 800-424-9300 : : 703-527-3887	
	For additional emergency telephone nun Data Sheet.	nbers see section 16 of the Safety
Prepared by	Product Safety Department (US) +1 866-430-2775	
	MSDSRequest@chemtura.com	
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Lubricant	
Restrictions on use	: Reserved for industrial and profe	essional use.

SECTION 2. HAZARDS IDENTIFICATION

Form	viscous liquid
Colour	black
Odour	mild hydrocarbon-like

GHS Classification

Skin sensitisation Carcinogenicity Acute aquatic toxicity Chronic aquatic toxicity GHS Label element	: Category 1 : Category 1B : Category 2 : Category 3	
Signal word	: Danger	
SAP 6.0 SDS 2012-2 NA GHS	1 / 13	SDS Number: 40000001766

NDEKOL	SAFETY DATA SHEET
ecialty Lubricants	
1	OYCO 22MS MIL-G-81827A
ersion: 1.0	Revision Date: 12/05/2014 Print Date: 04/22/2
Hazard pictograms	
Hazard statements	 H317 May cause an allergic skin reaction. H350 May cause cancer. H401 Toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Other hazards	: None
Precautionary statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray P272 Contaminated work clothing should not be allowed of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves. P281 Use personal protective equipment as required. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and w P308 + P313 IF exposed or concerned: Get medical advice attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved wasted disposal plant.
Self-ignitable	: No data available
Carcinogenicity:	
IARC	Group 2A: Probably carcinogenic to humans
	sodium nitrite 7632-00-0
OSHA	Group 2A: Probably carcinogenic to humans No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
NTP	carcinogen by OSHA. No component of this product present at levels greater than or



ROYCO 22MS MIL-G-81827A

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

equal to 0.1% is identified as a known or anticipated carcinogen by NTP. Known to be human carcinogen Quartz (SiO2) 14808-60-7

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
molybdenum disulphide	1317-33-5	>= 1 - < 5 %
Graphite	7782-42-5	>= 1 - < 5 %
NJTS-46728100000-0001		>= 1 - < 5 %
sodium nitrite	7632-00-0	>= 1 - < 5 %
pentaerythritol	115-77-5	>= 1 - < 5 %
NJTS#: 46728100000-0002 - Proprietary amine		>= 0.1 - < 1 %
Quartz (SiO2)	14808-60-7	>= 0.1 - < 1 %
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8	>= 0.1 - < 1 %

SECTION 4. FIRST AID MEASURES

If inhaled	Remove to fresh air. Aspiration may cause pulmonary oedema and pneumo If breathing is difficult, give oxygen. If symptoms persist, call a physician.	onitis.
In case of skin contact	Wash off with warm water and soap. If skin irritation persists, call a physician.	
In case of eye contact	Rinse immediately with plenty of water, also under the for at least 15 minutes. Obtain medical attention.	eyelids,
If swallowed	Obtain medical attention. Never give anything by mouth to an unconscious perso	on.
Most important symptoms and effects, both acute and delayed	Sensitisation	
Notes to physician	For specialist advice physicians should contact the Po Information Service.	isons

SECTION 5. FIREFIGHTING MEASURES Suitable extinguishing media : (on small fires) Carbon dioxide (CO2) Dry chemical Dry sand SAP 6.0 SDS 2012-2 NA GHS 3 / 13



ROYCO 22MS MIL-G-81827A

Version: 1.0	Revision Date: 12/05/2014	Print Date: 04/22/2015
	Extinguishing media - large fires Foam Water mist	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health. 	
Specific extinguishing methods	: Cool containers/tanks with water s	spray.
Special protective equipment for firefighters	 Self-contained breathing apparatus with full face-piece operated in positive pressure mode. Body covering protective clothing, full "turn-out" gear. 	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Wear suitable protective equipment.	
Environmental precautions	: Should not be released into the environment. Do not flush into surface water or sanitary sewer system	۱.
Methods and materials for containment and cleaning up	: Scrape up. Pick up and transfer to properly labelled containers.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear suitable protective equipment. Keep tightly closed. Protect from contamination.
Conditions for safe storage	: Keep tightly closed in a dry, cool and well-ventilated place. Protect from contamination.
Materials to avoid	: Oxidizing agents



ROYCO 22MS MIL-G-81827A

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
molybdenum disulphide	1317-33-5	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
		TWA (Total dust)	10 mg/m3	OSHA P0
Graphite	7782-42-5	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Respirable fraction)	2 mg/m3	ACGIH
		TWA (Respirable)	2.5 mg/m3	NIOSH REL
		TWA (Dust)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (respirable dust fraction)	2.5 mg/m3	OSHA P0
pentaerythritol	115-77-5	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

SAP 6.0 SDS 2012-2 NA GHS

SDS Number: 40000001766



ROYCO 22MS MIL-G-81827A

Version: 1.0 Revision Date: 12/05/2014 Print Date: 04/22/2015 NJTS#: 46728100000-0002 -TWA 10 ml/m3 ACGIH Proprietary amine Quartz (SiO2) 14808-60-7 TWA (total 30 mg/m3 / OSHA Z-3 dust) %SiO2+2 TWA 250 mppcf / OSHA Z-3 (respirable) %SiO2+5 TWA 10 mg/m3 / OSHA Z-3 %SiO2+2 (respirable) 0.05 mg/m3 NIOSH REL TWA (respirable dust) TWA 0.1 mg/m3 OSHA P0 (respirable dust fraction) 0.025 mg/m3 ACGIH TWA (Respirable fraction)

Personal protective equipment

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. Respirator with combination filter for vapour/particulate (EN 141).
Hand protection Remarks	:	Impervious gloves
Eye protection	:	Safety glasses with side-shields or Tightly fitting safety goggles
Skin and body protection	:	impervious clothing
Hygiene measures	:	If high pressure forces the product under the skin get immediate medical attention!
		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAP 6.0 SDS 2012-2 NA GHS	6 / 13	SDS Number: 40000001766
Melting point/range	:	
рН	: No data available	
Odour Threshold	: No data available	
Odor	: mild hydrocarbon-like	
Color	: black	
Appearance	: viscous liquid	



ROYCO 22MS MIL-G-81827A

/ersion: 1.0	Revision Date: 12/05/2014	Print Date: 04/22/2015
	No data available	
Boiling point/boiling range	: No data available	
Evaporation rate	: No data available	
Flash point	: > 230 °C Method: open cup	
Auto-flammability	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: Not applicable	
Relative vapour density	: No data available	
Relative density	: 0.8	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Contamination
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides Oxides of calcium Sulphur oxides



ROYCO 22MS MIL-G-81827A

rsion: 1.0	Revision Date: 12/05/2014	Print Date: 04/22/2015
CTION 11. TOXICOLOGICAL I	NFORMATION	
Acute oral toxicity (Product)	: LD50: > 5,000 mg/kg Species: Rat Remarks: Information given is substances.	based on data obtained from simi
Acute inhalation toxicity pentaerythritol (Component)	: LC0: > 11 mg/l Exposure time: 6 h Species: Rat Test substance: see user defi Remarks: Information given is substances.	ned free text based on data obtained from simi
Acute dermal toxicity Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component) pentaerythritol (Component)	: LD50: > 2,000 mg/kg Species: Rat : LD50: 10,000 mg/kg	
NJTS#: 46728100000-0002 - Proprietary amine	Species: Rabbit : LD50 Dermal: > 5,000 mg/kg Species: Rabbit	
(Component) Skin irritation Benzenamine, N-phenyl-, reaction products with 2,4,4-	: Species: Rabbit Result: No skin irritation	
trimethylpentene (Component) pentaerythritol (Component)	Method: OECD Test Guideline : Species: Rabbit Result: No skin irritation Method: OECD Test Guideline Remarks: Information given is substances.	
NJTS#: 46728100000-0002 - Proprietary amine (Component)	: Species: Rabbit Result: No skin irritation Method: Draize Test	

Eye irritation Benzenamine, N-phenyl-,	: Species: Rabbit	
reaction products with 2,4,4-	Result: No eye irritation	
trimethylpentene (Component)	Method: OECD Test Guideline 405	5
pentaerythritol (Component)	: Species: Rabbit	
	Result: No eye irritation	
	Method: OECD Test Guideline 405	5
	Remarks: Information given is bas	ed on data obtained from similar
SAP 6.0 SDS 2012-2 NA GHS	8 / 13	SDS Number: 40000001766



ROYCO 22MS MIL-G-81827A

Revision Date: 12/05/2014 Print Date: 04/22/2015 Version: 1.0 substances. NJTS#: 46728100000-0002 - : Species: Rabbit Proprietary amine Result: No eye irritation Method: OECD Test Guideline 405 (Component) Sensitisation Benzenamine, N-phenyl-, : Species: Guinea pig reaction products with 2,4,4-Classification: Did not cause sensitisation on laboratory animals. trimethylpentene Method: OECD Test Guideline 406 (Component) NJTS#: 46728100000-0002 - : Maximisation Test (GPMT) Proprietary amine Species: Guinea pig (Component) Classification: May cause sensitisation by skin contact. Result: May cause sensitisation by skin contact. Patch Test Species: Human Classification: May cause sensitisation by skin contact. Result: The product is a skin sensitiser, sub-category 1A. Aspiration toxicity (Product) : No aspiration toxicity classification CMR effects Benzenamine, N-phenyl-, : Mutagenicity: Not mutagenic in Ames Test. reaction products with 2,4,4trimethylpentene (Component) pentaerythritol (Component) : Mutagenicity: In vitro tests did not show mutagenic effects Reproductive toxicity: No toxicity to reproduction NJTS#: 46728100000-0002 -: Carcinogenicity: Animal testing did not show any carcinogenic effects. Proprietary amine Mutagenicity: Animal testing did not show any mutagenic effects., Tests (Component) on bacterial or mammalian cell cultures did not show mutagenic effects. Quartz (SiO2) (Component) : Carcinogenicity: Human carcinogen. Mutagenicity: Animal testing did not show any mutagenic effects. : No data is available on the product itself. Further information (Product) **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity to fish (Product)	: Remarks: No data available	
SAP 6.0 SDS 2012-2 NA GHS	9 / 13	SDS Number: 40000001766

Ecotoxicity effects



ROYCO 22MS MIL-G-81827A

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

Toxicity to daphnia and other aquatic invertebrates

.0 SDS 2012-2 NA GHS		10 / 13	SDS Number: 400000001766
Elimination information (persi	ist	ence and degradability)	
NJTS#: 46728100000-0002 - Proprietary amine (Component)	:	NOEC: 0.02 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Analytical monitoring: yes	
		atic invertebrates (Chronic toxicity) NOEC: > 1,000 mg/l Exposure time: 21 d Survival Species: Daphnia magna (Water flea)	
		EC50: > 10,000 mg/l Exposure time: 3 h Species: Bacteria	
Toxicity to bacteria NJTS#: 46728100000-0002 - Proprietary amine (Component)	:	EC50: 2 mg/l Exposure time: 48 h Species: Protozoa	
pentaerythritol (Component)	:	EC50: > 1,000 mg/l Exposure time: 72 h Species: Algae Method: OECD Test Guideline 201	
Toxicity to algae Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component)	:	EbC50: > 100 mg/l Exposure time: 72 h Species: Desmodesmus subspicatus (gre Method: OECD Test Guideline 201	en algae)
NJTS#: 46728100000-0002 - Proprietary amine (Component)	:	EC50: 0.68 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) semi-static test Analytical monitoring: yes	
pentaerythritol (Component)	:	EC50: 600 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea)	
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component)	:	EC50: 51 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202	



ROYCO 22MS MIL-G-81827A

'ersion: 1.0	Revision Date: 12/05/2014	Print Date: 04/22/2015
Bioaccumulation (Product)	: Remarks: No data available	
Mobility (Product)	: Remarks: No data available	
Biodegradability (Product)	: Remarks: No data available	
Further information on eco	logy	
Ecotoxicology Assessment	t	
Results of PBT assessment (This mixture contains no sub- Additional ecological information (Product)	stance considered to be persistent, bioa	product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: In accordance with local and national regulations.
---------------------	--

SECTION 14. TRANSPORT INFORMATION

ADR Not dangerous goods

RID Not dangerous goods

MERCOSUR Not dangerous goods

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods



ROYCO 22MS MIL-G-81827A

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard Chronic Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313: sodium nitrite 7632-00-0 1.375
US State Regulations	
California Prop 65 Quartz (Sid aniline The components of this p US.TSCA DSL AICS NZIOC ENCS KECI PICCS IECSC CH INV	 WARNING! This product contains a chemical known to the State of California to cause cancer. 2) 14808-60-7 62-53-3 Douct are reported in the following inventories: On TSCA Inventory All components of this product are on the Canadian DSL. Not in compliance with the inventory Not in compliance with the inventory The formulation contains substances listed on the Swiss Inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number



ROYCO 22MS MIL-G-81827A

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.