



## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name: ROYCO 315 MIL-PRF-3150E

Product Use Description: Lubricant

Company: Anderol Specialty Lubricants, a division of Chemtura Corporation

215 Merry Lane East Hanover, NJ

07936

United States of America

Telephone: 973-887-7410

Emergency telephone

number:

CHEMTREC: (24 hours) 800-424-9300

: 703-527-3887

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by: <u>Product Safety Department</u>

(US) +1 866-430-2775

+011-886-2-2712-5668 MSDSRequest@chemtura.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

$\frown$ A $\mid$		CI.	$\frown$	N	
CA	U		U	N	ı

**OSHA Hazards** 

<u>Form</u>: liquid <u>Colour</u>: amber <u>Odour</u>: mild characteristic

Hazard Summary Causes eye and skin irritation.

THIS MATERIAL IS HAZARDOUS UNDER THE CRITERIA OF

THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD

29CFR 1910.1200.

SAP 6.0 1 / 8 SDS Number: 400000001769





## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

**Potential Health Effects** 

Primary Routes of Entry : Eye contact

Skin contact

Aggravated Medical

Condition Inhalation

: Skin disorders

: May cause respiratory tract irritation.

Skin : Causes skin irritation.

Prolonged or repeated contact may dry skin and cause irritation.

Eyes : Causes eye irritation.

Ingestion : May be harmful if swallowed.

Aspiration hazard if swallowed - can enter lungs and cause damage.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Component	CAS-No.	Weight percent
sodium dinonylnaphthalenesulphonate	26834-28-6	1 - 5 %

### **SECTION 4. FIRST AID MEASURES**

## First aid procedures

Inhalation : If inhaled

Move to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as

quickly as possible.

If symptoms persist, call a physician.

Skin contact : In case of skin contact

Wash off with soap and water.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Get medical attention if irritation develops and persists.

Eye contact : In case of eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

SAP 6.0 2 / 8 SDS Number: 400000001769





## ROYCO 315 MIL-PRF-3150E

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

If eye irritation persists, consult a specialist.

Ingestion : If swallowed, DO NOT induce vomiting.

Consult a physician if necessary.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Flammable properties

Flash point  $: > 446 \, ^{\circ}\text{F} (230 \, ^{\circ}\text{C})$ 

Ignition temperature : Remarks: not determined

: Remarks: no data available Lower explosion limit

Upper explosion limit : Remarks: no data available

Fire fighting

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder

Foam

Alcohol-resistant foam

Water mist

Unsuitable extinguishing

media

: Water

Further information : In the event of fire, cool tanks with water spray.

Protective equipment and precautions for firefighters

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

: Should not be released into the environment. Environmental precautions

Do not contaminate water.

Do not flush into surface water or sanitary sewer system.

Methods for containment / Methods for cleaning up

: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and transfer to a container for disposal

according to local / national regulations (see section 13).

**SAP 6.0** 3/8 SDS Number: 40000001769





## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

Additional advice : Forms slippery/greasy layers with water.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Handling procedures : Handle in accordance with good industrial hygiene and safety practice.

Keep container closed when not in use. Do not use pressure to empty drums.

Ensure all equipment is electrically grounded before beginning transfer

operations.

**Storage** 

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated place.

Other data : Stable under recommended storage conditions.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Exposure Guidelines**

Contains no substances with occupational exposure limit values.

**Engineering measures** 

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Hand protection : Neoprene gloves

Skin and body protection : impervious clothing

Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.

In the case of vapour formation use a respirator with an approved filter.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation. Do not breathe dust or spray mist.

SAP 6.0 4 / 8 SDS Number: 40000001769





## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** 

Form : liquid Colour : amber

Odour : mild

characteristic

Safety data

Flash point :  $> 446 \, ^{\circ}\text{F} \, (230 \, ^{\circ}\text{C})$ 

Ignition temperature : Remarks: not determined

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

pH : Note: not applicable

Pour point :  $< -58 \,^{\circ}\text{F} (-50 \,^{\circ}\text{C})$ 

Boiling point/boiling range : Note: no data available

Vapour pressure : Note: no data available

Specific Gravity : 0.99 at 15.6 °C

Water solubility : Note: slightly soluble

#### **SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid : Remarks: Heat.

Materials to avoid : Remarks: Strong acids and strong bases

Hazardous decomposition

products

: Note: Carbon oxides

Hazardous reactions : Hazardous polymerisation does not occur.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Further information : No data is available on the product itself.

SAP 6.0 5 / 8 SDS Number: 400000001769





## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

### 12. ECOLOGICAL INFORMATION

## Further information on ecology

Additional ecological

: No information on ecology is available.

information

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Further information : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

### **DOT**

Not dangerous goods

#### TDG

Not dangerous goods

#### **IATA**

Not dangerous goods

## **IMDG**

Not dangerous goods

### **RID**

Not dangerous goods

## **SECTION 15. REGULATORY INFORMATION**

OSHA Hazards : This material is hazardous under the criteria of the Federal OSHA Hazard

Communication Standard 29CFR 1910.1200.

SARA 311/312 Hazards : Acute Health Hazard

SAP 6.0 6 / 8 SDS Number: 400000001769





# **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

AICS On the inventory, or in compliance with the inventory

**ENCS** On the inventory, or in compliance with the inventory

**KECI** On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

**IECSC** On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

**Further information** 


**HMIS Classification** : Health hazard: 1

Flammability: 1 Reactivity: 0

NFPA Classification : Health hazard: 1

Fire Hazard: 1

Reactivity Hazard: 0



## Other Emergency Phone Number

Latin America:	Brazil	+52 113 711 91 44
	All other countries	+44 (0)208 762 8322
Mexico:		+52 555 004 87 63





## **ROYCO 315 MIL-PRF-3150E**

Version: 1.0 Revision Date: 11/29/2010 Print Date: 03/06/2013

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAP 6.0 8 / 8 SDS Number: 400000001769