

# Fluoroguard<sup>™</sup> PCA

Version 5.3	Revision Date: 02/20/2020	SDS Number: 1745760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017							
SECTIO	SECTION 1. IDENTIFICATION									
Pro	duct name	: Fluoroguard <sup>⊤</sup>	M PCA							
SDS	S-Identcode	: 13000003646	37							
Ма	ufacturer or supplier's	details								
Cor	npany name of supplier	: The Chemou	rs Company FC, LLC							
Add	ress		1007 Market Street Wilmington, DE 19801 United States of America (USA)							
Tele	ephone	: 1-844-773-Cł	HEM (outside the U.S. 1-302-773-1000)							
Em	ergency telephone	773-2000) ;	gency: 1-866-595-1473 (outside the U.S. 1-302- Transport emergency: +1-800-424-9300 (outside 03-527-3887)							
Rec	commended use of the	chemical and restr	ictions on use							
Rec	commended use	: Lubricant								
Res	trictions on use	tions involving internal body written agree	use only. resell Chemours™ materials in medical applica- g implantation in the human body or contact with fluids or tissues unless agreed to by Seller in a ment covering such use. For further information, ct your Chemours representative.							

### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: PFPE fluid
CAS-No.	: Trade secret



Version 5.3	Revision Date: 02/20/2020		DS Number: 45760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017
	<b>ponents</b> azardous ingredients			
SECTION	4. FIRST AID MEASUR	RES		
lf inha	aled	:	If inhaled, remove Get medical atter	e to fresh air. tion if symptoms occur.
In cas	In case of skin contact			and soap as a precaution. tion if symptoms occur.
In cas	In case of eye contact			ater as a precaution. tion if irritation develops and persists.
lf swa	allowed	:	Get medical atter	NOT induce vomiting. tion if symptoms occur. oughly with water.
	important symptoms ffects, both acute and ed	:	Irritation Shortness of brea	ith
Prote	ction of first-aiders	:	No special preca	utions are necessary for first aid responders.
Notes	s to physician	:	Treat symptomati	cally and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if





Version 5.3	Revision Date: 02/20/2020		9S Number: 45760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017			
for fire	for fire-fighters		necessary. Use personal protective equipment.				
SECTION	6. ACCIDENTAL RELE	ASI	EMEASURES				
tive e	Personal precautions, protec- tive equipment and emer- gency procedures		Follow safe handling advice and personal protective equipment recommendations.				
Envir	Environmental precautions		Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.				
	Methods and materials for containment and cleaning up		For large spills, ment to keep ma pumped, store r Clean up remain bent. Local or national sal of this mater ployed in the cle which regulation Sections 13 and	ert absorbent material. provide diking or other appropriate contain- aterial from spreading. If diked material can be ecovered material in appropriate container. hing materials from spill with suitable absor- al regulations may apply to releases and dispo- ial, as well as those materials and items em- eanup of releases. You will need to determine his are applicable. I 15 of this SDS provide information regarding mational requirements.			

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2019
5.3	02/20/2020	1745760-00008	Date of first issue: 06/14/2017

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** 

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

#### Personal protective equipment

2

1

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Version 5.3	Revision Date: 02/20/2020		DS Number: 745760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017
			Follow OSHA res use NIOSH/MSH by air purifying re dous chemical is respirator if there exposure levels a	priate respiratory protection should be worn. spirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided espirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance og respirators may not provide adequate
Hand	d protection			
R	emarks	:	Wash hands befo	pre breaks and at the end of workday.
Eye	protection	:	Wear the followin Safety glasses	ng personal protective equipment:
Skin	and body protection	:	Skin should be w	ashed after contact.
Hygid	ene measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous, liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	> -71 °F / > -57 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable



# Fluoroguard<sup>™</sup> PCA

Vers 5.3	sion	Revision Date: 02/20/2020		S Number: 5760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	•
	Vapor p	pressure	:	No data available	)
	Relative	e vapor density	:	No data available	9
	Relative	e density	:	1.86 - 1.91	
	Solubili Wat	ty(ies) er solubility	:	negligible	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Autoign	nition temperature	:	No data available	)
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosi <sup>.</sup> Visc	ty osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Particle	SIZE	:	Not applicable	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.		
Chemical stability	:	Stable under normal conditions.		
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.		
Conditions to avoid	:	None known.		
Incompatible materials	:	None.		
Hazardous decomposition products				

:	Hydrofluoric acid
	Carbonyl difluoride
	Carbon dioxide
	Carbon monoxide



# Fluoroguard<sup>™</sup> PCA

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2019
5.3	02/20/2020	1745760-00008	Date of first issue: 06/14/2017

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available



Persistence	rision Date: 20/2020	-	S Number: 15760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017
	and degradab	ility		
No data ava				
<b>Bioaccumu</b> No data ava	lative potential ilable			
<b>Mobility in</b> No data ava				
<b>Other adve</b> No data ava				
CTION 13. DI	SPOSAL CONS	IDER	ATIONS	
Disposal m	ethods			
Waste from	residues	:	Dispose of in a	ccordance with local regulations.
Contaminate	ed packaging	:	handling site fo	rs should be taken to an approved waste r recycling or disposal. specified: Dispose of as unused product.
	ANSPORT INF	ORM	ATION	
<b>UNRTDG</b> Not regulate	d as a dangerou	ıs goo	d	
IATA-DGR Not regulate	d as a dangerou	ıs goo	d	
IMDG-Code Not regulate	e d as a dangerou	is goo	d	
0	n bulk accordir	-		RPOL 73/78 and the IBC Code
Transport i				
Transport i				
Transport i Not applicat Domestic re		ıs goo	d	

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity** This material does not contain any components with a section 302 EHS TPQ.

### SARA 311/312 Hazards : No SARA Hazards



Version 5.3	Revision Date: 02/20/2020	SDS Number: 1745760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017			
SARA	313	known CAS nu	does not contain any chemical components with umbers that exceed the threshold (De Minimis) s established by SARA Title III, Section 313.			
US Sta	ate Regulations					
Penns	Pennsylvania Right To Know PFPE fluid Trade secret					
California Prop. 65						
WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.						
SECTION 1	6. OTHER INFORMA	TION				
Furthe	er information					



Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors.

Full text of	other abbreviations
--------------	---------------------

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2 ACGIH / TWA ACGIH / STEL	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2 8-hour, time-weighted average Short-term exposure limit



Version 5.3	Revision Date: 02/20/2020	SDS Number: 1745760-00008	Date of last issue: 10/25/2019 Date of first issue: 06/14/2017
ACGI		: Ceiling limit	
NIOSI	H REL / TWA		d average concentration for up to a 10-hour ng a 40-hour workweek
NIOSI	H REL / ST		nute TWA exposure that should not be exceeded uring a workday
NIOSI	H REL / C	: Ceiling value	not be exceeded at any time.
	A Z-1 / TWA A Z-2 / TWA	: 8-hour time w : 8-hour time w	

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date

: 02/20/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-



Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2019
5.3	02/20/2020	1745760-00008	Date of first issue: 06/14/2017

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8