

Version 6.4	Revision Date: 02/21/2020	SDS Number: 1765516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017
SECTIC	N 1. IDENTIFICATION		
Pro	oduct name	: Krytox™ 240A0	2
SD	S-Identcode	: 130000024138	
Ма	nufacturer or supplier's	details	
Co	mpany name of supplier	: The Chemours	Company FC, LLC
Address		: 1007 Market St Wilmington, DE	reet 19801 United States of America (USA)
Tel	ephone	: 1-844-773-CHE	M (outside the U.S. 1-302-773-1000)
Emergency telephone			ency: 1-866-595-1473 (outside the U.S. 1-302- ransport emergency: +1-800-424-9300 (outside 3-527-3887)
Re	commended use of the o	hemical and restric	tions on use
Re	commended use	: Lubricant	
Restrictions on use		tions involving i internal body flu written agreem	se only. esell Chemours™ materials in medical applica- mplantation in the human body or contact with uids or tissues unless agreed to by Seller in a ent covering such use. For further information, your Chemours representative.

### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES



Version 6.4	Revision Date: 02/21/2020		DS Number: 65516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017	
lf in	If inhaled		If inhaled, remove to fresh air. Get medical attention if symptoms occur.		
In c	ase of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.		
In c	ase of eye contact	:		vater as a precaution. ntion if irritation develops and persists.	
lf sv	If swallowed		Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.	
Most important symptoms and effects, both acute and delayed		:	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation	rovoke the following symptoms: provoke the following symptoms	
Pro	tection of first-aiders	:	No special preca	utions are necessary for first aid responders.	
Notes to physician		:	Treat symptomat	ically and supportively.	

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 6.4	Revision Date: 02/21/2020		OS Number: 65516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017	
			Use personal pro	tective equipment.	
SECTION 6	6. ACCIDENTAL RELE	AS	E MEASURES		
Personal precautions, protec- tive equipment and emer- gency procedures		:	Follow safe handling advice and personal protective equipment recommendations.		
Environmental precautions		:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for containment and cleaning up		:	For large spills, p ment to keep mat pumped, store red Clean up remaining bent. Local or national sal of this materia ployed in the clean which regulations Sections 13 and	t absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dispo- II, as well as those materials and items em- nup of releases. You will need to determine are applicable. IS of this SDS provide information regarding tional requirements.	

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.



Version	Revision Date:	SDS Number:	Date of last issue: 09/27/2019
6.4	02/21/2020	1765516-00011	Date of first issue: 06/23/2017

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

**Engineering measures** 

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

### Personal protective equipment

:

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied



Version 6.4	Revision Date: 02/21/2020		DS Number: /65516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017
			exposure levels a	is any potential for uncontrolled release, are unknown, or any other circumstance g respirators may not provide adequate
Hand	protection			
Remarks		:	Wash hands befo	re breaks and at the end of workday.
Eye protection		:	Wear the followin Safety glasses	g personal protective equipment:
Skin and body protection		:	Skin should be w	ashed after contact.
Hygie	ene measures	:	eye flushing syste king place. When using do ne	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. red clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Versio 6.4	on	Revision Date: 02/21/2020		S Number: 65516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017
V	/apor p	oressure	:	Not applicable	
R	Relative	e vapor density	:	Not applicable	
R	Relative	e density	:	1.89 - 1.93	
S	Solubili Wat	ty(ies) er solubility	:	insoluble	
-	Partition coefficient: n- octanol/water		:	Not applicable	
A	Autoignition temperature		:	No data available	9
D	Decomposition temperature		:	572 °F / 300 °C	
V	/iscosit Visc	y osity, kinematic	:	Not applicable	
E	Explosi	ve properties	:	Not explosive	
C	Oxidizing properties		:	The substance o	r mixture is not classified as oxidizing.
Р	Particle size		:	No data available	9

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.			
Chemical stability	:	Stable under normal conditions.			
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.			
Conditions to avoid	:	None known.			
Incompatible materials	:	None.			
Hazardous decomposition products					

Thermal decomposition	: Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide

### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Skin contact Ingestion Eye contact

### SAFETY DATA SHEET



## Krytox™ 240AC

ersion 4	Revision Date: 02/21/2020	SDS Number: 1765516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017		
	<b>e toxicity</b> lassified based on av	ailable information.			
Skin	corrosion/irritation				
Not c	lassified based on av	ailable information.			
	us eye damage/eye lassified based on av				
Resp	iratory or skin sens	itization			
-	<b>sensitization</b> lassified based on av	ailable information.			
•	iratory sensitization lassified based on av				
	<b>cell mutagenicity</b> lassified based on av	ailable information.			
Carci	nogenicity				
	Not classified based on available information. IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.				
OSH	<b>OSHA</b> No component of this product present at levels greater than or equal to 0.1% on OSHA's list of regulated carcinogens.				
NTP	<b>NTP</b> No ingredient of this product present at levels greater than or equal to 0.1% i identified as a known or anticipated carcinogen by NTP.				
•	oductive toxicity lassified based on av	ailable information			
	-single exposure				
	lassified based on av	ailable information.			
STO	-repeated exposure	•			
	lassified based on av				
Aspir	ation toxicity				
Not c	lassified based on av	ailable information.			

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available



Version 6.4	Revision Date: 02/21/2020	•	DS Number: 765516-00011	Date of last issue: 09/27/2019 Date of first issue: 06/23/2017
•	Other adverse effects No data available			
SECTION 13. DISPOSAL CONSIDERATIONS				
•	osal methods e from residues	:	Dispose of in acc	ordance with local regulations.
Conta	aminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.	

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

### SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

Pennsylvania Right To Know




Version	Revision Date:	SDS Number:	Date of last issue: 09/27/2019
6.4	02/21/2020	1765516-00011	Date of first issue: 06/23/2017

PFPE fluid Fluoropolymer Trade secret Trade secret

### California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

### **SECTION 16. OTHER INFORMATION**



Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.



OSHA Z-2 / TWA

Version	Revision Date: 02/21/2020	SDS Number:	Date of last issue: 09/27/2019
6.4		1765516-00011	Date of first issue: 06/23/2017
OSH	A Z-1 / TWA	: 8-hour time w	eighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

8-hour time weighted average

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date :

: 02/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8