

Versio 6.1	on Revision Date: 03/23/2023		0S Number: 90084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017						
SECT	SECTION 1. IDENTIFICATION									
F	Product name	:	Krytox™ GPL 227							
F	Product code	:	D10173007							
S	SDS-Identcode	:	130000024328							
Ν	Anufacturer or supplier's	deta	ils							
C	Company name of supplier	:	The Chemours Company FC, LLC							
Address			1007 Market Street Wilmington, DE 19801 United States of America (USA)							
Т	elephone	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)							
Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)							
F	Recommended use of the c	hem	nical and restriction	ons on use						
F	Recommended use		Lubricant							
F	Restrictions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.						

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

## SAFETY DATA SHEET



# Krytox<sup>™</sup> GPL 227

/ersion 6.1	Revision Date: 03/23/2023	SDS Number: 1790084-00015		ate of last issue: 10/06/2022 ate of first issue: 06/26/2017			
Chem	nical name	CAS-No		Concentration (% w/w)			
Sodiu	um nitrite	7632-00		>= 1 - < 5			
Actua	al concentration is with	held as a trade sec	ret				
ECTION	4. FIRST AID MEAS	JRES					
lf inha	aled	: If inhaled, re Get medical		fresh air. if symptoms occur.			
In cas	se of skin contact		Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In cas	se of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
lf swa	allowed	Get medical	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.				
	important symptoms effects, both acute and red	Irritation Lung edema	1	ke the following symptoms: voke the following symptoms			

Notes to physician	:	Treat symptomatically and supportively.
--------------------	---	---

Blurred vision Discomfort Lachrymation

Irritation Redness

Irritation

Shortness of breath

Skin contact may provoke the following symptoms:

Inhalation may provoke the following symptoms:

: No special precautions are necessary for first aid responders.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Protection of first-aiders

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides





Version 6.1	Revision Date: 03/23/2023		DS Number: 90084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017		
			Nitrogen oxides (I Metal oxides	NOx)		
Spec ods	ific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	ial protective equipment e-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.			
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES			
tive e	onal precautions, protec- quipment and emer- y procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).		
Envir	onmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages		

Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

cannot be contained.

## SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Do not breathe decomposition products.		
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		



Version 6.1	Revision Date: 03/23/2023	SDS Number: 1790084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017	
Cond	itions for safe storage		erly labeled containers. rdance with the particular national regulations.	
Materials to avoid		: No special restrictions on storage with other products.		
	er information on stor- tability	: No decompos	sition if stored and applied as directed.	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1



Version 6.1	Revision Date: 03/23/2023		OS Number: 90084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017			
Engineering measures		:	Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.				
Pe	rsonal protective equipm	ent					
Respiratory protection		:					
На	and protection						
	Remarks	:	Wash hands befo	re breaks and at the end of workday.			
Ey	Eye protection		Wear the followin Safety glasses	g personal protective equipment:			
Sk	in and body protection	:	Skin should be wa	ashed after contact.			
Hy	giene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide oms and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.			

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling	:	No data available



Vers 6.1		Revision Date: 03/23/2023		S Number: 0084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017
	range				
	Flash po	pint	:	Not applicable	
	Evapora	tion rate	:	Not applicable	
	Flamma	bility (solid, gas)	:	Will not burn	
	Upper e flammat	xplosion limit / Upper bility limit	:	No data available	
		xplosion limit / Lower bility limit	:	No data available	
	Vapor p	ressure	:	Not applicable	
	Relative	vapor density	:	Not applicable	
	Relative	density	:	1.89 - 1.93	
	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Partition octanol/	coefficient: n- water	:	Not applicable	
	Autoigni	tion temperature	:	No data available	)
	Decomp	osition temperature	:	608 °F / 320 °C	
	Viscosity Visco	y osity, kinematic	:	Not applicable	
	Explosiv	e properties	:	Not explosive	
	Oxidizin	g properties	:	The substance or	r mixture is not classified as oxidizing.
	Particle	size	:	No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

# SAFETY DATA SHEET



# Krytox™ GPL 227

/ersion 5.1	Revision Date: 03/23/2023	SDS Number: 1790084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017
Hazaı	rdous decompositio	n products	
	nal decomposition	: Hydrogen f Carbonyl di Carbon dio Carbon mo	fluoride xide
ECTION	11. TOXICOLOGICA	L INFORMATION	
Inforr	nation on likely rout	es of exposure	
Ingest	contact tion ontact		
Acute	e toxicity		
	assified based on ava	ailable information.	
Produ	uct:		
	oral toxicity	: Assessment icity	: The substance or mixture has no acute oral to:
Acute	inhalation toxicity	Exposure tir Test atmosp	y estimate: > 200 mg/l ne: 4 h ohere: dust/mist culation method
Com	oonents:		
Sodiu	ım nitrite:		
Acute	oral toxicity	: LD50 (Rat):	180 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): Exposure tir Test atmosp	
Skin	corrosion/irritation		
-	assified based on ava	ailable information	
	oonents:		
	ım nitrite:		
Speci Metho		: Rabbit	Guideline 404
Resul		: No skin irrita	
1.0001	-		
Serio	us eye damage/eye	irritation	
Not cl	assified based on ava	ailable information.	
Comp	oonents:		
Sodiu	ım nitrite:		
Speci		: Rabbit	
Resul			eyes, reversing within 21 days
		- /	14



sion	Revision Date: 03/23/2023	SDS Number:Date of last issue: 10/06/20221790084-00015Date of first issue: 06/26/2017						
Meth	od	: OECD Test Guideline 405						
Resp	iratory or skin sens	or skin sensitization						
-	sensitization							
		based on available information.						
Resp	iratory sensitizatio							
Not c	lassified based on av	pased on available information.						
Germ	n cell mutagenicity							
Not c	lassified based on av	vailable information.						
Com	ponents:							
Sodi	um nitrite:							
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive						
		Test Type: In vitro mammalian cell gene mutation test Result: positive						
Geno	toxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Intraperitoneal injection</li> <li>Result: negative</li> </ul>						
		Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative						
	inogenicity							
	lassified based on av	vailable information.						
	ponents:							
	um nitrite:							
Spec Appli	les cation Route	: Rat : Ingestion						
	sure time	: 2 Years						
	lt	: negative						
Resu								
	Sodium ni							
Resu	Sodium ni							
Resu	Sodium ni (nitrite (ing A No compo	itrite 7632-00-0						

**Revision Date:** 

03/23/2023

SDS Number:

1790084-00015



Date of last issue: 10/06/2022 Date of first issue: 06/26/2017

# Krytox™ GPL 227

Version

6.1

Not classified based on availa		Information
Components:	1010	
Sodium nitrite:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
STOT-single exposure Not classified based on availa	able	information.
STOT-repeated exposure		
Not classified based on availa	able	information.
Repeated dose toxicity		
Components:		
Sodium nitrite:		
Species NOAEL Application Route	:	Rat 10 mg/kg Ingestion
Exposure time	:	2 у
Aspiration toxicity		
Not classified based on availa	able	information.
Not classified based on availa		
TION 12. ECOLOGICAL INF		
CTION 12. ECOLOGICAL INF		
TION 12. ECOLOGICAL INF Ecotoxicity <u>Components:</u>		
TION 12. ECOLOGICAL INF Ecotoxicity <u>Components:</u> Sodium nitrite:	ORN :	IATION LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l



ersion 1	Revision Date: 03/23/2023	-	DS Number: 90084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017
			mg/l Exposure time: 7	esmus capricornutum (fresh water algae)): 100 72 h Fest Guideline 201
Toxici icity)	ity to fish (Chronic tox-	:	Exposure time: 3	carpio (Carp)): 21 mg/l 30 d Fest Guideline 210
	ity to daphnia and other ic invertebrates (Chron- city)		NOEC (Penaeid Exposure time: 8	Shrimp): 9.86 mg/l 30 d
Toxic	ity to microorganisms	:	EC50: 281 mg/l Exposure time: 4	ι8 h
	stence and degradabil ata available	lity		
	ccumulative potential ta available			
	l <b>ity in soil</b> Ita available			
	<b>adverse effects</b> Ita available			

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

## IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation



Version 6.1	Revision Date: 03/23/2023		DS Number: 90084-00015	Date of last issue: 10/06/2022 Date of first issue: 06/26/2017
	CFR			
UN/	ID/NA number	:	UN 3077	
Pro	per shipping name	:	Environmentally I	nazardous substance, solid, n.o.s.
			(Sodium nitrite)	
Cla	SS	:	9	
Packing group		:		
Lab	els	:	CLASS 9	
ER	G Code	:	171	
Mai	ine pollutant	:	no	
Rer	narks	:	THE ABOVE INF	ORMATION ONLY APPLIES TO PACKAGE
			SIZES WHERE T	HE HAZARDOUS SUBSTANCE MEETS
			THE REPORTAE	LE QUANTITY.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazard	S	
SARA 313	:	: The following components are subject to reporting tablished by SARA Title III, Section 313:		
		Sodium nitrite	7632-00-0	>= 1 - < 5 %

#### **US State Regulations**

#### Pennsylvania Right To Know

PFPE fluid
Fluoropolymer
Sodium nitrite

Trade secret Trade secret 7632-00-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

**Revision Date:** 

# Krytox<sup>™</sup> GPL 227

Version

#### 03/23/2023 1790084-00015 Date of first issue: 06/26/2017 6.1 **California List of Hazardous Substances** Sodium nitrite 7632-00-0 Additional regulatory information Sodium nitrite 7632-00-0 The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product.

SDS Number:

See 40 CFR § 721.4740

### **SECTION 16. OTHER INFORMATION**

#### **Further information** NFPA 704: HMIS® IV: Flammability HEALTH 0 FLAMMABILITY Health Instability 0 0 **PHYSICAL HAZARD** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday

Full text of other abbreviations



0

0

Date of last issue: 10/06/2022



Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
6.1	03/23/2023	1790084-00015	Date of first issue: 06/26/2017
			at he exceeded at any time

NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to : compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

**Revision Date** 

: 03/23/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



Version         Revision I           6.1         03/23/202		Date of last issue: 10/06/2022 Date of first issue: 06/26/2017
--	--	---

US / Z8