Krytox™ GPL 214



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/10/25

 4.2
 2020/02/21
 1765261-00007
 Date of first issue: 2017/06/21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Krytox™ GPL 214

SDS-Identcode : 130000031504

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.

Do not use or resell Chemours[™] materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information,

please contact your Chemours representative.

Manufacturer or supplier's details

Company : Chemours Korea Inc.

Address : 12FL, Majestarcity Tower 1, 12, Seocho-daero 38-gil, Seocho-

gu, Seoul 06655, Korea

Telephone : 82-2-2015-5000

Emergency telephone number : 080 055 3115

Telefax : 82-2-2015-5091

2. HAZARDS IDENTIFICATION

GHS Classification

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety and Health Act (ISHA). It is not regulated for the MSDS creation and labeling by the provision of Article 41 Paragraph 1 of the ISHA.

GHS label elements

Hazard pictograms : Not applicable

Signal word : Not applicable

Hazard statements : Not applicable

Precautionary statements : Prevention:

P264 Wash the contact area thoroughly after handling.

Disposal:

P501 Dispose of contents and container according to wastes

control act.

Krytox™ GPL 214



Version **Revision Date:** SDS Number: Date of last issue: 2019/10/25 2020/02/21 1765261-00007 Date of first issue: 2017/06/21 4.2

Other hazards which do not result in classification

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
PFPE fluid	Proprietary Ingredient	Proprietary Ingredient	>= 70 - < 80
Fluoropolymer	Proprietary Ingredient	Proprietary Ingredient	>= 20 - < 30
Additive	Proprietary Ingredient	Proprietary Ingredient	>= 1 - < 10

No hazardous ingredients

4. FIRST AID MEASURES

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

Wash with water and soap as a precaution. In case of skin contact

Get medical attention if symptoms occur.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Inhalation may provoke the following symptoms:

Irritation

Lung oedema

Eye contact may provoke the following symptoms

Blurred vision Discomfort Lachrymation

Skin contact may provoke the following symptoms:

Irritation Redness

Protection of first-aiders No special precautions are necessary for first aid responders.

Notes to physician Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Hydrogen fluoride carbonyl fluoride

potentially toxic fluorinated compounds

aerosolized particulates

Carbon oxides Metal oxides Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice and personal protective equip-

ment recommendations.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Further information on stor-

age stability

No decomposition if stored and applied as directed.


8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	KR OEL	
	sorbed into the and eye and	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		С	3 ppm (Fluorine)	KR OEL	
	sorbed into the	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		TWA	0.5 ppm (Fluorine)	ACGIH	
		С	2 ppm (Fluorine)	ACGIH	
Carbonyl difluoride	353-50-4	TWA	2 ppm	KR OEL	
		STEL	5 ppm	KR OEL	
		TWA	2 ppm	ACGIH	
		STEL	5 ppm	ACGIH	
Carbon dioxide	124-38-9	STEL	30,000 ppm	KR OEL	





Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

		TWA	5,000 ppm	KR OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	STEL	200 ppm	KR OEL
		TWA	30 ppm	KR OEL
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section

10).

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : Use respiratory protection (gas mask) unless adequate local

exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended expo-

sure guidelines.

Filter type : Combined particulates, acidic gas/vapour and organic vapour

type

Eye protection : Wear the following personal protective equipment:

Safety glasses

Hand protection

Material : Not applicable

Remarks : Wash hands before breaks and at the end of workday.

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Grease

Colour : black

Odour : odourless

Odour Threshold : No data available

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

pH : 7

Melting point/freezing point : 320 °C

Initial boiling point and boiling

range

No data available

Flash point : Method: Pensky-Martens closed cup

Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Will not burn

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Solubility(ies)

Water solubility : No data available

Relative vapour density : Not applicable

Relative density : 1.89 - 1.93

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : 300 °C

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions

Not classified as a reactivity hazard. Stable under normal conditions.

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products

Thermal decomposition : Hydrofluoric acid

Carbonyl difluoride Carbon dioxide Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Skin contact Ingestion Eye contact

Health hazard information

Acute toxicity

Components:

PFPE fluid:

Acute oral toxicity : LD50 (Rat): > 11,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 17,000 mg/kg

Fluoropolymer:

Acute oral toxicity : LD50 (Rat): > 11,280 mg/kg

Additive:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Skin corrosion/irritation

Components:

PFPE fluid:

Species : Rabbit

Result : No skin irritation

Fluoropolymer:

Species : Rabbit

Result : No skin irritation

Species : Human

Result : No skin irritation

Additive:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Components:

PFPE fluid:

Species : Rabbit

Result : No eye irritation

Additive:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

PFPE fluid:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Fluoropolymer:

Exposure routes : Skin contact
Species : Humans
Result : negative

Species : Not tested on animals

Result : negative

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Additive:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Carcinogenicity

Components:

Fluoropolymer:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Additive:

Species : Rat
Application Route : Ingestion
Exposure time : 232 days
Result : negative

Germ cell mutagenicity

Components:

Fluoropolymer:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Additive:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Reproductive toxicity

Components:

Fluoropolymer:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

No data available

STOT - repeated exposure

Components:

Fluoropolymer:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.





Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Repeated dose toxicity

Components:

Fluoropolymer:

Species : Rat

NOAEL : > 20,000 mg/kg LOAEL : > 20,000 mg/kg Application Route : Ingestion

Exposure time : 14 d

Remarks : No significant adverse effects were reported

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

PFPE fluid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l

Exposure time: 72 h

Additive:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 644.2 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 130.9 mg/l

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

aguatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 289.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 17 mg/l

Exposure time: 12 Months

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 156.5 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC: > 950 mg/l

Exposure time: 17 d

Remarks: Based on data from similar materials

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents and container according to wastes control

act.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

UN number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable





Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

16. OTHER INFORMATION

Other information : Krytox™ and any associated logos are trademarks or copy-

rights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The

Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or

nominated distributors.

Further information

Sources of key data used to : compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Issuing date : 2017/06/21

Revision number and date

Number of Revision : 6

Revision Date : 2020/02/21


Date format : yyyy/mm/dd

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

NFPA:



Special hazard

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

KR OEL : Harmful Agents to be kept below Occupational Exposure Lim-

ıts

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

ACGIH / C : Ceiling limit

KR OEL / TWA : Time Weighted Average KR OEL / STEL : Short Term Exposure Limit

KR OEL / C : Ceiling

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

Krytox™ GPL 214



Version Revision Date: SDS Number: Date of last issue: 2019/10/25 4.2 2020/02/21 1765261-00007 Date of first issue: 2017/06/21

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN