

Version 6.4	n Revision 04/22/20			S Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017			
SECTI	SECTION 1. IDENTIFICATION							
Pi	Product name		:	Krytox™ GPL 246	3			
SI	DS-Identcode		:	130000031516				
М	anufacturer o	r supplier's d	leta	ils				
C	ompany name	of supplier	:	The Chemours Co	ompany FC, LLC			
Ad	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)				
Te	Telephone		:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)			
Er	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-3 773-2000) ; Transport emergency: +1-800-424-9300 (out the U.S. +1-703-527-3887)				
Recommended use of the			nem	ical and restriction	ons on use			
R	ecommended ι	ise	:	Lubricant				
R	estrictions on u	se	:	tions involving imp internal body fluid written agreement	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Inhalation)	: Category 4	
Eye irritation	: Category 2A	
GHS label elements Hazard pictograms		
Signal Word	: Warning	
Hazard Statements	: H319 Causes serious eye irrita H332 Harmful if inhaled.	ition.
Precautionary Statements	Prevention:	



/ersion 6.4	Revision Date: 04/22/2020	SDS Number: 1332498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
		P264 Wash ski P271 Use only	athing dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. outdoors or in a well-ventilated area. e protection/ face protection.
		and keep comfo doctor if you fee P305 + P351 + for several minu to do. Continue P337 + P313 If	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy
Other	hazards	tion.	

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 10 - < 20
Actual concentration is withheld as a t	rade secret	

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

SAFETY DATA SHEET



Krytox[™] GPL 246

Version 6.4	Revision Date: 04/22/2020	SDS Nu 1332498		Date of last issue: 01/02/2020 Date of first issue: 02/27/2017	
and	at important symptoms effects, both acute and ayed	Irritat Lung Eye o Blurr Disco Lach Skin Irritat Redr Caus	tion edema contact may ed vision omfort rymation contact may tion		
Pro	ection of first-aiders	and u	use the recor	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).	,
Not	es to physician	: Trea	t symptomati	cally and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice and personal protective
gency procedures	equipment recommendations.

SAFETY DATA SHEET



Krytox[™] GPL 246

Version 6.4	Revision Date: 04/22/2020		0S Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
Environmental precautions		:	Prevent further lea Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages ed.
Methods and materials for containment and cleaning up		:	For large spills, pr ment to keep mat pumped, store rec Clean up remainin bent. Local or national n sal of this materia ployed in the clea which regulations Sections 13 and 1	a absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	



Version 6.4	Revision Date: 04/22/2020	SDS Number: 1332498-00037		st issue: 01/02/2020 st issue: 02/27/2017	
			exposure)	concentration	
Copp	er	7440-50-8	TWA (Dust and mist)	1 mg/m ³ (Copper)	ACGIH
			TWA (Fumes)	0.2 mg/m ³ (Copper)	ACGIH
			TWA (Dust)	1 mg/m ³ (Copper)	NIOSH REL
			TWA (Mist)	1 mg/m ³ (Copper)	NIOSH REL
			TWA (dusts and mists)	1 mg/m ³ (Copper)	OSHA Z-1
			TWA (Fumes)	0.1 mg/m ³ (Copper)	OSHA Z-1

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

ures : Processing may form hazardous compounds (see section



/ersion 6.4	Revision Date: 04/22/2020		lumber: 98-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
		lf s	nimize workpl	ace exposure concentrations. ilation is unavailable, use with local exhaust
Perso	onal protective equip	ment		
Respi	iratory protection	ma co un Fo us by do res ex wh	aintain vapor e ncentrations a known, appro llow OSHA re e NIOSH/MSH air purifying r us chemical is spirator if ther posure levels	al exhaust ventilation is recommended to exposures below recommended limits. When are above recommended limits or are priate respiratory protection should be worn. espirator regulations (29 CFR 1910.134) and HA approved respirators. Protection provided respirators against exposure to any hazar- is limited. Use a positive pressure air supplied e is any potential for uncontrolled release, are unknown, or any other circumstance ng respirators may not provide adequate
Hand	protection			
Ma	aterial	: Ch	emical-resista	ant gloves
Re	emarks	on tim Fo sis ve	the concentrate is not deter r special appl tance to chen	to protect hands against chemicals dependin ation specific to place of work. Breakthrough mined for the product. Change gloves often! ications, we recommend clarifying the re- nicals of the aforementioned protective glo- ve manufacturer. Wash hands before breaks of workday.
Eye p	protection		: Wear the following personal protective equipment: Safety goggles	
Skin a	and body protection	res po Sk	 Select appropriate protective clothing based on cherresistance data and an assessment of the local exponential. Skin contact must be avoided by using impervious p clothing (gloves, aprons, boots, etc). 	
Hygie	ene measures	ey kir Wi	e flushing sys g place. nen using do i	nemical is likely during typical use, provide tems and safety showers close to the wor- not eat, drink or smoke. ated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Grease

Color

: copper



Ver 6.4	sion	Revision Date: 04/22/2020		S Number: 2498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
	Odor		:	odorless	
	Odor T	hreshold	:	No data available	9
	рН		:	No data available	9
	Melting	g point/freezing point	:	608 °F / 320 °C	
	Initial b range	poiling point and boiling	:	No data available	
	Flash p	point	:	Not applicable	
	Evapor	ration rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available)
	Vapor	pressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	3	
	Solubil Wa	ity(ies) ter solubility	:	insoluble	
	Partitio octano	on coefficient: n- I/water	:	Not applicable	
	Autoig	nition temperature	:	No data available	9
	Decom	position temperature	:	572 °F / 300 °C	
	Viscos Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	e size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY



Versi 6.4	on	Revision Date: 04/22/2020		S Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
F	Reactiv	ity	:	Not classified as	a reactivity hazard.
(Chemic	cal stability	:	Stable under nor	mal conditions.
Possibility of hazardous reac- tions		:	Hazardous deco temperatures.	mposition products will be formed at elevated	
(Conditi	ons to avoid	:	None known.	
Incompatible materials		:	None.		
	Hazardous decomposition p Thermal decomposition			ucts Hydrofluoric acid Carbonyl difluori Carbon dioxide	

Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Skin contact Ingestion Eye contact	of	exposure
Acute toxicity Harmful if inhaled.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 3,239 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 4.94 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Components:		
Copper:		
Acute oral toxicity	:	LD50 (Rat): 481 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.733 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity



	6.4 04/22/2020 1332498-00037 Date of first issue: 02/27/2017	/ersion Revision Date: SDS Number: Date of last issue: 01/02/2020
--	--	---

Skin corrosion/irritation

Not classified based on available information.

Components:

Copper:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Copper:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Copper:

Test Type	Maximization Test
Routes of exposure	Skin contact
Species	Guinea pig
Method	OECD Test Guideline 406
Result	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Copper: Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: Directive 67/548/EEC, Annex V, B.12. Result: negative Remarks: Based on data from similar materials



sion			OS Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017					
Carci	nogenicity								
	assified based on ava	ailable	information.						
IARC		ent of this product present at levels greater than or equal to 0.1% is s probable, possible or confirmed human carcinogen by IARC.							
OSHA		nent of this product present at levels greater than or equal to 0.1% is list of regulated carcinogens.							
NTP		ent at levels greater than or equal to 0.1% is ed carcinogen by NTP.							
Repro	oductive toxicity								
Not cl	assified based on ava	ailable	information.						
Comp	onents:								
Сорр	er:								
Effect	s on fertility	:		p-generation reproduction toxicity study					
			Species: Rat	iter Indection					
			Application Ro	Test Guideline 416					
			Result: negativ						
Effect	s on fetal developme	nt :	Test Type: Em	pryo-fetal development					
	·		Species: Rabbi	t					
			Application Ro						
			Result: negativ	6					
STOT	-single exposure								
Not cla	assified based on ava	ailable	information.						
STOT	-repeated exposure	1							
Not cla	assified based on ava	ailable	information.						
<u>Comp</u>	onents:								
Copp	er:								
	s of exposure	:	inhalation (dust						
Asses	sment	:	No significant h tions of 0.2 mg	health effects observed in animals at concent /I/6h/d or less.					
Repea	ated dose toxicity								
<u>Comp</u>	onents:								
Copp	er:								
Speci		:	Rat						
NOAE		:	$>= 2 \text{ mg/m}^3$	(mint/fuma)					
	ation Route sure time	:	inhalation (dust 28 Days	/misviume)					
		•							

Not classified based on available information.



ersion 4	Revision Date: 04/22/2020		0S Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
ECTIO	N 12. ECOLOGICAL INFO	DRN	ΙΑΤΙΟΝ	
Eco	toxicity			
<u>Con</u>	nponents:			
Сор	per:			
Toxi	city to fish	:	LC50 (Oncorhyn Exposure time: 9	chus mykiss (rainbow trout)): 0.068 mg/l 96 h
	city to daphnia and other atic invertebrates	:	LC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.006 mg/l 18 h
Toxi icity)	city to fish (Chronic tox-	:	NOEC (Oncorhy	nchus mykiss (rainbow trout)): 0.0022 mg/l
Pers	sistence and degradabili	ity		
No c	lata available			
	accumulative potential data available			
Mob	oility in soil			
No c	lata available			
Oth	er adverse effects			
No c	lata available			

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper)
Class	:	9
Packing group	:	III
Labels	:	9
IATA-DGR UN/ID No. Proper shipping name	:	UN 3077 Environmentally hazardous substance, solid, n.o.s.



Versio 6.4	n	Revision Date: 04/22/2020	-	9S Number: 32498-00037	Date of last issue: 01/02/2020 Date of first issue: 02/27/2017
Pa La Pa aii Pa	abels acking ircraft acking	g instruction (passen-	:	(Copper) 9 III Miscellaneous, 956 956	
-	ger aircraft) Environmentally hazardous		:	yes	
U	IDG-(N nur roper		:	UN 3077 ENVIRONMENTA N.O.S. (Copper)	ALLY HAZARDOUS SUBSTANCE, SOLID,
Si Pa La Er	acking abels mS C	ary risk g group ode pollutant		9 ENVIRONM. III 9 (ENVIRONM.) F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

:	UN 3077
:	Environmentally hazardous substance, solid, n.o.s. (Copper)
:	9
:	III
:	CLASS 9
:	171
:	yes(Copper)
:	Above applies only to containers over 119 gallons or 450 liters.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know


CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Copper	7440-50-8	5000	33670



Version 6.4	Revision Date: 04/22/2020	SDS Numb 1332498-0		ssue: 01/02/2020 issue: 02/27/2017
	•		ances Reportable Quar onents with a section 304	•
	•		ances Threshold Plann	• •
This	material does not conta	ain any compo	onents with a section 302	2 EHS TPQ.
SAR	A 311/312 Hazards		oxicity (any route of expo s eye damage or eye irrit	
SAR	A 313		lowing components are s ed by SARA Title III, Sec	subject to reporting levels es tion 313:
		Copper	7440-50-8	>= 10 - < 20 %
US S	tate Regulations			
Penn	sylvania Right To Kr	wo		
	PFPE fluid			Trade secret
	Copper Fluoropolymer			7440-50-8 Trade secret
Calif	ornia Prop. 65			
WAR which For n with I	NING: This product can n is/are known to the S nore information go to PFOA nor is PFOA inte	tate of Califorr www.P65Warr entionally prese	nia to cause birth defects nings.ca.gov. Note to Us	entadecafluorooctanoic acio or other reproductive harm er: This product is not made ver, it is possible that PFOA els.
Calif	ornia List of Hazardo	us Substance	es	
	Copper			7440-50-8
Calif	ornia Permissible Ex	posure Limits	for Chemical Contami	inants
	Copper			7440-50-8
SECTION	16. OTHER INFORM	ATION		
Furth	ner information			





Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : 1	USA. NIOSH Recommended Exposure Limits
	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2 :	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA : 3	8-hour, time-weighted average
ACGIH / STEL : 3	Short-term exposure limit
ACGIH / C : 0	Ceiling limit
	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C : 0	Ceiling value not be exceeded at any time.
	8-hour time weighted average
OSHA Z-2 / TWA : 3	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals

SAFETY DATA SHEET



Krytox[™] GPL 246

Version	Revision Date:	SDS Number:	Date of last issue: 01/02/2020
6.4	04/22/2020	1332498-00037	Date of first issue: 02/27/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 04/22/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8