

Material Safety Data Sheet

FOR INDUSTRIAL USE ONLY

SEACO[™] 5-4176

1. Product and company identification

Product name SEACO[™] 5-4176

MSDS Number 000000007441

Manufacturer, Importer,

Supplier

Momentive Specialty Chemicals Inc.

180 East Broad Street Columbus OH 43215

4information@momentive.com

Print date 01-JUN-2011

Telephone For Emergency Medical Assistance

Call Health & Safety Information Services, 1-866-303-6949

For Emergency Transportation Information CHEMTREC US Domestic (800) 424-9300 CHEMTREC International (703) 527-3887 CANUTEC CA Domestic (613) 996-6666

For additional health and safety or regulatory information, call 1 888

443 9466.

2. Hazards identification

OSHA/HCS status This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Emergency overview

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Potential acute health effects

Inhalation Slightly irritating to the respiratory system.

Ingestion Not expected to be harmful under normal conditions of use.

Skin May cause irritation on prolonged or repeated contact.

Eyes May cause eye irritation.

Potential chronic health effects

Chronic effects Contains material that can cause target organ damage. Can cause fibrotic

lung disease.

Carcinogenicity Contains material which may cause cancer, based on animal data. Risk of

cancer depends on duration and level of exposure.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

5/8/2018 1/8

Developmental effects No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Target organs Contains material which causes damage to the following organs: lungs,

Review Section 2 and 11 for any additional assessments.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following: respiratory tract irritation,

coughing,

Ingestion No specific data.

Skin No specific data.

Eyes No specific data.

Medical conditions aggravated

by over-exposure

Pre-existing disorders involving any target organs mentioned in this MSDS

as being at risk may be aggravated by over-exposure to this product.

See section 11 for more detailed information on health effects and symptoms.

3. Composition/Information on ingredients

Ingredient name	CAS number	<u>WT %</u>
Starch	9005-25-8	10.0 - 30.0
Kaolin	1332-58-7	1.0 - 5.0

^{**} Any applicable Canadian trade secret numbers will be listed in Section 15.

4. First aid measures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes,

occasionally lifting the upper and lower eyelids. Check for and remove

any contact lenses. Get medical attention if irritation occurs.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Inhalation Move exposed person to fresh air. Keep person warm and at rest. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband. Get medical attention.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do

so by medical personnel. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

Protection of first aid

personnel

No action shall be taken involving any personal risk or without suitable

training. It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

Notes to physician No specific treatment. Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been ingested or inhaled.

5/8/2018 2/8

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Flammability of the product

In a fire or if heated, a pressure increase will occur and the container

may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of

the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Hazardous combustion

products

No specific data.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

6. Accidental release measures

Personal precautionsNo action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or

air).

Large spill Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment

plant or proceed as follows. Contain and collect spillage with

non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency

contact information and section 13 for waste disposal.

Small spill Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor.

7. Handling and storage

Handling Put on appropriate personal protective equipment (see section 8).

5/8/2018 3/8

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient name

Starch

Occupational exposure limits

ACGIH TLV 8-hr TWA

10 mg/m3

OSHA PEL 8-hr TWA

15 mg/m3 (total dust)

OSHA PEL 8-hr TWA

5 mg/m3

(respirable fraction)

Kaolin

ACGIH TLV 8-hr TWA

2 mg/m3

(respirable fraction)

OSHA PEL 8-hr TWA

15 mg/m3 (total dust)

OSHA PEL 8-hr TWA

5 mg/m3

(respirable fraction)

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end

5/8/2018 4/8

of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory Use a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Hands Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if

a risk assessment indicates this is necessary.

Eyes Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on

the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or

engineering modifications to the process equipment will be necessary to

reduce emissions to acceptable levels.

9. Physical and chemical properties

Flash point Not applicable.

Auto-ignition temperature Not applicable.

Flammable limits

Lower: Not applicable. Upper: Not applicable.

Boiling point Approx. 100 °C(212 °F)

Relative density Approx. 1.0911

Vapor pressure Approx. 17.5 mm Hg @ 25 °C(77 °F)

Odor threshold Not available

Viscosity Dynamic- 7,000 - 9,000 cPs Brookfield

Solubility Miscible
Partition coefficient: Not available

n-octanol/water

Evaporation rate Less than 1 (n-Butyl acetate=1)

Vapor density 0.62 Typical % solids 47.0 % (m)

10. Stability and reactivity

Stability The product is stable. Under normal conditions of storage and use,

hazardous polymerization will not occur.

Conditions to avoid Strong oxidizer,

Materials to avoid No specific data.

5/8/2018 5/8

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Acute toxicity
Ingredient name

Other Toxicological Information

Carcinogenicity

Classification
Ingredient name

Starch

ACGIH Not classifiable as to its carcinogenicity to humans. IARC Not classified

NTP Not listed
OSHA Not regulated
EU Not classified

Kaolin

ACGIH Not classifiable as to its carcinogenicity to humans.

IARC Not classified NTP Not listed OSHA Not regulated EU Not classified

12. Ecological information

Environmental effects

No known significant effects or critical hazards.

Other adverse effects

No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations

Regulatory UN/NA Proper shipping name Classes/*PG Reportable information number Quantity (RQ)

CFR Non-regulated

TDG Non-regulated

IMO/IMDG Non-regulated

5/8/2018 6/8

IATA (Cargo) Non-regulated

*PG: Packing group

15. Regulatory information

US regulations

HCS Classification Carcinogen, Target organ effects

U.S. Federal regulations

SARA 311/312 Classification Delayed (chronic) health hazard

SARA 313 - Supplier Notification

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and

Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR

Part 372. None required.

SARA 302 Extremely Hazardous Substances None required.

State regulations Massachusetts RTK Substances The following components are listed: Starch, Kaolin,

New Jersey RTK Hazardous Substances None required.

Pennsylvania RTK Hazardous Substances The following components are listed:

Starch, Kaolin,

California Prop. 65: WARNING: This product contains a chemical known to the State of

California to cause cancer. Quartz (SiO2) - 14808-60-7, Formaldehyde - 50-00-0,

Ethanol - 64-17-5, Acetaldehyde - 75-07-0,

<u>Canada</u>

WHMIS (Canada) Class D-2A: Material causing other toxic effects (Very toxic).

Canadian NPRI: None required.

International regulations

Chemical inventories Europe inventory All components are listed or exempted.

Australia inventory (AICS) All components are listed or exempted.

China inventory (IECSC) Not determined. Japan inventory (ENCS) Not determined. Japan inventory (ISHL) Not determined.

Korea inventory (KECI) All components are listed or exempted.

New Zealand Inventory (NZIoC) Not determined. Philippines inventory (PICCS) Not determined.

Canada inventory All components are listed or exempted.

United States inventory (TSCA 8b) All components are listed or exempted.

16. Other information

Hazardous Material Information System III (U.S.A.) Health: 1 Flammability: 0 Physical hazards: 0

Chronic: *

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented

5/8/2018 7/8

HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Prepared by Product Safety & Regulatory Compliance Group, (614)225-4778

Date of issue 20-NOV-2010
Date of printing 01-JUN-2011

Version 2.2

Notice to reader

The information provided herein was believed by Momentive Specialty Chemicals ("Momentive") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Momentive are subject to Momentive's terms and conditions of sale. MOMENTIVE MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY MOMENTIVE, except that the product shall conform to Momentive's specifications. Nothing contained herein constitutes an offer for the sale of any product.

5/8/2018 8/8

[®] and ™ Licensed trademarks of Momentive Specialty Chemicals Inc.