

**SAFETY DATA SHEET**

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
™ Trademark, Ashland or its subsidiaries, registered
in various countries
827718

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Trade name : Escalol™ 517
UV filters
™ Trademark, Ashland or its subsidiaries, registered in
various countries

Substance No.

EC-No. 274-581-6

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetics
Personal care

Details of the supplier of the safety data sheet

Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
1-614-790-3333

EHSProductSafety@ashland.com

Emergency telephone number

1-800-ASHLAND (1-800-274-5263)

Regulatory information

1-614-790-3333 (customer service)

Product Information

1-614-790-3333

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : **Prevention:**

**SAFETY DATA SHEET**

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
™ Trademark, Ashland or its subsidiaries, registered
in various countries
827718

Keep dust/air mixtures away from ignition sources.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

Hazardous components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

In case of eye contact : Remove contact lenses.
Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)

Notes to physician : No hazards which require special first aid measures.



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
- Hazardous combustion products : Carbon dioxide (CO₂)
 Carbon monoxide
 Hydrocarbons
- Specific extinguishing methods :
- Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
 Avoid breathing dust.
 Material can create slippery conditions.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
 Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against : Take measures to prevent the build up of electrostatic charge.



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling

: Avoid dust formation.
 Ensure all equipment is electrically grounded and bonded before beginning transfer operations.
 The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage

: Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 No smoking.

Materials to avoid

: No materials to be especially mentioned.

Further information on storage stability

: Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

: Provide appropriate exhaust ventilation at places where dust is formed.
 General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

For exposures to dust, utilize the exposure limits for Particulates (insoluble) Not Otherwise Classified (PNOC).



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

ACGIH TWA - 10 mg/m³ inhalable fraction, 3 mg/m³
 respirable fraction. OSHA PEL - 15 mg/m³ total dust, 5
 mg/m³ respirable fraction.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination.
 Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
 Break through time : 480 min
 Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
 Safety shoes
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder
 solid

Physical state : solid

Colour : white

Odour : slight

Odour Threshold : Not applicable



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

pH : Not applicable

Melting point/freezing point : 178 - 187 °F / 81 - 86 °C

Boiling point/boiling range : not determined

Flash point : not determined

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Upper explosion limit : Upper explosion limit
not determined

Lower explosion limit : Lower explosion limit
not determined

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : not determined

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : soluble
Solvent: methanol

soluble
Solvent: Acetone

Partition coefficient: n-octanol/water : not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO ₂) Hydrocarbons Acetone

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., May cause long lasting harmful effects to aquatic life.

**SAFETY DATA SHEET**

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- General advice : The product should not be allowed to enter drains, water courses or the soil.
- Dispose of in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

**SAFETY DATA SHEET**

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
™ Trademark, Ashland or its subsidiaries, registered
in various countries
827718

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Pennsylvania Right To Know**

**SAFETY DATA SHEET**

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718

1,3-Propanedione, 1-[4-(1,1-dimethylethyl)phenyl]-3-(4-methoxyphenyl)- 70356-09-1

New Jersey Right To Know

1,3-Propanedione, 1-[4-(1,1-dimethylethyl)phenyl]-3-(4-methoxyphenyl)- 70356-09-1

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Personal care

KECI : Personal care

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)
 - On or in compliance with the active portion of the TSCA inventory

SECTION 16. OTHER INFORMATION**Further information**

Revision Date: 05/15/2020

NFPA:**HMIS III:**



SAFETY DATA SHEET


Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 827718



NFPA Flammable and Combustible Liquids Classification

Not applicable

Full text of H-Statements

Further information

Exposure scenario : http://www.ashland.com/file_source/Ashland/About/Documents/R0717870_Annex_EN.pdf

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -



SAFETY DATA SHEET

Revision Date: 05/15/2020

Print Date: 6/4/2020

SDS Number: R0717870

Version: 1.5

Escalol™ 517 UV filters

™ Trademark, Ashland or its subsidiaries, registered in various countries

827718

Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative