

	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Escalol™ 557  
 UV filters  
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

Substance name : 2-Ethylhexyl 4-methoxycinnamate

Substance No.  
 EC-No. : 226-775-7

CAS-No. : 5466-77-3

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Cosmetic additive

<p><b>Details of the supplier of the safety data sheet</b>          Ashland          P.O. Box 2219          Columbus, OH 43216          United States of America (USA)          1-614-790-3333</p> <p>EHSProductSafety@ashland.com</p>	<p><b>Emergency telephone number</b>          1-800-ASHLAND (1-800-274-5263)</p> <p><b>Regulatory information</b>          1-614-790-3333 (customer service)</p> <p><b>Product Information</b>          1-614-790-3333</p>
--	--

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**



<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

Substance / Mixture : Substance

**Hazardous components**  
No hazardous ingredients

---

**SECTION 4. FIRST AID MEASURES**

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 11.
- Notes to physician : No hazards which require special first aid measures.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Hazardous combustion products : Carbon dioxide (CO2)  
Carbon monoxide



<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

Hydrocarbons

- Specific extinguishing methods :  
Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.



<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

**Respiratory protection** : In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination.  
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

**Hand protection**

**Material** : butyl-rubber  
**Break through time** : 480 min  
**Glove thickness** : > 0.5 mm

**Remarks** : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

**Skin and body protection** : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

**Hygiene measures** : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : liquid



<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

Physical state	: liquid
Colour	: light yellow
Odour	: mild
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: -13 °F / -25 °C
Boiling point/boiling range	: 387.9 - 392 °F / 197.7 - 200 °C (4 hPa)
Flash point	: 192.7 °C
Evaporation rate	: not determined
Upper explosion limit	: Upper explosion limit not determined
Lower explosion limit	: Lower explosion limit not determined
Vapour pressure	: not determined
Relative vapour density	: not determined
Relative density	: No data available
Density	: 1.005 - 1.013 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined



<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

Oxidizing properties : Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : strong bases  
Strong oxidizing agents

Hazardous decomposition products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Remarks: Unlikely to cause eye irritation or injury.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

	Page: 7
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks: No data available

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

**Persistence and degradability**

**Product:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 78 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

No data available

**SAFETY DATA SHEET**

Revision Date: 08/04/2020

Print Date: 11/24/2020

SDS Number: R0717852

Version: 1.4

Escalol™ 557 UV filters  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 843845

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TDG\_ROAD\_C**

Not dangerous goods

**TDG\_RAIL\_C**



<b>SAFETY DATA SHEET</b>  Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
	Version: 1.4

Not dangerous goods
---------------------

**TDG\_INWT\_C**

Not dangerous goods
---------------------

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods
---------------------

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods
---------------------

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods
---------------------

**MX\_DG**

Not dangerous goods
---------------------

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

**TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

	Page: 10
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters <small>™ Trademark, Ashland or its subsidiaries, registered in various countries</small> 843845	Version: 1.4

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations**

**Pennsylvania Right To Know**

2-Ethylhexyl 4-methoxycinnamate 5466-77-3

**New Jersey Right To Know**

2-Ethylhexyl 4-methoxycinnamate 5466-77-3

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- TCSI : On the inventory, or in compliance with the inventory
- TSCA : On or in compliance with the active portion of the TSCA inventory

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4


**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)  
- On or in compliance with the active portion of the TSCA inventory

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	/	<b>0</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of H-Statements**

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

	Page: 12
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (<http://www.ashland.com>)

Sources of key data used to compile the Safety Data Sheet : Ashland internal data including own and sponsored test reports  
 European Union Law with content from the Official Journal of the European Union.  
 European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.  
 The German Water Hazard Classes.  
 ReachCentrum; a series of support services to help comply with REACH regulations.  
 The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.  
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.  
 Cefic, the European Chemical Industry Council.  
 ESIS European Chemical Substances Information System

Revision Date : 08/04/2020

	Page: 13
<b>SAFETY DATA SHEET</b>	Revision Date: 08/04/2020
	Print Date: 11/24/2020
	SDS Number: R0717852
Escalol™ 557 UV filters ™ Trademark, Ashland or its subsidiaries, registered in various countries 843845	Version: 1.4

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN