Ashland always solving	Page:
SAFETY DATA SHEET	Revision Date: 11/07/201
	Print Date: 3/31/202
	SDS Number: R071554
Escalol™ 587 UV filters	Version: 1.
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Escalol™ 587

UV filters

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Substance name : Neo Heliopan® OS/BP

Substance No.

CAS-No. : 118-60-5

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Cosmetics

Pharmaceutical

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-ASHLAND (1-800-274-5263)	
Ashland	Regulatory Information Number	l
P.O. Box 2219	1-800-325-3751	l
Columbus, OH 43216		l
United States of America	Product Information	l
	614-790-3333	l
EHSProductSafety@ashland.com		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS Label element

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components
No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot

lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Hydrocarbons

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

Ashland always solving	Page:
SAFETY DATA SHEET	Revision Date: 11/07/201
	Print Date: 3/31/202
	SDS Number: R071554
Escalol™ 587 UV filters	Version: 1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : colourless

Odour : slight

Odour Threshold : No data available

pH : No data available

No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : $> 212 \,^{\circ}\text{F} / 100 \,^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0.1 hPa (50 °C)

Relative vapour density : No data available

Relative density : No data available

Density : ca. 1.0175 g/cm3 (25 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Ashland always solving	Page:
SAFETY DATA SHEET	Revision Date: 11/07/201
	Print Date: 3/31/202
	SDS Number: R071554
Escalol™ 587 UV filters	Version: 1.
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

carbon dioxide and carbon monoxide

Hydrocarbons

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Inhalation
Skin contact

Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
[™] Trademark, Ashland or its subsidiaries, registered in various countries	
837557	

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

0.0. DOT - NOAD
Not dangerous goods

CFR RAIL C

Not dangerous goods	

		Page: 9
<u> </u>	5707	
Ashla always solv	nd.	
\ / Asilia	uu	
olways solv	ina	
aiways soiv	1119	
SAFETY DATA SHEET		Revision Date: 11/07/2016
ON ETT DATE.		Print Date: 3/31/2022
		SDS Number: R0715548
Escalol™ 587 UV filters		Version: 1.1
™ Trademark, Ashland or its subsidiar	ies, registered	
in various countries		
837557		
J.S. DOT - INLAND WATERWAYS		
Not dangerous good	19	
Not dangerous good	13	
TDG_ROAD_C		
Not dangerous good	ds	
TDG_RAIL_C	1.	
Not dangerous good	as	
rdg_inwt_c		
Not dangerous goods		
The damage of the great		
NTERNATIONAL MARITIME DANGEI		
Not dangerous good	ds	
NTERNATIONAL AIR TRANSPORT A	SSOCIATION	CARCO
Not dangerous good		JARGO
Not dangerous good	13	
NTERNATIONAL AIR TRANSPORT A	SSOCIATION -	PASSENGER
Not dangerous goods		
5 5		
/IX_DG		
Not dangerous good	ds	
ODM ODM D OD! - COMPUSE :	E 1 101115	
ORM = ORM-D, CBL = COMBUSTIBL	LE LIQUID	
Marina pollutant	Inc	
Marine pollutant	no	

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

SARA 311/312 Hazards : No SARA Hazards

SARA 313

Component(s)SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AUSTR : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECL : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 11/07/2016



NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 3/31/2022
	SDS Number: R0715548
Escalol™ 587 UV filters	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
837557	

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS: Workplace Hazardous Materials Information System