ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : ROYCO 602 (22-015) MIL-PRF-87252

Product code : 00000000062629873

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : May be fatal if swallowed and enters airways.

Harmful if inhaled.

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Precautionary Statements : Prevention:

Avoid breathing mist or vapors.

Use only outdoors or in a well-ventilated area.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel un-

well.

Do NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dec-1-ene, dimers, hydrogenated	68649-11-6	>= 90 - <= 100
2,6-di-tert-butyl-p-cresol	128-37-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Get medical attention immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained per-

sonnel.

In case of skin contact : Wash off with soap and water.

Get medical attention if symptoms occur.

In case of eye contact : Immediately flush eye(s) with plenty of water.

. Infinediately flush eye(s) with plenty of water

2/23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Remove contact lenses.

Get medical attention if symptoms appear.

If swallowed : Get medical attention immediately.

Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Aspiration hazard if swallowed - can enter lungs and cause

damage.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms and effects, both acute and delayed

Symptoms : Acute overexposure to this product may cause dizziness,

headache, drowsiness, malaise, abdominal pain.

Ingestion and/or vomiting may cause aspiration into the lungs resulting in chemical pneumonitis (inflammation of the lungs).

Effects : May be fatal if swallowed and enters airways.

Harmful if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Alcohol-resistant foam Carbon dioxide (CO2)

Dry powder Sand Water mist

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Print Date: 08/13/2025

Do not allow run-off from fire fighting to enter drains or water

courses.

ROYCO 602 (22-015) MIL-PRF-87252



Version **Revision Date:** SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Hazardous combustion prod- :

ucts

Carbon dioxide (CO2) Carbon monoxide

Further information Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

for fire-fighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment.

Do not touch or walk through spilled material.

Evacuate unnecessary personnel.

Keep unnecessary and unprotected personnel from entering.

Prevent product from entering drains. Environmental precautions

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed.

4/23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Empty containers retain residue and can be dangerous.

Do not reuse container.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

Engineering measures : If user operations generate dust, fumes or mist, use ventila-

tion to keep exposure to airborne contaminants below the

exposure limit.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

NIOSH approved, air-purifying organic vapor respirator.

Hand protection

Material : Nitrile rubber

Material : Polyvinyl alcohol

Remarks : Gloves should be discarded and replaced if there is any indi-

5/23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Impervious

gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.
These recommendations apply to the product as supplied.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Physical state : liquid

Color : clear, white

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : $> 302 \, ^{\circ}\text{F} / > 150 \, ^{\circ}\text{C}$

Method: Cleveland open cup

Evaporation rate : Not applicable

Flammability (liquids) : No data available

6/23

ROYCO 602 (22-015) MIL-PRF-87252



Version 1.1

Revision Date: 04/12/2024

SDS Number: 203000021225

Date of last issue: 10/19/2022 Country / Language: US / EN

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0.8 (60.1 °F / 15.6 °C)

Density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposi-

tion temperature (SADT)

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Self-heating substances : No data available

Surface tension : No data available

Molecular weight : No data available

Particle size : Not applicable

7 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version **Revision Date:** SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

SECTION 10. STABILITY AND REACTIVITY

: No specific test data related to reactivity available for this Reactivity

product or its ingredients.

Chemical stability : The product is chemically stable.

tions

Possibility of hazardous reac- : Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No decomposition if stored normally.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute inhalation toxicity : Acute toxicity estimate: 1.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Dec-1-ene, dimers, hydrogenated:

Acute oral toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

Remarks: Dosage caused no mortality

Acute inhalation toxicity LC50 (Rat, male and female): 1.17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: Yes

2,6-di-tert-butyl-p-cresol:

LD50 (Rat, male and female): > 2,930 mg/kg Acute oral toxicity

Method: OECD Test Guideline 401

GLP: Yes

Assessment: The substance or mixture has no acute oral tox-

8 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

icity

Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: Yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Components:

Dec-1-ene, dimers, hydrogenated:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : Yes

Remarks : Based on data from similar materials

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Dec-1-ene, dimers, hydrogenated:

Species : Rabbit

Result : No eye irritation

GLP : Yes

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation Method : Draize Test

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Respiratory sensitization

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Test Type : Patch Test
Routes of exposure : Skin contact
Species : Human

Result : Does not cause skin sensitization.

Test Type : No data available
Routes of exposure : Skin contact
Species : Guinea pig

Method : No information available.

Result : Did not cause sensitization on laboratory animals.

GLP : No

Germ cell mutagenicity

Not classified based on available information.

Components:

Dec-1-ene, dimers, hydrogenated:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal Dose: 1250-2500-5000 mg/kg Method: OECD Test Guideline 474

GLP: Yes

Remarks: Based on data from similar materials

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: No information available.

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: No information available.

Result: negative

GLP: No information available.

Test Type: HPRT test

Test system: rat hepatocytes

Metabolic activation: with metabolic activation

Method: No information available.

Result: negative

GLP: No information available.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: No information available.

Result: negative

GLP: No information available.

Test Type: Cytogenetic assay

Species: Rat (male) Cell type: Bone marrow Application Route: Oral

Method: No information available.

Result: negative

GLP: No information available.

Carcinogenicity

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rat, male and female

Application Route : Oral

Exposure time : 22 month(s)

Dose : 0 - 25 - 100 - 250/500 mg/kg body weight

NOAEL : 25 mg/kg bw/day

Method : No information available.

Result : equivocal GLP : Yes

Carcinogenicity - Assess-

ment

: Carcinogenicity classification not possible from current data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

11 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

OSHA

Dec-1-ene, dimers, hydrogenated:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 50-250-1000 milligram per kilogram Duration of Single Treatment: 20 Weeks

General Toxicity Parent: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 415

GLP: Yes

Remarks: Based on data from similar materials

2,6-di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female Application Route: Oral Dose: 0 - 25 - 100 - 250/500

Fertility: NOAEL: 500 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

GLP: Yes

Effects on fetal development : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0 - 25 - 100 - 250/500 milligram per kilogram

General Toxicity Maternal: NOAEL: 100 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

Method: No information available.

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

GLP: Yes

Test Type: Pre-natal Species: Mouse, female Application Route: Oral

Dose: 70 - 240 - 800 milligram per kilogram

General Toxicity Maternal: NOAEL: 240 mg/kg body weight

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Developmental Toxicity: NOAEL: 800 mg/kg body weight

Method: No information available.

Result: Did not show teratogenic effects in animal experi-

ments.

GLP: No information available.

STOT-single exposure

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Dec-1-ene, dimers, hydrogenated:

Species : Rat, male and female

NOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 28 Days

Number of exposures : daily
Dose : 0-1000

Method : OECD Test Guideline 407

GLP : Yes

Remarks : Based on data from similar materials

2,6-di-tert-butyl-p-cresol:

Species : Rat, male and female

NOAEL : 25 mg/kg LOAEL : 100 mg/kg Application Route : Oral Exposure time : 22 Months Number of exposures : daily

Dose : 0 - 25 - 100 - 250/500 mg/kg bw/day

Method : No information available.

GLP : Yes

Symptoms : alteration in liver enzymes

Remarks : Chronic toxicity

Species : Pig, male and female

1500 ppm

Application Route : Oral

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Exposure time : 42 Days Number of exposures : daily

Dose : 0 - 150 - 1000 - 1500 parts per million

Method : No information available.

GLP : Yes

Remarks : Subacute toxicity

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Dec-1-ene, dimers, hydrogenated:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The product itself has not been tested.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dec-1-ene, dimers, hydrogenated:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

End point: mortality Exposure time: 96 h Analytical monitoring: Yes

Method: OECD Test Guideline 203

GLP: Yes

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

End point: Immobilization Exposure time: 48 h Analytical monitoring: Yes

Method: OECD Test Guideline 202

GLP: Yes

Toxicity to algae/aquatic

: EL50 (Scenedesmus capricornutum (fresh water algae)): >

1,000 mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

Print Date: 08/13/2025

plants

ROYCO 602 (22-015) MIL-PRF-87252



Version 1.1 Revision Date: 04/12/2024

SDS Number: 203000021225

Date of last issue: 10/19/2022 Country / Language: US / EN

GLP: Yes

NOELR (Scenedesmus capricornutum (fresh water algae)): >

1,000 mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

GLP: Yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 125 mg/l

End point: mortality Exposure time: 21 d Analytical monitoring: No

Method: OECD Test Guideline 211

GLP: Yes

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: Regulation (EC) No. 440/2008, Annex, C.1

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: Yes

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: Yes

Method: Regulation (EC) No. 440/2008, Annex, C.3

GLP: Yes

Remarks: Fresh water

EC10 (Desmodesmus subspicatus (green algae)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: Yes

Method: Regulation (EC) No. 440/2008, Annex, C.3

15 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

GLP: Yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): 0.053 mg/l

Exposure time: 42 d

Test Type: flow-through test Analytical monitoring: Yes

Method: OECD Test Guideline 210

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.023 mg/l

End point: Reproduction Exposure time: 21 d Test Type: semi-static test

Analytical monitoring: Yes

Method: OECD Test Guideline 202

GLP: Yes

Remarks: Fresh water

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

End point: Respiration inhibition

Exposure time: 3 h
Test Type: static test
Analytical monitoring: No

Method: OECD Test Guideline 209

GLP: Yes

Remarks: Fresh water nominal concentration

Toxicity to soil dwelling or-

ganisms

Test Type: Reproduction Test

NOEC (Eisenia fetida (earthworms)): 25 mg/kg

Exposure time: 28 d End point: Reproduction

Method: OECD Test Guideline 222

GLP: Yes

Plant toxicity : NOEC: 4.74 mg/kg

Exposure time: 17 d

End point: Growth inhibition Species: Allium cepa

Method: OECD Test Guideline 208

GLP: Yes

EC50: 20.9 mg/kg Exposure time: 17 d End point: Growth inhibition Species: Allium cepa

Method: OECD Test Guideline 208

GLP: Yes

16 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

Persistence and degradability

Components:

Dec-1-ene, dimers, hydrogenated:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 15 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: Yes

2,6-di-tert-butyl-p-cresol:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C GLP: No information available.

Stability in water : Degradation half life (DT50): 4 - 8 d

Hydrolysis: at 20 °C

Photodegradation : Sensitizer: OH

Degradation (indirect photolysis): Degradation half life: 21.054 h

Bioaccumulative potential

Components:

Dec-1-ene, dimers, hydrogenated:

Partition coefficient: n- : log Pow: > 6.5 (68 °F / 20 °C)

octanol/water pH: 7

Method: OECD Test Guideline 117

GLP: Yes

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): > 2,000

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 781

Exposure time: 56 d Temperature: 77 °F / 25 °C Concentration: 0.05 mg/l

Method: OECD Test Guideline 305

ROYCO 602 (22-015) MIL-PRF-87252



Version 1.1

Revision Date: 04/12/2024

SDS Number: 203000021225

Date of last issue: 10/19/2022 Country / Language: US / EN

GLP: No information available.

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 839

Exposure time: 56 d

Temperature: 77 °F / 25 °C Concentration: 0.005 mg/l

Method: OECD Test Guideline 305 GLP: No information available.

Partition coefficient: n-

octanol/water

: log Pow: 5.1

Method: measured

Mobility in soil

Components:

2,6-di-tert-butyl-p-cresol:

Mobility : Medium: Soil

Content: 82.9 %

Method: Calculation, Mackay Level III Fugacity Model

Medium: Water Content: 8.53 %

Method: Calculation, Mackay Level III Fugacity Model

Medium: Sediment Content: 7.23 %

Method: Calculation, Mackay Level III Fugacity Model

Medium: Air Content: 1.33 %

Method: Calculation, Mackay Level III Fugacity Model

Distribution among environ-

mental compartments

log Koc: 4.17

Method: estimated

Stability in soil : Test Type: aerobic degradation

Soil temperature: 54 °F / 12 °C

Radio label: Yes

pH: 5.7

Cation exchange capacity: 16 m_/kg

Biomass: 214 mg/kg

Method: OECD Test Guideline 307

GLP: Yes

Test Type: aerobic degradation Soil temperature: 54 °F / 12 °C

Radio label: Yes

18 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version 1.1

Revision Date: 04/12/2024

SDS Number: 203000021225

Date of last issue: 10/19/2022 Country / Language: US / EN

pH: 6.6

Cation exchange capacity: 47 m_/kg

Biomass: 265.7 mg/kg

Method: OECD Test Guideline 307

GLP: Yes

Test Type: aerobic degradation Soil temperature: 54 °F / 12 °C

Radio label: Yes

pH: 7.4

Cation exchange capacity: 265 m_/kg

Biomass: 531.8 mg/kg

Method: OECD Test Guideline 307

GLP: Yes

Test Type: aerobic degradation Soil temperature: 54 °F / 12 °C

Radio label: Yes

pH: 7.2

Cation exchange capacity: 257 m_/kg

Biomass: 938.7 mg/kg

Method: OECD Test Guideline 307

GLP: Yes

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

The product itself has not been tested. Avoid release to the environment.

Components:

2,6-di-tert-butyl-p-cresol:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to

19 / 23

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo

Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Aspiration hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

2,6-di-tert-butyl-p-cresol 128-37-0 >= 1 - < 5

Pennsylvania Right To Know

Dec-1-ene, dimers, hydrogenated 68649-11-6 >= 90 - <= 1002,6-di-tert-butyl-p-cresol 128-37-0 >= 1 - < 5

California Prop. 65

WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION


Further information

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council

ROYCO 602 (22-015) MIL-PRF-87252



Version Revision Date: SDS Number: Date of last issue: 10/19/2022 1.1 04/12/2024 203000021225 Country / Language: US / EN

concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/12/2024

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.